

Derived-layer Integration Approach (Track R — Research-generated IncentiveRewards mock)

Proposed der_MemberRewardUpliftScores

TreatmentSourceBasis = Research-generated IncentiveRewards mock. Milestone 7 must not consume these scores as production lift.

The table mirrors der_MemberExperienceScores / der_MemberImpactScores.
TreatmentSourceBasis is required on every row. Scores tagged Research-generated IncentiveRewards mock must not be read as InComm-issued.

-- der_MemberRewardUpliftScores DDL Proposal
-- TreatmentSourceBasis is required so Track S scores cannot be read as Track R.

```
CREATE TABLE [der_MemberRewardUpliftScores] (  
    [Id] bigint NOT NULL IDENTITY,  
    [MIPipelineRunId] bigint NOT NULL,  
    [MemberId] nvarchar(100) NOT NULL,  
    [CareGapCode] nvarchar(80) NOT NULL,  
    [ScoredAtUtc] datetime2 NOT NULL,  
    [UpliftScore] decimal(18,6) NOT NULL,  
    [UpliftTier] nvarchar(40) NOT NULL,  
    [ControlOutcomeScore] decimal(18,6) NULL,  
    [TreatedOutcomeScore] decimal(18,6) NULL,  
    [PropensityToTreat] decimal(18,6) NULL,  
    [ModelVersion] nvarchar(40) NOT NULL,  
    [LabelSourceBasis] nvarchar(60) NOT NULL,  
    [TreatmentSourceBasis] nvarchar(80) NOT NULL,  
    [ObservationWindowDays] int NOT NULL,  
    [TopContributingFeatures]son] nvarchar(max) NOT NULL,  
    CONSTRAINT [PK_der_MemberRewardUpliftScores] PRIMARY KEY ([Id]),  
    CONSTRAINT [FK_der_MemberRewardUpliftScores_der_MIPipelineRuns]  
        FOREIGN KEY ([MIPipelineRunId]) REFERENCES [der_MIPipelineRuns] ([Id])  
);  
  
CREATE INDEX [IX_der_MemberRewardUpliftScores_MemberId]  
    ON [der_MemberRewardUpliftScores] ([MemberId]);  
CREATE INDEX [IX_der_MemberRewardUpliftScores_CareGapCode]  
    ON [der_MemberRewardUpliftScores] ([CareGapCode]);
```

```
CREATE INDEX [IX_der_MemberRewardUpliftScores_TreatmentSourceBasis]  
ON [der_MemberRewardUpliftScores] ([TreatmentSourceBasis]);
```