

Derived-layer Integration Approach (Track R — Research- generated IncentiveRewards mock)

Proposed der_MemberRewardUpliftScores

Prepared by: KSU mHealth Research Lab | Date: 2026-10-01

TreatmentSourceBasis = Research-generated IncentiveRewards mock. Milestone 7 must not consume these scores as production lift.

The table mirrors der_MemberExperienceScores / der_MemberImpactScores. TreatmentSourceBasis is required on every row. Scores tagged Research-generated IncentiveRewards mock must not be read as InComm-issued.

-- der_MemberRewardUpliftScores DDL Proposal
-- Generated: 2026-10-01T23:01:40.846631+00:00
-- THIS IS A PROPOSAL. Do not apply without InComm DBA review.
-- TreatmentSourceBasis is required so Track S scores cannot be read as Track R.

```
CREATE TABLE [der_MemberRewardUpliftScores] (  
    [Id] bigint NOT NULL IDENTITY,  
    [MIPipelineRunId] bigint NOT NULL,  
    [MemberId] nvarchar(100) NOT NULL,  
    [CareGapCode] nvarchar(80) NOT NULL,  
    [ScoredAtUtc] datetime2 NOT NULL,  
    [UpliftScore] decimal(18,6) NOT NULL,  
    [UpliftTier] nvarchar(40) NOT NULL,  
    [ControlOutcomeScore] decimal(18,6) NULL,  
    [TreatedOutcomeScore] decimal(18,6) NULL,  
    [PropensityToTreat] decimal(18,6) NULL,  
    [ModelVersion] nvarchar(40) NOT NULL,  
    [LabelSourceBasis] nvarchar(60) NOT NULL,  
    [TreatmentSourceBasis] nvarchar(80) NOT NULL,  
    [ObservationWindowDays] int NOT NULL,  
    [TopContributingFeaturesJson] nvarchar(max) NOT NULL,  
    CONSTRAINT [PK_der_MemberRewardUpliftScores] PRIMARY KEY ([Id]),  
    CONSTRAINT
```

```

[CK_der_MemberRewardUpliftScores_TreatmentSourceBasis]
    CHECK ([TreatmentSourceBasis] IN (N'Research-simulated',
N'Research-generated IncentiveRewards mock', N'InComm-issued')),
    CONSTRAINT [CK_der_MemberRewardUpliftScores_Window] CHECK
([ObservationWindowDays] > 0),
    CONSTRAINT [FK_der_MemberRewardUpliftScores_der_MlPipelineRuns]
        FOREIGN KEY ([MlPipelineRunId]) REFERENCES
[der_MlPipelineRuns] ([Id])
);

```

-- Runs are versioned by MlPipelineRunId; never overwrite a prior run's scores.

```

CREATE UNIQUE INDEX
[UX_der_MemberRewardUpliftScores_Run_Member_Gap]
    ON [der_MemberRewardUpliftScores] ([MlPipelineRunId], [MemberId],
[CareGapCode]);
CREATE INDEX [IX_der_MemberRewardUpliftScores_MemberId]
    ON [der_MemberRewardUpliftScores] ([MemberId]);
CREATE INDEX [IX_der_MemberRewardUpliftScores_CareGapCode]
    ON [der_MemberRewardUpliftScores] ([CareGapCode]);
CREATE INDEX
[IX_der_MemberRewardUpliftScores_TreatmentSourceBasis]
    ON [der_MemberRewardUpliftS

```