

CA-SDK Documentation — Correction Pack

For: Tuvoc · Source: docs.tapmind.io (live, 33 pages) · Prepared by: Product (Naveen)

Read first — canonical values confirmed by Product:

- LevelPlay Network Key = `15c11cb1d`
- Flutter AdMob package = `tap_mind_ads_admob`

The correct LevelPlay key matches *neither* value currently in the docs. All four platforms are wrong. Treat this as a signal to re-verify every network identifier against live dashboards, not just LevelPlay.

Items are grouped by how safely they can be applied. Sections 1–2 are ready to apply. Sections 3–5 need a Product/Tuvoc answer *before* touching. Value tokens in find/replace are verbatim; where a fix needs surrounding block context, it is marked and the exact block should be confirmed on the page before editing.

1 · Value-level find & replace — apply directly

These are unique string tokens. Safe to find-and-replace as-is.

CRITICAL LevelPlay Network Key — all 4 platforms

Find (Android · iOS · Flutter LevelPlay pages)

`15c101ba1`

Replace

`15c11cb1d`

Find (React Native LevelPlay page)

`15c11cbd1`

Replace

`15c11cb1d`

Two different find-strings — the RN page's wrong value differs from the other three. Do not paste the same find across all pages.

HIGH "IRONSOUCE" spelling — every LevelPlay page

Find

`IRONSOUCE`

Replace

`IRONSOURCE`

Appears on all LevelPlay pages (GMA + Next-Gen where present). Global replace is safe — no correct use of the misspelling exists.

2 · Block / page-specific fixes — ready, but confirm block text on page

These aren't single tokens; confirm the exact surrounding lines on each page before applying.

HIGH React Native pages contain Flutter content — 4 RN pages

The RN iOS install block is Flutter's Podfile (uses `target 'Runner'` and `flutter_install_all_ios_pods`), and the body text says "initialize the plugin in your **Dart code**." RN uses neither. This is a **block replacement**, not a token swap — I don't have the correct RN Podfile/init text to supply verbatim.

Find (wording, all 4 RN pages)

Dart code

Replace

JavaScript / TypeScript code

Blocked: the Podfile block rewrite needs the correct RN Podfile from Tuvoc. Ask Tuvoc to supply the canonical RN iOS install block; I can then format the verbatim replacement.

MEDIUM Dependency comment mislabels

On non-AdMob pages, the comment above the dependency reads as if it were the AdMob adapter, and `// Add AdMob SDK dependency` sits above `play-services-ads` on non-AdMob pages. Confirm the exact comment string on each page, then align the comment to the page's actual network (e.g. on the AppLovin page → `// Add TapMind SDK AppLovin Adapter dependency`). Cosmetic but signals sloppiness to publishers.

MEDIUM GMA AdMob (Android) missing manifest App-ID step

The AdMob Android page omits the `<meta-data android:name="com.google.android.gms.ads.APPLICATION_ID" ...>` step that the AppLovin/IronSource pages include. This is an **addition**, not a replace. AdMob is the network where a missing App ID hard-crashes on launch, so this is the highest-value of the "cosmetic" bucket. Copy the manifest step verbatim from the AppLovin Android page.

MEDIUM Test-mode pattern (GMA LevelPlay)

LevelPlay relies on a prose warning to disable test mode before go-live; Orchestration does it correctly via build type (`testMode(BuildConfig.DEBUG)`). Not a find-replace — this is an SDK/behaviour decision. Flagging so it's tracked, not silently carried forward.

3 · Additions — new content, not find & replace

CRITICAL `placementName` case-sensitivity callout

Root cause of the live Flutter-GAM bug, still undocumented. Add a callout on every page that passes `placementName`: the value is case-sensitive and must match the dashboard exactly. This is an insertion on ~all integration pages.

HIGH Missing pages

- **ProGuard / consumer-rules page** — absent from all 33 pages.
 - **Troubleshooting section** — absent. Should at minimum cover silent no-fill from class-string / network-key / `placementName` mismatch.
-

4 · Open questions — must be answered before any edit

I will not write find-replace for these until confirmed; guessing here gates fill or ships wrong values.

- **q Flutter GAM package:** is `tap_mind_ads_admob` on the GAM page intentional (shared GMA adapter, as iOS does with one pod), or should GAM have its own package? If own package, supply the name.
 - **q Flutter package naming:** AdMob is `tap_mind_ads_admob` but AppLovin/IronSource are `tapmind_ads_*`. Which underscore convention is canonical on pub.dev? If they must match, supply the correct names.
 - **q minSdkVersion:** GMA/Next-Gen pages say 23; Flutter/RN say 24; Cocos says 26. If `play-services-ads:25.0.0` enforces 24 (per prior decision), the 23 pages break the manifest merge. Confirm the fleet target, then this becomes: find `minSdkVersion 23` → replace `minSdkVersion 24`. *Not applied yet — needs your confirm.*
 - **q Cocos minSdk 26:** intentional, or should it drop to the fleet target?
 - **q iOS LevelPlay SPM repo** points to `TapMind-CA-Unity-Levelplay-iOS.git` on a native-iOS page. Correct repo, or wrong reference?
-

5 · Release actions — tracked, out of scope for a text correction pack

- Flutter packages still on `0.0.x` → path to `1.0.0` (publisher-trust signal).
- Unity (Git URL, no tag), Cocos (`main.zip`), and iOS pods (unpinned) all install from HEAD → add version pinning / release tags.