



QUTONE
INNOVATIONS & MORE...

Location:

Qutone Ceramic, Titanium Plaza, Corporate Rd, opp. Prahlad Nagar Road,
Satellite, Ahmedabad, Gujarat 380015.

Logon To:

www.qutoneceramics.com



TABLE OF CONTENT

Introduction

Brand Talks Of Qutone 04

The Collection

Brand Talks Of Qutone 06

Surfaces

Available Surfaces Of Collection 08

Sizes

Available Sizes Of Collection 10

Product Index

Explore The Products 12

Slab Handling

Moving & Lifting Manual 70

BRAND TALKS



THE JOURNEY OF CREATION: *A Masterpiece* IN THE MAKING

Embarking on a journey, it's not solely the destination that Holds value. The route we take can be equally exhilarating if We embrace every moment with enthusiasm. The journey of Exploration, diligent research, and meticulous craftsmanship Makes all the difference. It's not just about ceramics; it's About the sensations and experiences that emerge from the Creative process. The path of creation itself becomes a Masterpiece, where every step is an opportunity to craft Something extraordinary.







IRIS SURFACE

image

High-quality, vivid visuals captured in every tile.

reflection

Mirror-like surface for enhanced color and detail.

intensity

Striking color definition with powerful clarity.

sharpness

Crisp, clear details with high-definition printing.



A MULTITUDE
OF *technical*
BENEFITS

SAFETY



Non-Slip
Surface

iMarble surfaces can be made with an abrasive surface grit that can increase traction and reduce the risk of slipping.



Heat
Resistant

iMarble do not change shape at high temperatures.



Fire
Saftey

iMarble Surfaces are not flammable, reduce the spread of flames, do not burn, and do not emit toxic fumes.

RESISTANT



UV
Resistant

iMarble's maintain their colors even when exposed to continuous, direct sunlight or in contact with atmospheric agents or smog.



Chemical
Resistant

iMarble do not change shape at high temperatures.



Scratch
Resistant



iMarble do not splinter, break or get damaged.




Frost
Resistant

iMarbles are frost resistant and therefore are not damaged by low temperatures.

RANGE SUMMARY

				
	ONICE NOIR	ONICE STEEL	ONICE MINT	ONICE BLUSH
IRIS				


			
	OCEANIC JADE	RAVEN NERO	SPENDID STATUARIO
IRIS			

All imarble2.0 slabs showcased above are available in **120x240cm** and are structurally rectified with a sintered stone technology.




ONICE NOIR

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN IRIS SURFACE




wall-**ONICE NOIR** - Iris / 120x240cm




ONICE STEEL

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN IRIS SURFACE




wall-ONICE STEEL - Iris / 120x240cm




ONICE MINT

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



SCAN QR CODE

AVAILABLE IN IRIS SURFACE



wall-**ONICE MINT** - Iris / 120x240cm




ONICE BLUSH

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"

AVAILABLE IN IRIS SURFACE



TAP TO VIEW



SCAN QR CODE




wall-**ONICE BLUSH** - Iris / 120x240cm

OCEANIC JADE (BOOK MATCH)

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN IRIS SURFACE




wall-**OCEANIC JADE** - Iris / 120x240cm




RAVEN NERO (BOOK MATCH)

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN IRIS SURFACE



wall-**RAVEN NERO** - Iris / 120x240cm




SPENDID STATUARIO (BOOK MATCH)

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



TAP TO VIEW



SCAN QR CODE


AVAILABLE IN IRIS SURFACE



wall-**SPENDID STATUARIO** - Iris / 120x240cm


FORKLIFTING

To lift and move trays of slabs with lift trucks (forklifts) or building site cranes, it is important to slide the forks into the long side and carefully position them at the centre of the load, widening the forks to their maximum distance to support the entire depth of the pallet. To avoid damaging the content of the crates, it is necessary to use a lift truck with a capacity that is suitable for the weight to carry. To move crates measuring 1200x2400mm, it is necessary to use forks that are at least 120 cm long, and for crates measuring 1200x1800mm, 1200x2400mm and 1200x3240mm, forks at least 180 cm in length are required.



MANUAL LIFTING

Weight limits for each person set forth in current local regulations in the country Where the building site is located. In some cases, it could be necessary to only use Mechanical lifting equipment. Position the packaging near the surface to be clad. Lift the slab on the long side and bring it to a vertical position.



Maintain proper posture to avoid straining your lower back. Wear specialized gloves to enhance Grip and prevent abrasions. When moving slabs, especially those with holes or openings, and When installing them on walls, utilize special frames with suction pads, such as those made by Raimondi, montolit, sigma italia, and siri. Ensure the systems used are appropriate for the slab's Dimensions. Be mindful of the slab's weight and ensure you have enough personnel to install it Safely and correctly.

