



TABLE OF CONTENT

Introduction

Brand Talks Of Qutone 04

The Collection

Brand Talks Of Qutone 06

Surfaces

Available Surfaces Of Collection 08

Sizes

Available Sizes Of Collection 10

Product Index

Explore The Products 12

Slab Handling

Moving & Lifting Manual 84

BRAND TALKS




THE JOURNEY OF CREATION: *A Masterpiece* IN THE MAKING

Embarking on a journey, it's not solely the destination that Holds value. The route we take can be equally exhilarating if We embrace every moment with enthusiasm. The journey of Exploration, diligent research, and meticulous craftsmanship Makes all the difference. It's not just about ceramics; it's About the sensations and experiences that emerge from the Creative process. The path of creation itself becomes a Masterpiece, where every step is an opportunity to craft Something extraordinary.







RIDGE X ACCENT

Qutone's Ridge Collection combines the rugged beauty of stone with a matte finish, showcasing finely grained surfaces that mimic natural stone. Ridge Accent enhances this with a brushed effect on igneous surfaces, featuring uneven textures that add depth and elegance. Together, they offer a refined, earthy aesthetic.

Qutone's Terrain Collection captures nature's essence with dynamic, organic surfaces featuring cohesive surfaces. Terrain Accent adds striped effects with Shape Inks, revealing intricate geometric patterns and depth. The collection elevates design with natural elegance and texture.

TERRIAN X ACCENT





A MULTITUDE OF *technical* BENEFITS

SAFETY



Non-Slip Surface

iMarble surfaces can be made with an abrasive surface grit that can increase traction and reduce the risk of slipping.



Heat Resistant

iMarble do not change shape at high temperatures.



Fire Safety

iMarble Surfaces are not flammable, reduce the spread of flames, do not burn, and do not emit toxic fumes.

RESISTANT



UV Resistant

iMarble maintain their colors even when exposed to continuous, direct sunlight or in contact with atmospheric agents or smog.



Chemical Resistant

iMarble do not change shape at high temperatures.



Scratch Resistant



iMarble do not splinter, break or get damaged.





Frost Resistant



iMarbles are frost resistant and therefore are not damaged by low temperatures.

RANGE SUMMARY

			
	RIDGE CREMA	RIDGE FROST	RIDGE GRIGIO
OSLO			
ACCENT			

			
	RIDGE NATURAL	RIDGE SPACE	RIDGE TAN
OSLO			
ACCENT			

			
	TERRAIN ASH	TERRAIN CREMA	TERRAIN NATURAL
OSLO			
ACCENT			

		
	TERRAIN PEARL	TERRAIN ASPEN
OSLO		
ACCENT		

All iMarble2.0 slabs are available in **120x240cm** & **120X180cm** with the 9mm thickness and all Accents are available in **120x240cm only**, are structurally rectified with a sintered stone technology.


RIDGE CREMA

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM



wall- RIDGE CREMA (ACCENT) - Oslo / 120x240cm




wall-**RIDGE CREMA** - Oslo / 120x240cm

floor-**RIDGE CREMA** - Oslo / 120x240cm


RIDGE FROST

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



SCAN QR CODE

AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM



wall-RIDGE FROST (ACCENT) - Oslo / 120x240cm




wall-**RIDGE FROST** - Oslo / 120x240cm

floor-**RIDGE FROST** - Oslo / 120x240cm

RIDGE GRIGIO

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



120x240cm
4'x8' / 48"x96"



120x180cm
4'x6' / 48"x72"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM



wall- **RIDGE GRIGIO (ACCENT)** - Oslo / 120x240cm




wall-**RIDGE GRIGIO** - Oslo / 120x240cm

floor-**RIDGE GRIGIO** - Oslo / 120x240cm


RIDGE NATURAL

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



SCAN QR CODE

AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM



wall - RIDGE NATURAL (ACCENT) - Oslo / 120x240cm




wall-**RIDGE NATURAL** - Oslo / 120x240cm

floor-**RIDGE NATURAL** - Oslo / 120x240cm

RIDGE SPACE

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



120x240cm
4'x8' / 48"x96"



120x180cm
4'x6' / 48"x72"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM



wall - RIDGE SPACE (ACCENT) - Oslo / 120x240cm




wall-**RIDGE SPACE** - Oslo / 120x240cm

floor-**RIDGE SPACE** - Oslo / 120x240cm


RIDGE TAN

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



SCAN QR CODE

AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM



wall- RIDGE TAN (ACCENT) - Oslo / 120x240cm



wall-**RIDGE TAN** - Oslo / 120x240cm

floor-**RIDGE TAN** - Oslo / 120x240cm

TERRAIN ASH

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



120x240cm
4'x8' / 48"x96"



120x180cm
4'x6' / 48"x72"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM



wall - TERRAIN ASH (ACCENT) - Oslo / 120x240cm




wall-**TERRAIN ASH (ACCENT)** - Oslo / 120x240cm

floor-**TERRAIN ASH** - Oslo / 120x240cm

TERRAIN CREMA

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



120x240cm
4'x8' / 48"x96"



120x180cm
4'x6' / 48"x72"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM



wall- TERRIAN CREMA (ACCENT) - Oslo / 120x240cm



wall-**TERRAIN CREMA (ACCENT)** - Oslo / 120x240cm floor-**TERRAIN CREMA** - Oslo / 120x240cm

TERRAIN NATURAL

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



120x240cm
4'x8' / 48"x96"



120x180cm
4'x6' / 48"x72"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN OSLO SURFACE


*ACCENT ONLY AVAILABLE IN 120X240CM



wall-**TERRAIN NATURAL (ACCENT)** - Oslo / 120x240cm floor-**TERRAIN NATURAL** - Oslo / 120x240cm

TERRAIN PEARL

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



120x240cm
4'x8' / 48"x96"



120x180cm
4'x6' / 48"x72"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM




wall - TERRIAN PEARL (ACCENT) - Oslo / 120x240cm



wall-**TERRAIN PEARL (ACCENT)** - Oslo / 120x240cm floor-**TERRAIN PEARL** - Oslo / 120x240cm


TERRAIN ASPEN

Combines Incredible Versatility, Aesthetics and Performance



ACCENT

2 SIZES



AVAILABLE IN OSLO SURFACE

*ACCENT ONLY AVAILABLE IN 120X240CM




wall - TERRIAN ASPEN (ACCENT) - Oslo / 120x240cm



wall-**TERRAIN ASPEN (ACCENT)** - Oslo / 120x240cm floor-**TERRAIN ASPEN** - Oslo / 120x240cm

RANGE SUMMARY

			
	VE NE HAZE	FERN ALABASTER	FLOREM GEM
OSLO	☒	☒	☒

			
	GRAVEL CANNAS	ERA MAPLE	PECAN CORAL
OSLO	☒	☒	☒

All Imarble2.0 slabs are available in **120x240cm** with the 9mm Thickness are structurally rectified with a sintered stone technology.



ARTESSO
EDITION


Qutone's Artesso Edition features organic surfaces inspired by natural stone, enhanced with handmade artworks. The collection blends base textures with unique artistic designs, offering a variety of looks and beautifully crafted details.

VENE HAZE

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



SCAN QR CODE

AVAILABLE IN OSLO SURFACE



Wall - VENE HAZE - Oslo / 120x240cm




wall-**VE NE HAZE** - Oslo / 120x240cm

FERN ALABASTER

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



SCAN QR CODE

AVAILABLE IN OSLO SURFACE



Wall - Fern Alabaster - Oslo / 120x240cm




wall-**FERN ALABASTER** - Oslo / 120x240cm

FLOREM GEM

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



TAP TO VIEW



SCAN QR CODE

AVAILABLE IN OSLO SURFACE



Wall- FLOREM GEM - Oslo / 120x240cm



wall-**FLOREM GEM** - Oslo / 120x240cm

GRAVEL CANNAS

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



SCAN QR CODE

AVAILABLE IN OSLO SURFACE



Wall - GRAVEL CANNAS - Oslo / 120x240cm




wall - **GRAVEL CANNAS** - Oslo / 120x240cm

ERA MAPLE

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"



SCAN QR CODE

AVAILABLE IN OSLO SURFACE



Wall - ERA MAPLE - Oslo / 120x240cm



wall-**ERA MAPLE** - Oslo / 120x240cm

PECAN CORAL

Combines Incredible Versatility, Aesthetics and Performance



1 SIZE



120x240cm
4'x8' / 48"x96"

AVAILABLE IN OSLO SURFACE



SCAN QR CODE




Wall - PECAN CORAL - Oslo / 120x240cm




FORKLIFTING

To lift and move trays of slabs with lift trucks (forklifts) or building site cranes, it is important to slide the forks into the long side and carefully position them at the centre of the load, widening the forks to their maximum distance to support the entire depth of the pallet. To avoid damaging the content of the crates, it is necessary to use a lift truck with a capacity that is suitable for the weight to carry. To move crates measuring 1200x2400mm, it is necessary to use forks that are at least 120 cm long, and for crates measuring 1200x1800mm, 1200x2400mm and 1200x3240mm, forks at least 180 cm in length are required.






MANUAL LIFTING

Weight limits for each person set forth in current local regulations in the country Where the building site is located. In some cases, it could be necessary to only use Mechanical lifting equipment. Position the packaging near the surface to be clad. Lift the slab on the long side and bring it to a vertical position.



Maintain proper posture to avoid straining your lower back. Wear specialized gloves to enhance Grip and prevent abrasions. When moving slabs, especially those with holes or openings, and When installing them on walls, utilize special frames with suction pads, such as those made by Raimondi, montolit, sigma italia, and siri. Ensure the systems used are appropriate for the slab's Dimensions. Be mindful of the slab's weight and ensure you have enough personnel to install it Safely and correctly.







Location:

Qutone Ceramic, Titanium Plaza, Corporate Rd, opp. Prahlad Nagar Road,
Satellite, Ahmedabad, Gujarat 380015.

Logon To:

www.qutoneceramics.com