State of AI Data Labs and Human Feedback

PRELAUNCH | research-2026-11-09.prelaunch.3 | Updated 2026-11-09

Preparation snapshot; not a published research edition. No DOI has been registered for this snapshot.

Coverage and publication status

The comprehensive weekly series is in preparation. Historical examples and the research method are available; candidate discoveries do not count as reviewed research. The complete readiness record accompanies this PDF as readiness.json.

Reviewed research	Current	Launch minimum
Existing organization inclusion audits	8	39
Qualifying suppliers	8	60
Full-source paper reviews	8	150
Dataset families	8	60
Benchmark families	5	20

1. Executive assessment

Method: This is a selected baseline, not a comprehensive state-of-market census. The frozen input contains 173 approved assertions, including 163 newly selected assertions and ten carried-forward approvals. Computed qualifying coverage is eight suppliers, eight distinct full-source paper works, eight dataset families and five benchmark families, with eight of 39 legacy organizations dispositioned. Other records remain visible under their actual status; neither assertion volume nor inclusion establishes representative coverage.

Analysis: Within this sample, buying AI data involves several different deliverables: expert-created tasks and rubrics, preference pairs, evaluation datasets, executable environments and participant access. Mercor describes expert-written workplace tasks; Surge markets RL environments and verifiers; Prolific offers participant access and managed collection. These disclosures support requirement-based comparisons. They do not establish interchangeable services, measured capacity or comparative performance.

Sources: [123], [134], [168], [176], [178]

Analysis: Human involvement must be located in the workflow. HelpSteer3-Preference uses independent human preference annotators; UltraFeedback uses GPT-4 labels; FineWeb-Edu develops filtering from Llama-generated educational scores. Calling all three human-feedback data would obscure their different content and label provenance. Buyers should request separate fields for prompt origin, response generation, annotation, filtering and oversight before comparing quantities.

Sources: [38], [99], [100]

Analysis: The reviewed methods also warn against reading a polished dataset as the raw annotation process. HelpSteer3 removes invalid samples and selects agreeing annotations; InstructGPT usually uses one contractor for comparisons; SHP infers collective preferences from existing human-written material. Each creates a different observation unit. A preference-pair count alone cannot determine independent judgments, disagreement coverage or suitability for a particular objective.

Sources: [33], [80], [102]

Research gap: The launch floors remain unmet: 39 legacy dispositions, 60 qualifying suppliers, 150 reviewed paper works, 60 dataset families, 20 benchmark families and 90% disposition of a frozen eligible core. The core has not been frozen. Neither required real 200-record audit is supplied. No market share, market-wide ranking, research precision, completed human review, DOI or published archive is established by this preparation snapshot.

Analytical judgment: delivery-unit-before-provider

In this reviewed sample, a useful supplier comparison begins with the delivery unit: participant access, licensed data, custom tasks or executable environments.

Buyer implication: Specify who owns task design, annotation, QA, rights clearance and acceptance before comparing proposals.

Limitations: First-party offering descriptions do not establish interchangeable services, capacity, realized quality or a market-wide supplier ranking.

Confidence: Moderate for this sample’s disclosed distinctions; low for prevalence outside it.

Reasoning: Prolific distinguishes participant access and managed collection; Snorkel describes refreshed non-exclusive products; Mercor describes custom task construction; Surge offers environments and verifiers. Their responsibilities differ even where capability labels overlap.

What would change this assessment: Matched statements of work and independently checked deliveries could show that particular offerings meet the same requirement and permit narrower outcome comparisons.

Approved evidence IDs: candidate.supplier.prolific.platform-managed, candidate.supplier.snorkel_ai.data-series, candidate.supplier.mercor.task-construction, candidate.supplier.surge_ai.rl-environments

Analytical judgment: human-and-model-provenance

Human content, human labels and human oversight are distinct provenance claims; the selected datasets contain materially different combinations.

Buyer implication: Require a stage-level provenance manifest and test the label target relevant to the intended task.

Limitations: The reviewed methods are source-reported and version-specific. No universal advantage of human or synthetic labels is established.

Confidence: High for the documented provenance distinctions; unestablished for comparative training outcomes.

Reasoning: HelpSteer3 describes independent human preference annotations, UltraFeedback describes GPT-4 labels and FineWeb-Edu describes model-scored educational filtering. Calling these one annotation category would erase the origin of the supervision signal.

What would change this assessment: Independent task-matched validation with raw annotations and generation logs could support outcome comparisons or expose errors in the reported provenance.

Approved evidence IDs: candidate.paperfull.helpsteer3.independent-human-labels, next.claim.ultrafeedback.model_feedback, candidate.paperfull.fineweb.synthetic-educational-labels

Analytical judgment: agreement-needs-denominators

Released agreement and preference-pair totals cannot be interpreted without the independent-judgment and exclusion denominators.

Buyer implication: Request raw-to-retained counts, invalid-item rules, repeat labels, disagreement slices and corrected acceptance.

Limitations: The reviewed workflows differ in task and sampling. They cannot rank provider quality, and no common reliability measurement was executed.

Confidence: High for the methodological distinction; low for transferring a numerical agreement result between workflows.

Reasoning: HelpSteer3 selects agreeing labels and excludes disagreements; HelpSteer2 aggregates closest ratings; InstructGPT expands ranked sets into correlated pairs and usually uses one contractor per comparison. Final record totals therefore summarize different observation processes.

What would change this assessment: A common held-out task with independent raw judgments and the same exclusion rules could make reliability comparisons meaningful.

Approved evidence IDs: candidate.paperfull.helpsteer3.postfilter-consensus, next.claim.helpsteer2.qa, candidate.paperfull.instructgpt.human-ranking-sets, candidate.paperfull.instructgpt.single-contractor-comparisons

Analytical judgment: artifact-role-is-narrow

Named artifact attribution is strongest when it preserves the exact contribution stage and release rather than extending a brand association across a family.

Buyer implication: Ask for source-supported roles for the specific delivered artifact; keep recruitment, annotation, validation and authorship separate.

Limitations: These examples do not reveal contract values, contribution shares, exhaustive supplier lists or causal provider performance.

Confidence: High for the explicit scoped roles in this sample; incomplete for the broader supplier graph.

Reasoning: HelpSteer3 names Scale and Translated for different subsets; the Prolific case establishes recruitment through a researcher-owned interface; U-MATH credits Toloka AI and Gradarius with validation of professor-authored problems. These relationships support narrower claims than sole production.

What would change this assessment: Additional artifact-specific acknowledgments, contributor records or contracts could establish further stages or revise the scope.

Approved evidence IDs: candidate.supplier.scale_ai.helpsteer3-contribution, next.claim.helpsteer3.translated, candidate.supplier.prolific.cohere-recruitment, candidate.supplier.toloka.umath-validation

Analytical judgment: benchmark-protocol-before-score

Benchmark family names alone are insufficient for comparing scores or deciding deployment readiness.

Buyer implication: Freeze task version, candidate responses, aggregation and execution environment, then inspect errors on the buyer’s actual task.

Limitations: No benchmark was executed for this report. The reviewed sources do not establish a universal deployment-quality ranking.

Confidence: High for protocol differences and stated limitations; unestablished for any new system’s performance.

Reasoning: RewardBench versions change scoring structure; TruthfulQA changes answer protocol and separates generation metrics; SWE-bench warns that passing tests does not ensure complete, efficient or readable solutions. The measures answer different questions.

What would change this assessment: Reproducible matched-protocol results and independently checked target-task outcomes could support a narrower comparative claim.

Approved evidence IDs: next.claim.rewardbench.v1.scoring, next.claim.rewardbench.v2.scoring, next.claim.truthfulqa.metrics, next.claim.truthfulqa.binary_revision, candidate.paperfull.swebench.regression-test-scoring

Analytical judgment: commercial-denominators-stay-separate

The selected commercial disclosures cannot be combined into supplier market shares, production-capacity rankings or a common unit-cost comparison.

Buyer implication: Retain period, currency, organizational scope, active-window definition and acceptance basis; obtain a project-specific quote and availability check.

Limitations: Coverage is selected and incomplete. Missing disclosure is unknown, not zero; the observed figures are not matched measures.

Confidence: High for the incompatibility of these disclosed denominators; no confidence claim is made about market-wide shares.

Reasoning: Appen reports full-year consolidated and geographic-segment revenue, Scale reports cumulative contributor payouts with unspecified period and dollar currency, and Prolific distinguishes active participants from a waitlist without defining the active window. None supplies a matched current paid-work or human-data revenue denominator across suppliers.

What would change this assessment: Comparable segment accounts, audited activity windows and accepted-unit cost records across the same scope could permit limited financial or operational comparisons.

Approved evidence IDs: candidate.supplier.appen.revenue-fy2025, candidate.supplier.appen.segments-fy2025, candidate.supplier.scale_ai.cumulative-payout, candidate.supplier.prolific.active-pool

2. Weekly developments

Method: This first-edition prelaunch baseline establishes a starting record rather than a weekly change series. Older findings first inspected now remain older findings. Source publication, event, capture, assertion and review dates have different meanings. There is no prior published edition in the report ledger against which to calculate changes, and the changed-claim list is deliberately empty.

Evidence: Version changes already visible in the selected sources illustrate what a future weekly comparison must preserve. TruthfulQA creator documentation describes a January 2025 binary multiple-choice revision and incomplete revalidation of remaining questions and sources. RewardBench 2 uses a different response-comparison and aggregation protocol from RewardBench 1. These are artifact-specific changes, not a measured industry trend or a common performance time series.

Sources: [29], [30], [48], [49]

Evidence: The selected supplier sources include Toloka’s January 2026 self-serve launch description and Mercor’s APEX-Agents 1.1 release account. Toloka describes client-calibrated quality rules and revision routing. Mercor reports 80 tasks per professional domain refined through three expert audits. These first-party accounts document the described offerings and release process; they do not independently demonstrate delivery quality or a change in supplier rank.

Sources: [118], [120], [181]

Method: The retained weekly source cutoff is Friday 6 November 2026 at 17:00 Pacific. New captures used in this preparation occurred after that cutoff, so this snapshot cannot be represented as an eligible on-time weekly edition. Later review can inspect an already captured version without changing its capture date. A future comparison should identify actual prior inputs, additions, corrections and withdrawals, rather than relabel late preparation as publication.

3. Market structure

Analysis: The sample spans overlapping capability categories. Appen describes expert alignment, agentic, multimodal, physical-AI and evaluation services; Scale describes tailored expert-curated generative-AI training datasets and model evaluation; Toloka describes demonstrations, preferences, evaluation and hybrid synthetic/human workflows. This overlap makes a single broad supplier category insufficient for procurement. Compare the requested artifact, domain and delivery responsibility within each offering, while treating capability pages as first-party descriptions.

Sources: [106], [146], [147], [176], [178]

Analysis: Provider identity, product and business scope must remain separate. Scale describes Data Infrastructure and AI Applications as two primary business segments. Turing describes AI-lab data and RL-environment work alongside enterprise agent development, but these are described activities, not independently reported financial segments. Turing Frontier is specifically a US-based expert-access product. Neither that geography nor its verification description defines the whole Turing talent pool.

Sources: [143], [189], [190], [192]

Analysis: Delivery model is another independent axis. Prolific distinguishes researcher-managed participant access from managed complete-dataset collection. Snorkel describes non-exclusive Data Series products refreshed quarterly; Mercor markets ready-to-license datasets as well as custom research partnerships. A buyer choosing between access, catalog licensing and commissioned production should assign responsibility for task design, rights, quality assurance and revisions explicitly. The disclosures do not supply matched prices or outcomes.

Sources: [122], [124], [134], [155]

Evidence: Workforce figures use incompatible denominators. Mercor advertises more than five million domain experts, without an activity window or paid-assignment denominator. Turing advertises more than five million experts across more than 250 domains, without current active or paid counts. Appen’s FY2025 report describes a global crowd above one million. Prolific reports over 300,000 active participants and over one million waitlisted, but does not define the active window.

Sources: [113], [121], [135], [189]

Analysis: These network disclosures cannot rank available production capacity. Toloka’s general annotator, AI tutor and domain-expert tiers describe workforce structure rather than headcount. Scale describes matching through background, skills, profiles and prior Outlier work. For a constrained project, ask how many qualified contributors can start during the requested period, how availability was checked and how many completed paid work on comparable tasks. Those project-specific denominators are not established here.

Sources: [135], [148], [180], [189]

4. Technical landscape

Evidence: The pinned InstructGPT paper describes human demonstrations and rankings as separate stages. For reward-model collection, labelers rank four to nine model responses per prompt; pairwise comparisons derived from one ranking are correlated. PPO input prompts do not carry per-prompt human labels because learned reward supplies that stage’s feedback. The prompt dataset primarily uses early Playground submissions, explicitly excluding production API customer data, with labeler-written prompts used to bootstrap collection.

Sources: [77], [78], [81]

Analysis: DPO changes the optimization procedure without removing the need to inspect preferences. Under its KL-constrained objective and preference-model assumptions, it learns through a direct policy objective without a separately fitted reward model and RL loop. Its summarization experiment reuses existing human preferences with a different SFT model, while the controlled IMDb experiment uses classifier-generated preference labels. These are distinct provenance and transfer conditions, not evidence that data collection becomes unnecessary.

Sources: [83], [84], [85]

Evidence: The reviewed DPO empirical evaluation covers models up to six billion parameters. Larger-model scaling, broader distribution shift and reward over-optimization remain further-study questions in that source. Its summary-judgment validation recruits 25 volunteer raters, mainly a Stanford STEM convenience sample, with one late volunteer excluded from final analysis. This validates selected summary matchups under the study design, not universal superiority over PPO or a population-representative preference standard.

Sources: [86], [87]

Evidence: The pinned FineWeb paper describes about 15 trillion GPT-2-tokenized tokens from 96 Common Crawl snapshots and uses individual per-crawl MinHash deduplication in its final pipeline. Controlled ablations use 1.71-billion-parameter models, equal token budgets commonly of 28 billion or 350 billion tokens, and selected academic benchmarks. The paper notes scale and unaligned benchmark-only limitations; its deduplication choice is not proof that global deduplication is universally inferior.

Sources: [94], [95], [97]

Analysis: FineWeb-Edu makes the label-target distinction particularly concrete. Llama-3-70B-Instruct scores 460,000 sampled pages for educational quality. A classifier uses 410,000 model-scored pages and holds out 50,000 against those synthetic scores. Validation against that target measures model-score agreement, not independent educator agreement. A buyer seeking educational usefulness should therefore test the intended learner population and content level separately from reproducing the filtering classifier.

Sources: [98], [99]

Evidence: HelpSteer3-Preference assigns each sample to three to five independent human annotators, requesting preference direction, strength or invalidity and brief reasons. Internet fact-checking is permitted; LLM tools are prohibited during annotation. Its documented coverage does not include intersections between General, STEM, Code and Multilingual areas, such as non-English code prompts, and is limited to 14 programming languages, 13 natural languages and the described text tasks.

Sources: [100], [101]

Analysis: Human baselines also need their own provenance. MMLU reports 34.5% accuracy for unspecialized MTurk respondents, while its approximately 89.8% expert level is an estimate using examination percentiles and educated guesses, not a measured all-subject expert panel. TruthfulQA uses separate external researchers for reference-label validation on 100 questions and a human-answer baseline on 250. These populations and procedures cannot be combined into a representative human standard for expert-data procurement.

Sources: [66], [70], [74]

Analysis: The selected papers support a technical comparison by mechanism: a direct preference objective, a synthetic quality filter and repeated human judgments answer different questions. None of these reviewed methods alone specifies the best workflow for a new buyer task. A useful pilot should hold the task, model, training budget and evaluation protocol constant while varying the proposed data intervention; otherwise an observed change cannot be assigned to annotation or optimization alone.

Sources: [83], [98], [100]

5. Provider dossiers

Method: These dossiers compare documented requirements and evidence types. Offering and process statements are primarily first-party disclosures, not independent operational audits. Named artifact roles are narrower than general capability. Absence of a reviewed disclosure means unknown in this sample. Each pilot should request the actual delivery scope, contributor requirements, acceptance procedure, rights package and responsible contracting entity rather than substitute a brand-level description.

Analysis: Appen describes coding deliverables including repository tasks with verified patches, debugging traces, preference pairs and test-generation data. It describes project agreement metrics, continuous gold questions and adjudication, with evaluation teams separate from training-data producers. For a coding-data pilot, request sample patches, reproducible test results and the boundary between those teams. The disclosures establish proposed controls and deliverable types; they do not independently establish their implementation or achieved accuracy.

Sources: [105], [108], [109]

Analysis: Mercor describes expert-written prompts, rubrics, golden solutions and long-horizon workplace environments, with expert vetting and peer review plus automated controls. Its APEX-Agents 1.1 account gives a named benchmark example, while its revised judge account acknowledges increased false negatives versus the naive grader. A professional-task pilot should therefore inspect rubric coverage and both error directions. These benchmark-specific disclosures cannot rank Mercor’s general delivery performance or establish customer training use.

Sources: [118], [119], [120], [123], [125]

Analysis: Prolific describes experience- or assessment-selected AI taskers across modalities and offers both participant access and managed collection. A researcher-authored Hosking/Cohere case identifies it as participant provider; researchers used their own modified Potato interface. That role establishes recruitment, not Prolific authorship or adjudication of labels. Buyers should decide whether they need a recruitable sample or a delivered artifact and specify who designs, hosts and accepts the annotation workflow.

Sources: [129], [130], [132], [134]

Analysis: Scale offers expert-curated training datasets and targeted red-teaming, and describes automated review with human standard-setting and edge-case review. NVIDIA’s pinned HelpSteer3 card attributes General, STEM and Code annotations to Scale; the paper separately names Scale’s sourcing and management role for those subsets. These narrow roles strengthen artifact attribution without establishing all-family production, ownership, contract value or causal model gains. A buyer should ask which stages the proposed engagement actually covers.

Sources: [103], [145], [146], [147], [149]

Analysis: Snorkel describes non-exclusive, quarterly refreshed dataset and environment products and expert authoring, peer review and comparative evaluation. Its captured Finance Reasoning page describes 79 question-answer pairs co-created with financial experts, while its LLM-judge evaluation is a separate step. The page lacks an immutable release identifier and shown publication date. Buyers considering catalog reuse should request exact version bytes, refresh semantics and permission terms before treating later downloads as the same evaluated artifact.

Sources: [154], [155], [159]

Analysis: Surge offers SFT demonstrations, RLHF data, human evaluation, and agentic environments with behavior verifiers. OpenAI's pinned GSM8K card says Surge helped expand collection after an initial Upwork-collected set; it describes re-solving by different workers and repairing or discarding disagreements. This is a historical, dataset-specific account from the card, not a full-paper review or proof of sole authorship. Ask for comparable validation records for the proposed new task.

Sources: [163], [164], [168], [170]

Analysis: Toloka describes demonstrations, preference and evaluation data, domain-expert taxonomy design and human verification of generated data. The pinned U-MATH card credits Toloka AI and Gradarius math experts with validation of professor-authored curriculum problems. That is a validation role, not sole origination; performance-image tables were not inspected. Buyers should distinguish authoring, checking and adjudicating in the statement of work and request evidence that each role matches the required domain.

Sources: [176], [178], [179], [186]

Analysis: Turing Frontier offers verified US-based scientific and professional experts, with claimed identity, background and work-history checks. An anonymous company case describes human-driven sandbox sessions across more than 150 tools and skills and over 120,000 preference pairs contrasting compliant actions and failure modes. These are case-specific company disclosures. Pair counts are not worker or task counts, and model-improvement language is not independently demonstrated here. Request representative trajectories, failure coverage and acceptance evidence.

Sources: [187], [188], [191], [192]

6. Dataset and benchmark landscape

Evidence: HelpSteer2's pinned card describes 0-4 human ratings for helpfulness, correctness, coherence, complexity and verbosity, complemented by preference labels and justifications. Prompts are mostly user-contributed ShareGPT material, with approximately 5% human-generated by Scale AI; responses come from ten early in-house LLMs. Scale's attribution concerns attribute annotation. Human prompt contribution, model response generation and human scoring must remain separate provenance fields.

Sources: [13], [14], [15], [17]

Evidence: The pinned HelpSteer3 collection includes Preference, Feedback, Edit, Edit-Quality and Principle configurations. Its 40,476 Preference samples and 95%/5% train/validation split describe that configuration, not the union of every configuration. Scale is attributed only to Preference General, STEM and Code annotation, and Translated only to Preference Multilingual. Neither attribution establishes Principle annotation, prompt translation, every release or a complete supplier list.

Sources: [18], [19], [20], [104]

Evidence: HH-RLHF separates chosen/rejected preference artifacts from red-team transcripts and their intended uses. Helpfulness contains base, rejection-sampled and online tranches, whereas harmlessness uses base-model data. The historical study recruited US master-qualified MTurk workers and Upwork contractors with writing spot-checks and lightweight vetting. It did not select workers by direct agreement metrics and retrospectively reports about 63% researcher-worker agreement. That study-specific figure is not platform-wide quality.

Sources: [21], [22], [43], [44], [45], [46]

Evidence: SHP uses existing human-written Reddit posts and comments with collectively inferred preferences, rather than separately elicited individual pairwise ratings. Its card table lists 385,563 pairs across 18 subreddits, split by post ID into 348,718 train, 18,436 validation and 18,409 test pairs. These are documented counts, not independently recounted rows. The inspected terms discuss Reddit scraping and user ownership without granting a standard permissive dataset license; current rights were not adjudicated.

Sources: [31], [32], [33]

Evidence: OASST1’s full April 2023 corpus summary lists 161,443 messages, 35 languages, 461,292 quality ratings and more than 13,500 volunteers. Its ready-for-export subset is smaller: 88,838 messages in 10,364 trees, excluding spam and deleted messages, versus 66,497 trees in the all export. A synthetic-capable schema prevents an all-human-only inference. Guidance distinguishes writing, classification and ranking, but instructions do not establish universal contributor compliance.

Sources: [5], [6], [7], [8], [25], [26], [27]

Evidence: UltraFeedback samples instructions from six named upstream sources and four models from a 17-model pool per instruction. GPT-4 supplies numerical and textual feedback on instruction-following, truthfulness, honesty and helpfulness. Creator documentation records a December 2023 overall-score correction using thresholds and re-annotation; this is README-level evidence because the named implementation path returned 404 at the pinned commit. No transitive supplier attribution follows from upstream source membership.

Sources: [38], [39], [51]

Analysis: RewardBench 1 scores whether a chosen response outranks a rejected alternative and uses section weighting, including math/code balance. RewardBench 2 averages six categories: five compare one chosen response with three rejected responses, while Ties uses a distinct correctness-and-margin metric. A score change across versions is therefore not a matched improvement measurement. The pinned RewardBench 1 card's ODC-BY aggregation declaration also preserves component-license obligations, including listed noncommercial sources.

Sources: [28], [29], [30]

Analysis: MMLU illustrates the separation between family, distribution and executable procedure. The pinned HF card describes 57 multiple-choice subjects and five development examples per subject. Separately inspected creator code requests five demonstrations, reduces them when context cropping requires, chooses the highest A-D token log probability and computes sample-weighted accuracy. No benchmark execution or byte-level association between those local CSV inputs and the pinned HF distribution was established in this review.

Sources: [2], [3], [4], [23], [24]

Analysis: TruthfulQA's pinned HF distribution contains generation and multiple-choice configurations of the same 817 questions; the later creator repository describes revised binary A/B evaluation. Generation truthfulness and informativeness, MC1 accuracy, MC2 probability mass and new binary accuracy measure different behavior. HHH alignment is another distinct task, using binary response comparisons across helpfulness, honesty, harmlessness and other categories. Its co-author approval process belongs to benchmark creation, not independent review of this report.

Sources: [36], [37], [40], [41], [42], [49], [50]

Analysis: Original full SWE-bench contains 2,294 issue/PR-derived tasks from twelve Python repositories. Later Verified is described separately as 500 engineer-confirmed solvable problems with OpenAI Preparedness. Current pinned collection documentation describes scraping, patch/test requirements, environment configuration and execution validation; it does not prove that every documented step ran for every original instance. Keep the original task release, later subset and inspected repository workflow separate when reproducing a comparison.

Sources: [9], [12], [47], [91], [92]

7. Human expertise and operations

Analysis: HelpSteer3's three-to-five independent annotators supply more information than the final aggregate preserves. Postprocessing first removes samples with any invalid annotation, retains the three most agreeing annotations and excludes cases with remaining disagreement greater than two preference-strength points. The aggregate averages and rounds those retained labels; released ties are not used in reward-model training. Ask for raw and retained denominators before interpreting post-filter agreement as reliability across all attempted work.

Sources: [100], [102]

Analysis: HelpSteer2 similarly aggregates the three closest ratings and describes subsequent vendor and creator QA, with disagreement annotations separately identified. InstructGPT's most comparisons are labeled by a single contractor for cost reasons, while ranked sets generate correlated pairs. Repetition, filtering and pair expansion affect different denominators. A pilot should report independent judgments per item, exclusions, corrected acceptance and unresolved disagreements rather than present one final agreement statistic as a complete quality measure.

Sources: [16], [77], [80]

Analysis: Recruitment evidence should retain its stage. The InstructGPT paper identifies Scale and Upwork as channels for roughly 40 contractors in total across demonstrations, comparisons and main evaluations, without assigning shares. Upwork is not thereby established as the annotation employer or managed producer. The HelpSteer3 paper names Scale and Translated for sourcing and managing specified subsets. Those relationships do not transfer ownership of prompts, responses or the whole dataset family to the recruiter.

Sources: [79], [82], [103], [104]

Analysis: The selected provider descriptions offer different quality controls: Appen describes gold questions and adjudication; Snorkel describes calibration, dual-expert review, consensus, sampling and programmatic checks; Scale describes automated review with human experts setting standards and handling edge cases. These are useful implementation questions, not comparable outcome measurements. Ask which decisions are automated, which require domain review, what escapes each stage and whether the customer can inspect disagreements and rejection appeals.

Sources: [109], [149], [156]

Analysis: Human contribution is broader than recruited annotation. SWE-bench's authors say collection, evaluation and experiments did not use crowdsourcing or recruited task workers, yet they manually created executable contexts and relied on human repository contributions. TruthfulQA's authors wrote the questions and performed the main generation evaluations under model-name and prompt blinding. These examples show why no external supplier and no human labor are different conclusions; source provenance must retain author and upstream developer work.

Sources: [71], [72], [89], [90]

Method: Before a pilot, define an accepted unit: verified solution, adjudicated comparison, usable trajectory or licensed record. Specify expertise checks, task instructions, independent judgments, permitted tools, invalid-item handling, escalation and rework. Measure first-pass acceptance separately from corrected acceptance. Sample rejected work and difficult cases as well as accepted deliveries. This is a proposed acceptance procedure, not a claim that any reviewed provider currently meets it.

8. Commercial evidence

Evidence: Appen’s FY2025 audited financial statements report consolidated customer-contract revenue of USD 230.774 million for 1 January-31 December 2025. Appen Global and Appen China report USD 127.874 million and USD 102.900 million respectively. These geographic operating segments do not isolate expert generative-AI or human-data revenue. The figures are reported full-year group and segment revenue, not annualized pace, transaction volume or a matched measure of this report’s supplier category.

Sources: [110], [111], [114]

Evidence: Scale’s FY2025 statement, approved in June 2026, reports nearly $1 billion paid cumulatively to hundreds of thousands of contributors across more than 150 countries. The phrase is to date without a specified start or end. The captured statement does not establish a dollar currency beyond its symbol, and no payment reconciliation was inspected. This is neither company revenue nor annual wages nor a current active-workforce measure.

Sources: [142]

Evidence: Prolific’s captured FAQ lists usual platform fees of 42.8% for corporate and 33.3% for academic or nonprofit customers, but the bound passage does not explicitly define the percentage denominator; managed services are custom-priced. Its minimum permitted participant rates are GBP 6 or USD 8 per hour, with GBP 9 or USD 12 recommended. These are tariff statements and platform rules, not realized specialist earnings, margins or net take rates.

Sources: [133], [136]

Analysis: Snorkel’s public expert statement describes project-based pay, weekly processing of accepted contributions through HireArt and opt-in matching. That does not establish typical earnings or guaranteed assignments. Alongside Prolific’s minimum-rate rules, it shows why pay basis, acceptance condition and available work must be asked separately. A buyer’s total accepted-unit cost should include design, recruiting, tooling, rework and internal review; no matched full-cost comparison is supplied here.

Sources: [133], [134], [152]

Research gap: The approved sample does not establish comparable revenue for the relevant human-data activities across suppliers, matched gross margins, standardized project prices or independently reconciled accepted-unit costs. Missing disclosure is unknown, not zero. No market-size estimate or supplier revenue ranking is derived. Future commercial comparisons need the same currency, period, organizational scope, gross/net basis and service definition before arithmetic can support a conclusion.

9. Governance

Analysis: Security disclosures require scope checks. Scale states SOC 2 Type 2 and ISO/IEC 27001:2022; Appen describes SOC 2 Type II, a HIPAA-specific solution and named facility options; Snorkel states SOC 2 Type 2 and engagement-start control scoping. Underlying reports, certificate coverage and customer deployments were not inspected. Prolific describes ISO 27001 and Cyber Essentials while treating SOC 2 Type 2 as a future plan. These statements cannot be flattened into equivalent verified controls.

Sources: [115], [138], [150], [158]

Evidence: Toloka’s published guidelines use different personal-data conditions by task category. For third-party personal information they list both anonymization before upload and consent agreements. Public-space images have their own blurring rule, exception and consent condition; collection from Tolokers requires lawful collection, a named administering entity, purpose and linked privacy policy. These are platform requirements, not proof of dataset compliance. Linked additional collection guidelines were not separately captured and remain unknown.

Sources: [172], [173], [175]

Analysis: A privacy notice must cover the service being assessed. Mercor’s captured website notice excludes work.mercor.com, so it cannot establish expert-platform consent, work-product rights or retention. Turing’s June 2025 policy lists AI development and training among personal-information uses, while Surge’s December 2021 standard terms grant a perpetual internal-business and service-improvement license for labeling User Data. Neither establishes every negotiated deliverable’s ownership or project-specific contributor consent; inspect the applicable contract chain.

Sources: [126], [171], [193]

Analysis: Workforce and subcontractor paths deserve the same specificity. Scale describes access through third-party BPOs or other providers and Outlier. Snorkel’s policy contemplates staffing partners and client disclosure; Appen’s privacy statement describes contractor access controls and confidentiality. These disclosures identify possible processing structures without enumerating every actual project subcontractor. Request the real processing chain, access locations, retention rules and flow-down obligations for the engagement instead of assuming the contracting brand performs every stage directly.

Sources: [116], [117], [141], [160], [162]

Analysis: Worker protections also have limited scope. Scale describes advance notice, refusal options and wellness resources for sensitive-content safety work; Toloka requires advance disclosure and acknowledgement for sensitive content and describes human review of automated restrictions. Prolific forbids under-18 recruitment and ordinarily directly identifying data collection, subject to exceptions. These are disclosed practices or rules, not audited compliance. A pilot should verify the consent flow, escalation route and practical ability to decline the actual task.

Sources: [139], [144], [174], [184]

Analysis: Documentation and incident disclosure supply evidence without eliminating residual risk. Mercor disclosed impact from compromised LiteLLM versions in March 2026 in a June investigation account; impact and remediation were not independently audited here. FineWeb's authors acknowledge significant remaining potentially toxic or harmful documents. Datasheets for Datasets explicitly says documentation alone is not complete mitigation. Request verifiable remediation, sampled content checks and an update process rather than interpret a policy or datasheet as a guarantee.

Sources: [62], [96], [128]

10. Buyer decision guides

Analysis: For expert preference data, compare HelpSteer-style repeated judgments with the proposed provider workflow, not with raw pair totals. Require the intended domain, language, independent-label count, reason format and invalid-item policy. HelpSteer3's missing domain intersections make a useful acceptance question: does a non-English coding requirement actually occur in the proposed sample? Pre-register difficult slices and inspect performance before exclusions, as well as the final retained set.

Sources: [100], [101], [102]

Analysis: For software-agent evaluation, original SWE-bench provides an issue/PR and test-based reference design, with solved patches required to pass both FAIL TO PASS and PASS TO PASS tests. The paper warns passing tests does not guarantee completeness, efficiency or readability. The inspected harness documentation separately records likely infrastructure failures. A pilot should report environment failures separately, reproduce tests and manually inspect a sample of passing patches under the buyer's own repository and language scope.

Sources: [10], [11], [92], [93]

Analysis: For professional reasoning tasks, Mercor describes workplace environments and golden solutions; Snorkel's finance example separates expert question creation from LLM judging; Toloka's U-MATH example separates professor authorship from expert validation. Compare these roles against the requirement: realistic authoring, domain validation or scalable scoring. Ask for task provenance, rubric failure cases and judge calibration. None of these examples establishes a supplier's superior finance, mathematics or professional competence.

Sources: [123], [159], [186]

Analysis: For reward-model or truthfulness selection, freeze the benchmark protocol before comparing outputs. RewardBench versions alter candidate sets and aggregation. TruthfulQA separates generation truthfulness and informativeness from multiple-choice measures, and its authored questions may over- or underestimate deployment truthfulness. Require a matched version, scoring implementation, held-out target tasks and error review; do not convert a benchmark win into a general claim about safe or truthful deployment.

Sources: [29], [30], [50], [73]

Analysis: For catalog licensing, a refreshed product and an upstream aggregate create different checks. Snorkel describes quarterly refreshed non-exclusive products; the pinned RewardBench 1 card requires compliance with component licenses; SHP's inspected card does not grant a standard permissive license. Ask for exact artifact identity, intended commercial use, upstream restrictions, redistribution rights and what changes under a refresh. A public download or catalog label cannot by itself settle the buyer's reuse rights.

Sources: [28], [32], [155]

Method: A proposed pilot acceptance sheet should state the deliverable and denominator; qualifying domain and language slices; blind held-out evaluation; allowed tools; annotation and adjudication rules; error severity; first-pass and corrected acceptance; turnaround; rights and security scope; and cost per accepted unit. Set thresholds before inspecting results. Record failures and exclusions, retain source versions and reserve a customer-reviewed sample for deciding whether the pilot supports expansion.

11. Research outlook

Analysis: One testable outlook is that mixed human/model pipelines will require more granular provenance. FineWeb-Edu uses synthetic educational scores; UltraFeedback uses GPT-4 feedback; Toloka markets human verification of generated data. These examples show several integration patterns in this sample, not their market prevalence. The assessment would strengthen with task-level logs distinguishing generation, selection, correction and independent validation, and weaken if those distinctions fail to predict acceptance on matched buyer tasks.

Sources: [38], [99], [179]

Analysis: A second hypothesis concerns executable tasks and scoring reliability. Surge offers agent environments and behavior verifiers; Turing describes captured sandbox sessions; SWE-bench documents regression tests and infrastructure categories. This suggests a useful research agenda around environment reproducibility, verifier coverage and failure attribution. It does not establish a market shift or causal training gains. Repeated executions on matched frozen tasks, with independently checked outcomes, would be more informative than catalog growth alone.

Sources: [10], [11], [93], [168], [187]

Analysis: A third question is how release-specific documentation changes practical reuse. Datasheets recommends accompanying updated versions of infrequently changing datasets with updated documentation and identifies dynamic datasets as an implementation challenge; TruthfulQA's revision and RewardBench's protocol change show why version identity matters. Evidence that a revised release reproduces prior results under a matched protocol would strengthen comparability. Missing bytes, changed scoring or unresolved correction histories should instead narrow conclusions to the inspected version.

Sources: [30], [49], [64]

Research gap: Priority expansion remains the agreed inventory, not a smaller denominator selected for convenience. More suppliers, full-source papers, dataset families and benchmark families need dispositions before comprehensive synthesis is justified. Missing domains, languages, access conditions, current work availability and comparable commercial evidence should be recorded explicitly. Future outlook statements must distinguish observed sample changes, proposed mechanisms and forecasts; this baseline supplies no market-growth forecast or universal performance prediction.

12. Methods and appendices

Method: The approved graph is the factual boundary for this draft. Stable assertions bind subject, nontransitive predicate, typed value or object, source version, locator, excerpt digest, qualifications and actual review references. Every factual or analytical report paragraph cites exact approved claim IDs. Methods and research gaps are explicitly labeled. Historical imports remain in the underlying graph; this synthesis does not promote their inherited descriptions into newly reviewed facts.

Method: Assertion approval records distinct author, source-verifier and adversarial source-content invocations. It concerns support for exact wording, entities, quantities and scope. Separate report evidence-auditor and adversarial invocations must review the frozen synthesis and bind its digest together with the approved graph digest before import. AI review is labeled Separate AI review. It is not human peer review, independent experimental replication, security certification or a completed research-accuracy audit.

Method: Coverage is calculated from qualifying graph entities and approved assertions, not inferred from paragraph length or raw assertion count. Distinct paper works, dataset families and benchmark families remain separate from versions, subsets, mirrors, code workflows and study artifacts. A full-source review describes the inspected documentation scope, not proof that every release or operational claim is complete. Candidate, quarantined, rejected, duplicate and historical-only records cannot inflate qualifying launch coverage.

Research gap: All launch coverage floors remain unmet: eight of 39 legacy dispositions, eight of 60 qualifying suppliers, eight of 150 reviewed paper works, eight of 60 dataset families and five of 20 benchmark families. No eligible core denominator has been frozen, so the required 90% disposition is unestablished rather than a measured screening recall. No inventory is narrowed to make these numbers pass; unresolved cases and preserved source packets remain available for further review.

Method: Launch also requires two separate real audits. A source-anchored holdout of at least 200 assertions must achieve at least 98% precision and 95% recall with no critical false attribution. A distinct 200-record eligibility screening sample must recover at least 190 records and at least 90% of each major stratum. Freeze membership before adjudication, preserve source-bound row decisions and independent receipts, and recompute metrics from rows. Test fixtures and generated accuracy summaries do not count.

Research gap: Neither completed audit is supplied for this graph. The baseline therefore reports no achieved precision, recall, screening recovery or critical-attribution result. Source capture after the retained Friday cutoff is another publication blocker. The report remains prelaunch with archive status not_published, empty editions and no DOI. Prepared data, website visibility, archive publication and mirror synchronization are separate states; none substitutes for the missing scientific and publication gates.

Analysis: Datasheets for Datasets proposes reflective human documentation, asks about collection participants and compensation, and describes a development process refined over roughly two years. These are useful disclosure prompts, not evidence that every later datasheet follows them or that compensation is fair. The paper also notes documentation overhead and limits. This report uses those questions to expose unknowns while requiring source evidence for answers, rather than automatically converting a filled template into assurance.

Sources: [61], [62], [63], [65]

Method: Corrections should identify the affected assertion, exact source version and locator, proposed wording and reason. Preserve original captures and actual review dates; later inspection cannot backdate a source. Reproduction should bind this report’s review digest and the graph’s canonical hash, publish only the permitted public projection and concise evidence, and exclude raw caches, credentials and private personal data. License statements remain descriptions of inspected terms rather than blanket legal determinations.

Bibliography and source versions

[1] ScienceToStartup canonical dataset 2.5.0 (historical local snapshot). ScienceToStartup; 2.5.0 sha256:948e69229fa24a4a1e6b5eed6d9c11570568a3c05bf9512e442d19611061a061 https://sciencetostartup.com/research.json

[2] MMLU creator repository evaluate.py. Creator-maintained repository; 4450500f923c49f1fb1dd3d99108a0bd9717b660 https://raw.githubusercontent.com/hendrycks/test/4450500f923c49f1fb1dd3d99108a0bd9717b660/evaluate.py

[3] MMLU creator repository evaluate.py. Creator-maintained repository; 4450500f923c49f1fb1dd3d99108a0bd9717b660 https://raw.githubusercontent.com/hendrycks/test/4450500f923c49f1fb1dd3d99108a0bd9717b660/evaluate.py

[4] MMLU creator repository evaluate.py. Creator-maintained repository; 4450500f923c49f1fb1dd3d99108a0bd9717b660 https://raw.githubusercontent.com/hendrycks/test/4450500f923c49f1fb1dd3d99108a0bd9717b660/evaluate.py

[5] OpenAssistant data collection task guidelines. Creator-maintained repository; f1e6ed9526f5817531f3ab85441a40b3671ddccb https://raw.githubusercontent.com/LAION-AI/Open-Assistant/f1e6ed9526f5817531f3ab85441a40b3671ddccb/docs/docs/guides/guidelines.md

[6] OpenAssistant data collection task guidelines. Creator-maintained repository; f1e6ed9526f5817531f3ab85441a40b3671ddccb https://raw.githubusercontent.com/LAION-AI/Open-Assistant/f1e6ed9526f5817531f3ab85441a40b3671ddccb/docs/docs/guides/guidelines.md

[7] OpenAssistant data collection task guidelines. Creator-maintained repository; f1e6ed9526f5817531f3ab85441a40b3671ddccb https://raw.githubusercontent.com/LAION-AI/Open-Assistant/f1e6ed9526f5817531f3ab85441a40b3671ddccb/docs/docs/guides/guidelines.md

[8] OpenAssistant data collection task guidelines. Creator-maintained repository; f1e6ed9526f5817531f3ab85441a40b3671ddccb https://raw.githubusercontent.com/LAION-AI/Open-Assistant/f1e6ed9526f5817531f3ab85441a40b3671ddccb/docs/docs/guides/guidelines.md

[9] SWE-bench collection guide. Creator-maintained repository; 02e7a74ffd0b707aab73d203fe87bdc7c76afc8e https://raw.githubusercontent.com/SWE-bench/SWE-bench/02e7a74ffd0b707aab73d203fe87bdc7c76afc8e/docs/assets/collection.md

[10] SWE-bench evaluation guide. Creator-maintained repository; 02e7a74ffd0b707aab73d203fe87bdc7c76afc8e https://raw.githubusercontent.com/SWE-bench/SWE-bench/02e7a74ffd0b707aab73d203fe87bdc7c76afc8e/docs/guides/evaluation.md

[11] SWE-bench evaluation guide. Creator-maintained repository; 02e7a74ffd0b707aab73d203fe87bdc7c76afc8e https://raw.githubusercontent.com/SWE-bench/SWE-bench/02e7a74ffd0b707aab73d203fe87bdc7c76afc8e/docs/guides/evaluation.md

[12] SWE-bench collection procedure README. Creator-maintained repository; 02e7a74ffd0b707aab73d203fe87bdc7c76afc8e https://raw.githubusercontent.com/SWE-bench/SWE-bench/02e7a74ffd0b707aab73d203fe87bdc7c76afc8e/swebench/collect/README.md

[13] NVIDIA HelpSteer2 dataset card. NVIDIA; 990b2711a36180dd19d9c94b8627844866f8982a https://huggingface.co/datasets/nvidia/HelpSteer2/resolve/990b2711a36180dd19d9c94b8627844866f8982a/README.md

[14] NVIDIA HelpSteer2 dataset card. NVIDIA; 990b2711a36180dd19d9c94b8627844866f8982a https://huggingface.co/datasets/nvidia/HelpSteer2/resolve/990b2711a36180dd19d9c94b8627844866f8982a/README.md

[15] NVIDIA HelpSteer2 dataset card. NVIDIA; 990b2711a36180dd19d9c94b8627844866f8982a https://huggingface.co/datasets/nvidia/HelpSteer2/resolve/990b2711a36180dd19d9c94b8627844866f8982a/README.md

[16] NVIDIA HelpSteer2 dataset card. NVIDIA; 990b2711a36180dd19d9c94b8627844866f8982a https://huggingface.co/datasets/nvidia/HelpSteer2/resolve/990b2711a36180dd19d9c94b8627844866f8982a/README.md

[17] NVIDIA HelpSteer2 dataset card. NVIDIA; 990b2711a36180dd19d9c94b8627844866f8982a https://huggingface.co/datasets/nvidia/HelpSteer2/resolve/990b2711a36180dd19d9c94b8627844866f8982a/README.md

[18] NVIDIA HelpSteer3 dataset card. NVIDIA; f6d145777bcbde96137596340fab89793acd1031 https://huggingface.co/datasets/nvidia/HelpSteer3/resolve/f6d145777bcbde96137596340fab89793acd1031/README.md

[19] NVIDIA HelpSteer3 dataset card. NVIDIA; f6d145777bcbde96137596340fab89793acd1031 https://huggingface.co/datasets/nvidia/HelpSteer3/resolve/f6d145777bcbde96137596340fab89793acd1031/README.md

[20] NVIDIA HelpSteer3 dataset card. NVIDIA; f6d145777bcbde96137596340fab89793acd1031 https://huggingface.co/datasets/nvidia/HelpSteer3/resolve/f6d145777bcbde96137596340fab89793acd1031/README.md

[21] Anthropic HH-RLHF dataset card. Anthropic; 09be8c5bbc57cb3887f3a9732ad6aa7ec602a1fa https://huggingface.co/datasets/Anthropic/hh-rlhf/resolve/09be8c5bbc57cb3887f3a9732ad6aa7ec602a1fa/README.md

[22] Anthropic HH-RLHF dataset card. Anthropic; 09be8c5bbc57cb3887f3a9732ad6aa7ec602a1fa https://huggingface.co/datasets/Anthropic/hh-rlhf/resolve/09be8c5bbc57cb3887f3a9732ad6aa7ec602a1fa/README.md

[23] CAIS MMLU dataset card. CAIS / MMLU creators; c30699e8356da336a370243923dbaf21066bb9fe https://huggingface.co/datasets/cais/mmlu/resolve/c30699e8356da336a370243923dbaf21066bb9fe/README.md

[24] CAIS MMLU dataset card. CAIS / MMLU creators; c30699e8356da336a370243923dbaf21066bb9fe https://huggingface.co/datasets/cais/mmlu/resolve/c30699e8356da336a370243923dbaf21066bb9fe/README.md

[25] OpenAssistant Conversations OASST1 dataset card. OpenAssistant / LAION-AI; fdf72ae0827c1cda404aff25b6603abec9e3399b https://huggingface.co/datasets/OpenAssistant/oasst1/resolve/fdf72ae0827c1cda404aff25b6603abec9e3399b/README.md

[26] OpenAssistant Conversations OASST1 dataset card. OpenAssistant / LAION-AI; fdf72ae0827c1cda404aff25b6603abec9e3399b https://huggingface.co/datasets/OpenAssistant/oasst1/resolve/fdf72ae0827c1cda404aff25b6603abec9e3399b/README.md

[27] OpenAssistant Conversations OASST1 dataset card. OpenAssistant / LAION-AI; fdf72ae0827c1cda404aff25b6603abec9e3399b https://huggingface.co/datasets/OpenAssistant/oasst1/resolve/fdf72ae0827c1cda404aff25b6603abec9e3399b/README.md

[28] RewardBench 1 evaluation dataset card. Ai2 / RewardBench creators; 168d848cdbbea9764fae4a544dc9ca1e6cca4931 https://huggingface.co/datasets/allenai/reward-bench/resolve/168d848cdbbea9764fae4a544dc9ca1e6cca4931/README.md

[29] RewardBench 1 evaluation dataset card. Ai2 / RewardBench creators; 168d848cdbbea9764fae4a544dc9ca1e6cca4931 https://huggingface.co/datasets/allenai/reward-bench/resolve/168d848cdbbea9764fae4a544dc9ca1e6cca4931/README.md

[30] RewardBench 2 evaluation dataset card. Ai2 / RewardBench creators; 7ff08853b0d5686e79b13fda8677024f566a104a https://huggingface.co/datasets/allenai/reward-bench-2/resolve/7ff08853b0d5686e79b13fda8677024f566a104a/README.md

[31] Stanford Human Preferences dataset card. Stanford NLP / SHP creators; e94b5f32602712d78ed494fe79105b1959396686 https://huggingface.co/datasets/stanfordnlp/SHP/resolve/e94b5f32602712d78ed494fe79105b1959396686/README.md

[32] Stanford Human Preferences dataset card. Stanford NLP / SHP creators; e94b5f32602712d78ed494fe79105b1959396686 https://huggingface.co/datasets/stanfordnlp/SHP/resolve/e94b5f32602712d78ed494fe79105b1959396686/README.md

[33] Stanford Human Preferences dataset card. Stanford NLP / SHP creators; e94b5f32602712d78ed494fe79105b1959396686 https://huggingface.co/datasets/stanfordnlp/SHP/resolve/e94b5f32602712d78ed494fe79105b1959396686/README.md

[34] Original SWE-bench dataset card. SWE-bench creators; e48e2bd1e9fecd5bbd641e9414ac59da9f2e69f6 https://huggingface.co/datasets/princeton-nlp/SWE-bench/resolve/e48e2bd1e9fecd5bbd641e9414ac59da9f2e69f6/README.md

[35] Original SWE-bench dataset card. SWE-bench creators; e48e2bd1e9fecd5bbd641e9414ac59da9f2e69f6 https://huggingface.co/datasets/princeton-nlp/SWE-bench/resolve/e48e2bd1e9fecd5bbd641e9414ac59da9f2e69f6/README.md

[36] TruthfulQA HF distribution card. TruthfulQA repository creators; HF card community-contributed; 741b8276f2d1982aa3d5b832d3ee81ed3b896490 https://huggingface.co/datasets/truthfulqa/truthful_qa/resolve/741b8276f2d1982aa3d5b832d3ee81ed3b896490/README.md

[37] TruthfulQA HF distribution card. TruthfulQA repository creators; HF card community-contributed; 741b8276f2d1982aa3d5b832d3ee81ed3b896490 https://huggingface.co/datasets/truthfulqa/truthful_qa/resolve/741b8276f2d1982aa3d5b832d3ee81ed3b896490/README.md

[38] UltraFeedback dataset card. OpenBMB / UltraFeedback creators; 40b436560ca83a8dba36114c22ab3c66e43f6d5e https://huggingface.co/datasets/openbmb/UltraFeedback/resolve/40b436560ca83a8dba36114c22ab3c66e43f6d5e/README.md

[39] UltraFeedback dataset card. OpenBMB / UltraFeedback creators; 40b436560ca83a8dba36114c22ab3c66e43f6d5e https://huggingface.co/datasets/openbmb/UltraFeedback/resolve/40b436560ca83a8dba36114c22ab3c66e43f6d5e/README.md

[40] Helpful, Honest & Harmless pragmatic alignment evaluation README. Creator-maintained repository; 092b196c1f8f14a54bbc62f24759d43bde46dd3b https://raw.githubusercontent.com/google/BIG-bench/092b196c1f8f14a54bbc62f24759d43bde46dd3b/bigbench/benchmark_tasks/hhh_alignment/README.md

[41] Helpful, Honest & Harmless pragmatic alignment evaluation README. Creator-maintained repository; 092b196c1f8f14a54bbc62f24759d43bde46dd3b https://raw.githubusercontent.com/google/BIG-bench/092b196c1f8f14a54bbc62f24759d43bde46dd3b/bigbench/benchmark_tasks/hhh_alignment/README.md

[42] HHH alignment parent task configuration. Creator-maintained repository; 092b196c1f8f14a54bbc62f24759d43bde46dd3b https://raw.githubusercontent.com/google/BIG-bench/092b196c1f8f14a54bbc62f24759d43bde46dd3b/bigbench/benchmark_tasks/hhh_alignment/task.json

[43] Training a Helpful and Harmless Assistant with Reinforcement Learning from Human Feedback, v1. Paper authors / arXiv; 2204.05862v1 https://arxiv.org/html/2204.05862v1

[44] Training a Helpful and Harmless Assistant with Reinforcement Learning from Human Feedback, v1. Paper authors / arXiv; 2204.05862v1 https://arxiv.org/html/2204.05862v1

[45] Training a Helpful and Harmless Assistant with Reinforcement Learning from Human Feedback, v1. Paper authors / arXiv; 2204.05862v1 https://arxiv.org/html/2204.05862v1

[46] Training a Helpful and Harmless Assistant with Reinforcement Learning from Human Feedback, v1. Paper authors / arXiv; 2204.05862v1 https://arxiv.org/html/2204.05862v1

[47] SWE-bench creator repository README. SWE-bench creators; 02e7a74ffd0b707aab73d203fe87bdc7c76afc8e https://raw.githubusercontent.com/SWE-bench/SWE-bench/02e7a74ffd0b707aab73d203fe87bdc7c76afc8e/README.md

[48] TruthfulQA creator repository README. TruthfulQA repository creators; HF card community-contributed; d71c110897f5d31c5d7f309e7bc316c152f6f031 https://raw.githubusercontent.com/sylinrl/TruthfulQA/d71c110897f5d31c5d7f309e7bc316c152f6f031/README.md

[49] TruthfulQA creator repository README. TruthfulQA repository creators; HF card community-contributed; d71c110897f5d31c5d7f309e7bc316c152f6f031
https://raw.githubusercontent.com/sylinrl/TruthfulQA/d71c110897f5d31c5d7f309e7bc316c152f6f031/README.md

[50] TruthfulQA creator repository README. TruthfulQA repository creators; HF card community-contributed; d71c110897f5d31c5d7f309e7bc316c152f6f031
https://raw.githubusercontent.com/sylinrl/TruthfulQA/d71c110897f5d31c5d7f309e7bc316c152f6f031/README.md

[51] UltraFeedback creator repository README. OpenBMB / UltraFeedback creators; bf80fd46a8c6ceecc86e8babb1ae8771f26a3cbb
https://raw.githubusercontent.com/OpenBMB/UltraFeedback/bf80fd46a8c6ceecc86e8babb1ae8771f26a3cbb/README.md

[52] Datasheets for Datasets. arXiv / paper authors; 1803.09010v8
https://arxiv.org/abs/1803.09010v8

[53] Measuring Massive Multitask Language Understanding. arXiv / paper authors; 2009.03300v3
https://arxiv.org/abs/2009.03300v3

[54] TruthfulQA: Measuring How Models Mimic Human Falsehoods. arXiv / paper authors; 2109.07958v2
https://arxiv.org/abs/2109.07958v2

[55] Training language models to follow instructions with human feedback. arXiv / paper authors; 2203.02155v1
https://arxiv.org/abs/2203.02155v1

[56] Direct Preference Optimization: Your Language Model is Secretly a Reward Model. arXiv / paper authors; 2305.18290v3
https://arxiv.org/abs/2305.18290v3

[57] SWE-bench: Can Language Models Resolve Real-World GitHub Issues?. arXiv / paper authors; 2310.06770v3
https://arxiv.org/abs/2310.06770v3

[58] The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale. arXiv / paper authors; 2406.17557v2
https://arxiv.org/abs/2406.17557v2

[59] HelpSteer3-Preference: Open Human-Annotated Preference Data across Diverse Tasks and Languages. arXiv / paper authors; 2505.11475v2
https://arxiv.org/abs/2505.11475v2

[60] NVIDIA HelpSteer3 dataset card. NVIDIA; HF dataset card response sha256:827e51e12a2537403f516e7e5299455c9de36994b621deab2b9a7524e01b29b7
https://huggingface.co/datasets/nvidia/HelpSteer3

[61] Datasheets for Datasets. arXiv / paper authors; 1803.09010v8
https://arxiv.org/pdf/1803.09010v8

[62] Datasheets for Datasets. arXiv / paper authors; 1803.09010v8
https://arxiv.org/pdf/1803.09010v8

[63] Datasheets for Datasets. arXiv / paper authors; 1803.09010v8
https://arxiv.org/pdf/1803.09010v8

[64] Datasheets for Datasets. arXiv / paper authors; 1803.09010v8
https://arxiv.org/pdf/1803.09010v8

[65] Datasheets for Datasets. arXiv / paper authors; 1803.09010v8
https://arxiv.org/pdf/1803.09010v8

[66] Measuring Massive Multitask Language Understanding. arXiv / paper authors; 2009.03300v3
https://arxiv.org/pdf/2009.03300v3

[67] Measuring Massive Multitask Language Understanding. arXiv / paper authors; 2009.03300v3
https://arxiv.org/pdf/2009.03300v3

[68] Measuring Massive Multitask Language Understanding. arXiv / paper authors; 2009.03300v3
https://arxiv.org/pdf/2009.03300v3

[69] Measuring Massive Multitask Language Understanding. arXiv / paper authors; 2009.03300v3
https://arxiv.org/pdf/2009.03300v3

[70] Measuring Massive Multitask Language Understanding. arXiv / paper authors; 2009.03300v3
https://arxiv.org/pdf/2009.03300v3

[71] TruthfulQA: Measuring How Models Mimic Human Falsehoods. arXiv / paper authors; 2109.07958v2
https://arxiv.org/pdf/2109.07958v2

[72] TruthfulQA: Measuring How Models Mimic Human Falsehoods. arXiv / paper authors; 2109.07958v2
https://arxiv.org/pdf/2109.07958v2

[73] TruthfulQA: Measuring How Models Mimic Human Falsehoods. arXiv / paper authors; 2109.07958v2
https://arxiv.org/pdf/2109.07958v2

[74] TruthfulQA: Measuring How Models Mimic Human Falsehoods. arXiv / paper authors; 2109.07958v2
https://arxiv.org/pdf/2109.07958v2

[75] TruthfulQA: Measuring How Models Mimic Human Falsehoods. arXiv / paper authors; 2109.07958v2
https://arxiv.org/pdf/2109.07958v2

[76] TruthfulQA: Measuring How Models Mimic Human Falsehoods. arXiv / paper authors; 2109.07958v2
https://arxiv.org/pdf/2109.07958v2

[77] Training language models to follow instructions with human feedback. arXiv / paper authors; 2203.02155v1
https://arxiv.org/pdf/2203.02155v1

[78] Training language models to follow instructions with human feedback. arXiv / paper authors; 2203.02155v1
https://arxiv.org/pdf/2203.02155v1

[79] Training language models to follow instructions with human feedback. arXiv / paper authors; 2203.02155v1
https://arxiv.org/pdf/2203.02155v1

[80] Training language models to follow instructions with human feedback. arXiv / paper authors; 2203.02155v1
https://arxiv.org/pdf/2203.02155v1

[81] Training language models to follow instructions with human feedback. arXiv / paper authors; 2203.02155v1
https://arxiv.org/pdf/2203.02155v1

[82] Training language models to follow instructions with human feedback. arXiv / paper authors; 2203.02155v1
https://arxiv.org/pdf/2203.02155v1

[83] Direct Preference Optimization: Your Language Model is Secretly a Reward Model. arXiv / paper authors; 2305.18290v3
https://arxiv.org/pdf/2305.18290v3

[84] Direct Preference Optimization: Your Language Model is Secretly a Reward Model. arXiv / paper authors; 2305.18290v3
https://arxiv.org/pdf/2305.18290v3

[85] Direct Preference Optimization: Your Language Model is Secretly a Reward Model. arXiv / paper authors; 2305.18290v3
https://arxiv.org/pdf/2305.18290v3

[86] Direct Preference Optimization: Your Language Model is Secretly a Reward Model. arXiv / paper authors; 2305.18290v3
https://arxiv.org/pdf/2305.18290v3

[87] Direct Preference Optimization: Your Language Model is Secretly a Reward Model. arXiv / paper authors; 2305.18290v3
https://arxiv.org/pdf/2305.18290v3

[88] SWE-bench: Can Language Models Resolve Real-World GitHub Issues?. arXiv / paper authors; 2310.06770v3
https://arxiv.org/pdf/2310.06770v3

[89] SWE-bench: Can Language Models Resolve Real-World GitHub Issues?. arXiv / paper authors; 2310.06770v3
https://arxiv.org/pdf/2310.06770v3

[90] SWE-bench: Can Language Models Resolve Real-World GitHub Issues?. arXiv / paper authors; 2310.06770v3
https://arxiv.org/pdf/2310.06770v3

[91] SWE-bench: Can Language Models Resolve Real-World GitHub Issues?. arXiv / paper authors; 2310.06770v3
https://arxiv.org/pdf/2310.06770v3

[92] SWE-bench: Can Language Models Resolve Real-World GitHub Issues?. arXiv / paper authors; 2310.06770v3
https://arxiv.org/pdf/2310.06770v3

[93] SWE-bench: Can Language Models Resolve Real-World GitHub Issues?. arXiv / paper authors; 2310.06770v3
https://arxiv.org/pdf/2310.06770v3

[94] The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale. arXiv / paper authors; 2406.17557v2
https://arxiv.org/pdf/2406.17557v2

[95] The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale. arXiv / paper authors; 2406.17557v2
https://arxiv.org/pdf/2406.17557v2

[96] The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale. arXiv / paper authors; 2406.17557v2
https://arxiv.org/pdf/2406.17557v2

[97] The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale. arXiv / paper authors; 2406.17557v2
https://arxiv.org/pdf/2406.17557v2

[98] The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale. arXiv / paper authors; 2406.17557v2
https://arxiv.org/pdf/2406.17557v2

[99] The FineWeb Datasets: Decanting the Web for the Finest Text Data at Scale. arXiv / paper authors; 2406.17557v2
https://arxiv.org/pdf/2406.17557v2

[100] HelpSteer3-Preference: Open Human-Annotated Preference Data across Diverse Tasks and Languages. arXiv / paper authors; 2505.11475v2
https://arxiv.org/pdf/2505.11475v2

[101] HelpSteer3-Preference: Open Human-Annotated Preference Data across Diverse Tasks and Languages. arXiv / paper authors; 2505.11475v2
https://arxiv.org/pdf/2505.11475v2

[102] HelpSteer3-Preference: Open Human-Annotated Preference Data across Diverse Tasks and Languages. arXiv / paper authors; 2505.11475v2
https://arxiv.org/pdf/2505.11475v2

[103] HelpSteer3-Preference: Open Human-Annotated Preference Data across Diverse Tasks and Languages. arXiv / paper authors; 2505.11475v2
https://arxiv.org/pdf/2505.11475v2

[104] HelpSteer3-Preference: Open Human-Annotated Preference Data across Diverse Tasks and Languages. arXiv / paper authors; 2505.11475v2
https://arxiv.org/pdf/2505.11475v2

[105] AI training data services | Appen. Appen Limited; Captured response sha256:2be61f7100fdb4e6cd4d9687fddc37b14b65625cf9f0cf029c099191655d3af5
https://www.appen.com/ai-data

[106] AI training data services | Appen. Appen Limited; Captured response sha256:2be61f7100fdb4e6cd4d9687fddc37b14b65625cf9f0cf029c099191655d3af5
https://www.appen.com/ai-data

[107] AI training data services | Appen. Appen Limited; Captured response sha256:2be61f7100fdb4e6cd4d9687fddc37b14b65625cf9f0cf029c099191655d3af5
https://www.appen.com/ai-data

[108] AI training data services | Appen. Appen Limited; Captured response sha256:2be61f7100fdb4e6cd4d9687fddc37b14b65625cf9f0cf029c099191655d3af5
https://www.appen.com/ai-data

[109] AI training data services | Appen. Appen Limited; Captured response sha256:2be61f7100fdb4e6cd4d9687fddc37b14b65625cf9f0cf029c099191655d3af5
https://www.appen.com/ai-data

[110] Appen Annual Report 2025. Appen Limited; Captured response sha256:93d65cd1fff04294c7847f20d6577b7073c5964bb78df7101e5ff44554657b38
https://cdn.prod.website-files.com/656a605609413dfd3feb9d34/699fbc072974a573b2b7a48c_Appen%20Annual%20Report%202025.pdf

[111] Appen Annual Report 2025. Appen Limited; Captured response sha256:93d65cd1fff04294c7847f20d6577b7073c5964bb78df7101e5ff44554657b38
https://cdn.prod.website-files.com/656a605609413dfd3feb9d34/699fbc072974a573b2b7a48c_Appen%20Annual%20Report%202025.pdf

[112] Appen Annual Report 2025. Appen Limited; Captured response sha256:93d65cd1fff04294c7847f20d6577b7073c5964bb78df7101e5ff44554657b38
https://cdn.prod.website-files.com/656a605609413dfd3feb9d34/699fbc072974a573b2b7a48c_Appen%20Annual%20Report%202025.pdf

[113] Appen Annual Report 2025. Appen Limited; Captured response sha256:93d65cd1fff04294c7847f20d6577b7073c5964bb78df7101e5ff44554657b38
https://cdn.prod.website-files.com/656a605609413dfd3feb9d34/699fbc072974a573b2b7a48c_Appen%20Annual%20Report%202025.pdf

[114] Appen Annual Report 2025. Appen Limited; Captured response sha256:93d65cd1fff04294c7847f20d6577b7073c5964bb78df7101e5ff44554657b38 https://cdn.prod.website-files.com/656a605609413dfd3feb9d34/699fbc072974a573b2b7a48c_Appen%20Annual%20Report%202025.pdf

[115] AI Data Security & Compliance | Appen. Appen Limited; Captured response sha256:ef83e1b7fbc0dbf662a79e43363cdbde916e75c44523f8ed879dc91c3973d777 https://www.appen.com/data-security

[116] Privacy Statement | Appen. Appen Limited; Captured response sha256:7e7624f5f9e9fe19a478ba600c60bbc81ab303e81bdcdca5d1e993c0a0b63a50 https://www.appen.com/legal-policies/privacy-statement

[117] Privacy Statement | Appen. Appen Limited; Captured response sha256:7e7624f5f9e9fe19a478ba600c60bbc81ab303e81bdcdca5d1e993c0a0b63a50 https://www.appen.com/legal-policies/privacy-statement

[118] Introducing APEX-Agents 1.1. Mercor.io Corporation; Captured response sha256:43928e13914303e50f832607d4d1b83308beea7b90074f5f9957fdee8a8d9bc0; 2026-09-08 https://www.mercor.com/blog/introducing-apex-agents-1-1/

[119] Introducing APEX-Agents 1.1. Mercor.io Corporation; Captured response sha256:43928e13914303e50f832607d4d1b83308beea7b90074f5f9957fdee8a8d9bc0; 2026-09-08 https://www.mercor.com/blog/introducing-apex-agents-1-1/

[120] Introducing APEX-Agents 1.1. Mercor.io Corporation; Captured response sha256:43928e13914303e50f832607d4d1b83308beea7b90074f5f9957fdee8a8d9bc0; 2026-09-08 https://www.mercor.com/blog/introducing-apex-agents-1-1/

[121] Off-The-Shelf AI Training Datasets (Licence Ready) | Mercor. Mercor.io Corporation; Captured response sha256:4e4f3f637d3d9528053ccb9def276e1a17445d50cb51a0f179fb8121c02251bf https://www.mercor.com/apex/off-the-shelf-data/

[122] Off-The-Shelf AI Training Datasets (Licence Ready) | Mercor. Mercor.io Corporation; Captured response sha256:4e4f3f637d3d9528053ccb9def276e1a17445d50cb51a0f179fb8121c02251bf https://www.mercor.com/apex/off-the-shelf-data/

[123] Off-The-Shelf AI Training Datasets (Licence Ready) | Mercor. Mercor.io Corporation; Captured response sha256:4e4f3f637d3d9528053ccb9def276e1a17445d50cb51a0f179fb8121c02251bf https://www.mercor.com/apex/off-the-shelf-data/

[124] Off-The-Shelf AI Training Datasets (Licence Ready) | Mercor. Mercor.io Corporation; Captured response sha256:4e4f3f637d3d9528053ccb9def276e1a17445d50cb51a0f179fb8121c02251bf https://www.mercor.com/apex/off-the-shelf-data/

[125] Off-The-Shelf AI Training Datasets (Licence Ready) | Mercor. Mercor.io Corporation; Captured response sha256:4e4f3f637d3d9528053ccb9def276e1a17445d50cb51a0f179fb8121c02251bf https://www.mercor.com/apex/off-the-shelf-data/

[126] Mercor | Website Privacy Notice. Mercor.io Corporation; Captured response sha256:b22118719b4cabf509c51eafe24a3267b68040e4ebb6cd1fb924907f687dd023; 2026-08-26 https://www.mercor.com/privacy-notice/

[127] Mercor | Website Privacy Notice. Mercor.io Corporation; Captured response sha256:b22118719b4cabf509c51eafe24a3267b68040e4ebb6cd1fb924907f687dd023; 2026-08-26 https://www.mercor.com/privacy-notice/

[128] Mercor Data Breach: Investigation Findings and Updates. Mercor.io Corporation; Captured response sha256:2648cabcf7aca1dd54bf4d2bb1891d05abda335fc32099dd1a8fe423e43659fd; 2026-06-25 https://www.mercor.com/blog/update-on-mercor-security-incident/

[129] Participants skilled at AI tasks | Prolific Research. Prolific; Captured response sha256:118c59b6b8c84e52b76decfd3f3efded727244a7e3c4bb7b13a533e5499a9d17; 2026-03-18 https://researcher-help.prolific.com/en/articles/445229-participants-skilled-at-ai-tasks

[130] Participants skilled at AI tasks | Prolific Research. Prolific; Captured response sha256:118c59b6b8c84e52b76decfd3f3efded727244a7e3c4bb7b13a533e5499a9d17; 2026-03-18 https://researcher-help.prolific.com/en/articles/445229-participants-skilled-at-ai-tasks

[131] Prolific Case Study | Cohere and University of Edinburgh | Prolific. Prolific; Captured response sha256:5546b2dfc28f559910240a410a4d020d8cdc362f7396cdafc5969d5307ae187b; 2024-06-07 https://www.prolific.com/resources/tom-hosking-navigating-biases-in-human-feedback-for-ai-training

[132] Prolific Case Study | Cohere and University of Edinburgh | Prolific. Prolific; Captured response sha256:5546b2dfc28f559910240a410a4d020d8cdc362f7396cdafc5969d5307ae187b; 2024-06-07 https://www.prolific.com/resources/tom-hosking-navigating-biases-in-human-feedback-for-ai-training

[133] Prolific Pricing | Platform & managed services | Prolific. Prolific; Captured response sha256:0c3c2338fa2ae161efa6c95e62f2830ceefe370da90ad95f7fab7a9759c9acfb https://www.prolific.com/pricing

[134] Prolific Pricing | Platform & managed services | Prolific. Prolific; Captured response sha256:0c3c2338fa2ae161efa6c95e62f2830ceefe370da90ad95f7fab7a9759c9acfb https://www.prolific.com/pricing

[135] Prolific Pricing | Platform & managed services | Prolific. Prolific; Captured response sha256:0c3c2338fa2ae161efa6c95e62f2830ceefe370da90ad95f7fab7a9759c9acfb https://www.prolific.com/pricing

[136] Prolific Pricing | Platform & managed services | Prolific. Prolific; Captured response sha256:0c3c2338fa2ae161efa6c95e62f2830ceefe370da90ad95f7fab7a9759c9acfb https://www.prolific.com/pricing

[137] Prolific sets standards for authentic human data collection | Prolific. Prolific; Captured response sha256:f7eca38c949ba6dfe1a251ce42579ab97872fd8032a8c8a04c35358e22c4be97; 2026-10-20 https://www.prolific.com/resources/prolific-setting-standards-for-authentic-human-data-collection

[138] Data Security and Privacy at Prolific | Prolific | Prolific. Prolific; Captured response sha256:677597f1729cdd67ea45f172647fa0a8f546bd370712eaf82a01942b0d043061 https://www.prolific.com/prolific-security-overview

[139] Are there types of studies that aren't suitable for Prolific? | Prolific Research. Prolific; Captured response sha256:bcb70625ccff5f1c0a530a8534fcf80008310bb91a09bde12d6e1bb9fb5526f6; 2026-08-05 https://researcher-help.prolific.com/en/articles/445105-are-there-types-of-studies-that-aren-t-suitable-for-prolific

[140] Modern Slavery Statement | Scale AI. Scale AI; Captured response sha256:70bc87f043c892daa4b7fc963f3139d81325f4ce64f48428ebd3720bfc9a9386 https://scale.com/legal/modern-slavery-statement

[141] Modern Slavery Statement | Scale AI. Scale AI; Captured response sha256:70bc87f043c892daa4b7fc963f3139d81325f4ce64f48428ebd3720bfc9a9386 https://scale.com/legal/modern-slavery-statement

[142] Modern Slavery Statement | Scale AI. Scale AI; Captured response
sha256:70bc87f043c892daa4b7fc963f3139d81325f4ce64f48428ebd3720bfc9a9386
https://scale.com/legal/modern-slavery-statement

[143] Modern Slavery Statement | Scale AI. Scale AI; Captured response
sha256:70bc87f043c892daa4b7fc963f3139d81325f4ce64f48428ebd3720bfc9a9386
https://scale.com/legal/modern-slavery-statement

[144] Modern Slavery Statement | Scale AI. Scale AI; Captured response
sha256:70bc87f043c892daa4b7fc963f3139d81325f4ce64f48428ebd3720bfc9a9386
https://scale.com/legal/modern-slavery-statement

[145] scale.helpsteer3-card pinned README.md. NVIDIA; Captured response
sha256:d5d46db58e8374937ea284b33b1583a4a465b232bf74b941745d80e3c35fd8ae
https://huggingface.co/datasets/nvidia/HelpSteer3/raw/f6d145777bcbde96137596340fab89793acd1031/README.md

[146] Generative AI Data Engine | Scale AI. Scale AI; Captured response
sha256:ce5e1dabfafc8a607d1ef7ece805150a6ee0c7b71878ff6b6ed3c8eccdfac2c4
https://scale.com/generative-ai-data-engine

[147] Generative AI Data Engine | Scale AI. Scale AI; Captured response
sha256:ce5e1dabfafc8a607d1ef7ece805150a6ee0c7b71878ff6b6ed3c8eccdfac2c4
https://scale.com/generative-ai-data-engine

[148] How We Engineer World-Class Data at Scale | Scale AI. Scale AI; Captured response
sha256:86363dc9d41257758e86093047af5ce76d86b41876149801a21c01a2d198bb36; 2026-06-29
https://scale.com/blog/data-quality

[149] How We Engineer World-Class Data at Scale | Scale AI. Scale AI; Captured response
sha256:86363dc9d41257758e86093047af5ce76d86b41876149801a21c01a2d198bb36; 2026-06-29
https://scale.com/blog/data-quality

[150] Security at Scale.com | Scale AI. Scale AI; Captured response
sha256:25ddfbad6b4a78b7d787f526ca9fea44811500fd737168a3265926c0afaa37b8
https://scale.com/security

[151] Join our Expert Community | Snorkel AI. Snorkel AI, Inc.; Captured response
sha256:0cccfbc0dd20cbfe01b86ff2b1dd6a3bc8922027e43278a35694ea776278da0c
https://snorkel.ai/expert-community/

[152] Join our Expert Community | Snorkel AI. Snorkel AI, Inc.; Captured response
sha256:0cccfbc0dd20cbfe01b86ff2b1dd6a3bc8922027e43278a35694ea776278da0c
https://snorkel.ai/expert-community/

[153] Join our Expert Community | Snorkel AI. Snorkel AI, Inc.; Captured response
sha256:0cccfbc0dd20cbfe01b86ff2b1dd6a3bc8922027e43278a35694ea776278da0c
https://snorkel.ai/expert-community/

[154] Join our Expert Community | Snorkel AI. Snorkel AI, Inc.; Captured response
sha256:0cccfbc0dd20cbfe01b86ff2b1dd6a3bc8922027e43278a35694ea776278da0c
https://snorkel.ai/expert-community/

[155] Frequently Asked Questions | Snorkel AI. Snorkel AI, Inc.; Captured response
sha256:3050d01c8521d07cd613c366efdef416508ce04bccbb91dd1be6829e6060de20; 2026-06-17
https://snorkel.ai/frequently-asked-questions/

[156] Frequently Asked Questions | Snorkel AI. Snorkel AI, Inc.; Captured response sha256:3050d01c8521d07cd613c366efdef416508ce04bccbb91dd1be6829e6060de20; 2026-06-17 https://snorkel.ai/frequently-asked-questions/

[157] Frequently Asked Questions | Snorkel AI. Snorkel AI, Inc.; Captured response sha256:3050d01c8521d07cd613c366efdef416508ce04bccbb91dd1be6829e6060de20; 2026-06-17 https://snorkel.ai/frequently-asked-questions/

[158] Frequently Asked Questions | Snorkel AI. Snorkel AI, Inc.; Captured response sha256:3050d01c8521d07cd613c366efdef416508ce04bccbb91dd1be6829e6060de20; 2026-06-17 https://snorkel.ai/frequently-asked-questions/

[159] Snorkel AI Leaderboards | Snorkel AI. Snorkel AI, Inc.; Captured response sha256:58e9a00deedf172e09f8177d6179f4f08453e24c18041dfaa07fc5eba34ef2d3 https://snorkel.ai/leaderboard/category/financereasoning/

[160] Privacy Policy | Snorkel AI. Snorkel AI, Inc.; Captured response sha256:5a1e9296ec15d80d6d7148730b3cc05bd3e7b6abdb08d739fdf8cdeb5a50b0a6; 2026-10-19 https://snorkel.ai/privacy/

[161] Privacy Policy | Snorkel AI. Snorkel AI, Inc.; Captured response sha256:5a1e9296ec15d80d6d7148730b3cc05bd3e7b6abdb08d739fdf8cdeb5a50b0a6; 2026-10-19 https://snorkel.ai/privacy/

[162] Privacy Policy | Snorkel AI. Snorkel AI, Inc.; Captured response sha256:5a1e9296ec15d80d6d7148730b3cc05bd3e7b6abdb08d739fdf8cdeb5a50b0a6; 2026-10-19 https://snorkel.ai/privacy/

[163] surge.gsm8k-card pinned README.md. OpenAI; Captured response sha256:a17e882503578c9e324560630e31017617714ee025c87cf4fea6fd916895f3c1 https://huggingface.co/datasets/openai/gsm8k/raw/740312add88f781978c0658806c59bc2815b9866/README.md

[164] surge.gsm8k-card pinned README.md. OpenAI; Captured response sha256:a17e882503578c9e324560630e31017617714ee025c87cf4fea6fd916895f3c1 https://huggingface.co/datasets/openai/gsm8k/raw/740312add88f781978c0658806c59bc2815b9866/README.md

[165] Privacy Policy | Surge AI. Surge Labs, Inc.; Captured response sha256:adc676a5886b92cc0d0375ca66d9136e0b058f26f6963fc89e504aaa6a4cbdf6; 2026-07-01 https://surgehq.ai/privacy-policy

[166] Privacy Policy | Surge AI. Surge Labs, Inc.; Captured response sha256:adc676a5886b92cc0d0375ca66d9136e0b058f26f6963fc89e504aaa6a4cbdf6; 2026-07-01 https://surgehq.ai/privacy-policy

[167] Products | Surge AI. Surge Labs, Inc.; Captured response sha256:26650a8c884ede1498a46b449955dec2fd9166ed844407fa7396319102b32e7d https://surgehq.ai/products

[168] Products | Surge AI. Surge Labs, Inc.; Captured response sha256:26650a8c884ede1498a46b449955dec2fd9166ed844407fa7396319102b32e7d https://surgehq.ai/products

[169] Products | Surge AI. Surge Labs, Inc.; Captured response sha256:26650a8c884ede1498a46b449955dec2fd9166ed844407fa7396319102b32e7d https://surgehq.ai/products

[170] Products | Surge AI. Surge Labs, Inc.; Captured response
sha256:26650a8c884ede1498a46b449955dec2fd9166ed844407fa7396319102b32e7d
https://surgehq.ai/products

[171] Terms of Service | Surge AI. Surge Labs, Inc.; Captured response
sha256:affca92e60b1c466c5c6ca96973171a2a4b7a13503f522566ef4513ccab7421d; 2021-12-07
https://surgehq.ai/terms-of-service

[172] Guidelines for posting compliant tasks | Toloka documentation. Toloka AI B.V.; Captured response
sha256:4ee70477eccc2d50a3a0e14f0d39b3545e363f70ae3d84c02527645e86d94c20
https://toloka.ai/docs/guide/unwanted/

[173] Guidelines for posting compliant tasks | Toloka documentation. Toloka AI B.V.; Captured response
sha256:4ee70477eccc2d50a3a0e14f0d39b3545e363f70ae3d84c02527645e86d94c20
https://toloka.ai/docs/guide/unwanted/

[174] Guidelines for posting compliant tasks | Toloka documentation. Toloka AI B.V.; Captured response
sha256:4ee70477eccc2d50a3a0e14f0d39b3545e363f70ae3d84c02527645e86d94c20
https://toloka.ai/docs/guide/unwanted/

[175] Guidelines for posting compliant tasks | Toloka documentation. Toloka AI B.V.; Captured response
sha256:4ee70477eccc2d50a3a0e14f0d39b3545e363f70ae3d84c02527645e86d94c20
https://toloka.ai/docs/guide/unwanted/

[176] AI + Humans: Data to Power LLMs & VLMs. Toloka AI B.V.; Captured response
sha256:aa0ae077444a739a14d84d0c9d5abc5f778eb8949e6953af96e5415b8918471f
https://toloka.ai/hybrid-data

[177] AI + Humans: Data to Power LLMs & VLMs. Toloka AI B.V.; Captured response
sha256:aa0ae077444a739a14d84d0c9d5abc5f778eb8949e6953af96e5415b8918471f
https://toloka.ai/hybrid-data

[178] AI + Humans: Data to Power LLMs & VLMs. Toloka AI B.V.; Captured response
sha256:aa0ae077444a739a14d84d0c9d5abc5f778eb8949e6953af96e5415b8918471f
https://toloka.ai/hybrid-data

[179] AI + Humans: Data to Power LLMs & VLMs. Toloka AI B.V.; Captured response
sha256:aa0ae077444a739a14d84d0c9d5abc5f778eb8949e6953af96e5415b8918471f
https://toloka.ai/hybrid-data

[180] Expert human data is now available to all, introducing the new Toloka Platform. Toloka AI B.V.; Captured response
sha256:9bae9f5ebef0dfa4ce2c5b6454ebe870b62954f02bd0602dc5d157a274242384; 2026-01-19
https://toloka.ai/blog/introducing-the-new-toloka-platform/

[181] Expert human data is now available to all, introducing the new Toloka Platform. Toloka AI B.V.; Captured response
sha256:9bae9f5ebef0dfa4ce2c5b6454ebe870b62954f02bd0602dc5d157a274242384; 2026-01-19
https://toloka.ai/blog/introducing-the-new-toloka-platform/

[182] Privacy Notice. Toloka AI B.V.; Captured response
sha256:1d6d372770d126648c7c347fd4a7b8dfd565046fbc9f1206dd0ea084bf84f212; 2026-10-12
https://toloka.ai/legal/privacy-notice

[183] Privacy Notice. Toloka AI B.V.; Captured response
sha256:1d6d372770d126648c7c347fd4a7b8dfd565046fbc9f1206dd0ea084bf84f212; 2026-10-12
https://toloka.ai/legal/privacy-notice

[184] Privacy Notice. Toloka AI B.V.; Captured response sha256:1d6d372770d126648c7c347fd4a7b8dfd565046fbc9f1206dd0ea084bf84f212; 2026-10-12 https://toloka.ai/legal/privacy-notice

[185] Privacy Notice. Toloka AI B.V.; Captured response sha256:1d6d372770d126648c7c347fd4a7b8dfd565046fbc9f1206dd0ea084bf84f212; 2026-10-12 https://toloka.ai/legal/privacy-notice

[186] toloka.umath-card pinned README.md. Toloka AI B.V.; Captured response sha256:c13bf3579ababfb2510ca76ca0de6185ef2ff97caaf69ebf6a89d761c8c42871 https://huggingface.co/datasets/toloka/u-math/raw/7210f97b3f21122c3a90126935e966ca7d8951b6/README.md

[187] 35K+ Agent Trajectories and 120K+ RLHF Pairs Across 150+ Real Tools. Turing Enterprises, Inc.; Captured response sha256:5b0083910fdb37276d7d65eafb7f6f8b1f93889e0a06bb0f220b7dd8ec9b5891 https://www.turing.com/blog/frontier-ai-newsletter-79

[188] 35K+ Agent Trajectories and 120K+ RLHF Pairs Across 150+ Real Tools. Turing Enterprises, Inc.; Captured response sha256:5b0083910fdb37276d7d65eafb7f6f8b1f93889e0a06bb0f220b7dd8ec9b5891 https://www.turing.com/blog/frontier-ai-newsletter-79

[189] Experts: Vetted Domain Talent for Frontier AI Labs | Turing. Turing Enterprises, Inc.; Captured response sha256:58e8b558b1d70033ab022c8b99aab7c477b88508881ed7bb75b882e7e8e21acb https://www.turing.com/frontier-ai/experts

[190] Turing announces Turing Frontier, connecting AI labs with elite domain experts. Turing Enterprises, Inc.; Captured response sha256:544ca3d9d1905acc800bd4f5df1992f0eac1591bd044ce96bd0c10498512f085 https://www.turing.com/press/turing-announces-turing-frontier

[191] Turing announces Turing Frontier, connecting AI labs with elite domain experts. Turing Enterprises, Inc.; Captured response sha256:544ca3d9d1905acc800bd4f5df1992f0eac1591bd044ce96bd0c10498512f085 https://www.turing.com/press/turing-announces-turing-frontier

[192] Turing announces Turing Frontier, connecting AI labs with elite domain experts. Turing Enterprises, Inc.; Captured response sha256:544ca3d9d1905acc800bd4f5df1992f0eac1591bd044ce96bd0c10498512f085 https://www.turing.com/press/turing-announces-turing-frontier

[193] Turing Privacy Policy | For Visitors, Users & Others. Turing Enterprises, Inc.; Captured response sha256:45306dbc6a1f708028e93ca241e5033d8a6b37cbac888df8da001c403fa8e0dd; 2025-06-27 https://www.turing.com/policy

[194] Turing Privacy Policy | For Visitors, Users & Others. Turing Enterprises, Inc.; Captured response sha256:45306dbc6a1f708028e93ca241e5033d8a6b37cbac888df8da001c403fa8e0dd; 2025-06-27 https://www.turing.com/policy

[195] Turing Privacy Policy | For Visitors, Users & Others. Turing Enterprises, Inc.; Captured response sha256:45306dbc6a1f708028e93ca241e5033d8a6b37cbac888df8da001c403fa8e0dd; 2025-06-27 https://www.turing.com/policy

Evidence and reproduction

The complete public evidence graph accompanies this report in the offline archive. Paragraph evidence IDs refer to that graph. The JSON, CSV and SQLite contain equivalent privacy-filtered projection 1.0.0. Canonical dataset 2.5.0 remains unchanged outside this archive. Raw source text and personal contact details are excluded.

Verify the archive with MANIFEST.json. Reproduce with the source repository's scripts/build_public_snapshot.py. Owned research and text use CC BY 4.0; third-party material retains its rights. Review scope and research gaps remain explicit. This PDF's status does not establish website or external mirror publication.