

SAS-NAS-Connector Documentation

Josh Thackray (thackray@rutgers.edu)

September 2020

Background

The SAS-NAS-Connector program (“the program”) is designed to simplify the process of mounting a share hosted on the School of Arts and Sciences (SAS) IT services’ managed Network Attached Storage (NAS) system to a modern (7/10) Windows-based machine. It is especially useful for users who may be inexperienced with using a terminal to connect to remote systems. The program simply automates the steps that would otherwise needed to be performed manually by the user.

Users are expected be comfortable with unzipping an archive and other minimal computer competencies.

Installation and Startup

The program is a standalone executable and does not need to be formally “installed” onto a Windows system to function. From a release (for example: `SAS-NAS-Connector - Release.zip`), simply unzip the archive. Then navigate inside to the extracted files to find the file `SAS-NAS-Connector.exe`. Double clicking this file will run the program.

If you are working from off-campus, you will need to have an active connection to the DLS VPN. Information about how to set this up is available here: <https://sasooa.rutgers.edu/divisions/life-sciences/dls-it/vpn-access>.

Interface

Upon launching the program, you will be greeted by the interface below:

The screenshot shows the 'SAS-NAS Connector' dialog box. It contains the following fields and controls, each with a red number annotation:

- 1: NetID (text box containing 'thackray')
- 2: Password (password box with 10 dots)
- 3: Hostname (text box containing 'shell1.sas.rutgers.edu')
- 4: Share Location (text box containing '\\res1-hill.sas.rutgers.edu\\abrairalab')
- 5: Mount To (dropdown menu showing 'R:')
- 6: Persistent? (checkbox checked)
- 7: Reset button
- 8: Connect button

#	Setting Name	Description
1	NetID	Your Rutgers NetID username.
2	Password	Your Rutgers NetID password.
3	Hostname	Hostname of the server that must be connected to via SSH in order to cache your credentials.
4	Share Location	The UNC path to the file share, of the form \\server-name\share-folder
5	Mount To	Assigns a name (i.e. disk drive letter) to connect to the resource. The dropdown will populate with the available (i.e. unused) drive letters on the current system.
6	Persistent?	Controls the use of persistent network connections. Checked saves all connections as they are made, and restores them at next logon. Unchecked does not save the connection being made.

How to Connect to a Drive

1. Start by launching the program.
2. Enter your Rutgers NetID credentials into the boxes NetID and Password (#1 and #2 in the figure above).
3. You most likely do not need to change any of the information in boxes #3, #4, and #6.
4. You may choose the drive letter that the network location is mounted using the dropdown menu (#5 in the figure above).
5. Once satisfied with the settings, click the "Connect" button (#8 in the above figure). At this point the program will attempt to connect your network location. Once complete, a message box will show to inform you of the result of the operation. If successful, you will notice the network drive is now mounted under "My Computer"/"This PC".
6. If the program failed to mount your network drive, please seek technical help and report the message shown in the message box.

Advanced Configuration

This section is intended for advanced users or Information Technology professionals.

Internally, the program follows the protocol specified in Appendix 1 for connecting a user to the SAS-NAS system. More specifically, it:

1. Attempts to open a SSH connection to the host specified by the `Hostname`[3], and using the users NetID credentials (`NetID`[1], and `Password`[2]).
2. Attempts to use the `net use` system command to mount the share at `Share Location`[4] to `Mount To`[5] using the user's NetID credentials.

The program gives its best effort to detect errors during this process and report them to the end user via a message box.

SAS-NAS-Connector can be configured to use specific values for as defaults for Hostname, Share Location, Mount Location, and Persistent mounting. These values are stored in the XML Configuration file `SAS-NAS-Connector.exe.config`. The table below describes the configuration names and how they map onto GUI parameters:

Configuration Name	GUI Parameter
<code>DefaultHost</code>	Hostname
<code>DefaultShare</code>	Share Location
<code>DefaultDrive</code>	Mount To
<code>DefaultPersistence</code>	Persistent?

Appendix I

The next page contains the original documentation provided by DLS IT for connecting to the NAS, and provides the basis for this program.

Connecting to SAS-NAS from inside DLS

Initial Setup

Before SAS-NAS can authenticate you, you need to do a one-time login at an SSH prompt using your NetID credentials. Thereafter SAS-NAS will know that your NetID is a legitimate SAS-NAS credential.

From Mac or Linux open a terminal window and enter the following using your NetID:

```
ssh NetID@shell1.sas.rutgers.edu
```

If this is the first time this computer has connected to shell1 it will prompt you to accept the key. Answer 'yes'. Next enter your NetID password. Once you have logged in simply type 'exit' to complete the initial setup.

```
~$ ssh sfeldman@shell1.sas.rutgers.edu
The authenticity of host 'shell1.sas.rutgers.edu (172.17.0.246)' can't be established.
ECDSA key fingerprint is SHA256:s4p4cbMf7WNGrfzfaP40GOX/wVj/EkBnrU4WCyE2ytI.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'shell1.sas.rutgers.edu,172.17.0.246' (ECDSA) to the list of known
hosts.
sfeldman@shell1.sas.rutgers.edu's password:
Last login: Tue Sep  1 09:10:32 2020 from 172.17.34.13
-bash-4.2$ exit
logout
Connection to shell1.sas.rutgers.edu closed.
```

If you are using a Windows based computer you have some choices. The easiest is to find a Mac or Linux machine for this initial setup and proceed as above. If you are already running Windows Subsystem for Linux (WSL) you can proceed as above from a WSL terminal window. You can do the same from a PowerShell prompt as well.

If none of these options are available you will need to install software that will allow you to make SSH connections. The recommended solution is MobaXterm <https://mobaxterm.mobatek.net/> although PuTTY <https://www.putty.org/> will also work.

Connecting the share

On a Mac

From the Finder's Go menu select "Connect to Server" and enter:

```
smb://res1-hill.sas.rutgers.edu/abairalab
```

Enter your NetID and password to authenticate.

On Windows

There are three ways to mount the share. The first will permanently map the share to a drive letter every time you log in. Choose an unused drive letter – for this example we'll use 'R'. From a command window type:

```
net use R: \\res1-hill.sas.rutgers.edu\\abrairalab /USER:RAD\\NetID  
/PERSISTENT: YES
```

You will be prompted for your password.

The second method is the same except it will only last until you logout. Simply omit “/PERSISTENT: YES” from the previous command. Finally, you can access the share directly in File Explorer by using the following path:

<\\res1-hill.sas.rutgers.edu\\abrairalab>

You will be prompted for credentials and this access will last until you close the File Explorer window.