
OMNIRAG

QUERY STREAMING USE-CASE

Company name:

Datategy

Date:

17.12.2025

Agenda

BIG PICTURE ⁰¹

QUANT ADVANTAGE ⁰²

COMPETITION ⁰³

DECISION FLOW ⁰⁴

FEASIBILITY ⁰⁵

BIG PICTURE

01


Query Streaming

QUERY REWRITING

Query rewriting is the process of automatically transforming a user's original search query into a clearer, more effective version before it is executed by a search system. This can include correcting spelling, expanding abbreviations, adding synonyms, or restructuring the query to better match how information is indexed.

For end users, the main benefit is improved search relevance: they receive more accurate, complete, and useful results with less effort, even if their initial query is vague, ambiguous, or imperfect.


HIGHLIGHTS



Search Accuracy

Query rewriting refines user input by correcting errors, resolving ambiguity, and adding relevant terms, which helps the system better understand the user's intent. As a result, search results are more accurate.


HIGHLIGHTS



Reduced User Effort

By automatically enhancing incomplete or poorly phrased queries, query rewriting minimizes the need for users to repeatedly modify or refine their searches.

HIGHLIGHTS



Better Coverage

Rewriting queries to include synonyms, related concepts, or alternative phrasings allows the system to retrieve a broader yet still relevant set of results.

HOW IMPORTANT

Casual users

It is not so relevant to the **front users** **except** they are very **involved in minimising token expenses**. This applies only to experienced LLM users.

Admin

The value is strongest for **analysts, admins, data owners, and AI product managers**, rather than casual users

**COMPETITIVE
ADVANTAGE**

TRUST THROUGH TRANSPARENCY

OTHER PROVIDERS

None, maybe WEAVIATE

Some providers expose logs, traces, or debugging tools (often internal or developer-only), but non for decision making process. Weaviate seems to have an agent RAG app that does the same.

OMNIRAG

Currently the only provider supporting live metrics and we could potentially be the only one providing decision-making process to end users

END USER MOTIVATION

Detecting poorly interpreted queries or misleading rewrites

Adjusting prompt strategies, retriever weights, or chunking logic

Identifying missing, outdated, or low-quality knowledge sources

Validating compliance and governance rules (what was queried, what was used)

Debugging hallucinations by tracing retrieval and ranking decisions

RELEVANT IN EXPLICABILITY LAYER

Yes!

HOW FEASIBLE

The system already performs these steps internally through HAH architecture.

Semantically, it is correct **as long as it is framed as “system interpretation,” not “ground truth.”** The UI should clearly communicate that these are internal transformations and retrieval decisions, not definitive reasoning

Questions

Q&A

Answers