Only High IQ

Great minds think alike.

BACKOFFICE

Only High IQ Ecosystem

Organisation & Full Feature Specification

Shared Objects | Only Just Causes | (+ Future Applications)

v1.0 | 2026

1. OVERVIEW

1.1 Context & Architecture

This backoffice serves the Only High IQ ecosystem — a set of independent applications that share a central identity layer (Shared Objects) and a payments layer (Payments Module).

The first application in the ecosystem is Only Just Causes. The backoffice is designed to support multiple future applications (Only High Value, Only Second Hand, and others) without requiring structural refactoring.

1.2 Core Design Principle

A single backoffice to manage the entire ecosystem.
Each module identifies which layer it belongs to — Shared Objects (cross-application) or a specific application. When a new application joins the ecosystem, only new app-specific modules need to be added.

1.3 Ecosystem Applications

Application	Status	Domain
Shared Objects	ACTIVE (Infrastructure)	Global identity (Account + Wallet)
Payments Module	ACTIVE (Infrastructure)	USDC on Base + Fiat payments
Only Just Causes	MVP In Development	Crowdfunding for social & creative causes
Only High Value	Planned	Fractional investment in high-value assets
Only Second Hand	Planned	Second-hand fashion platform

1.4 Supported Operations

Shared Objects (Cross-Application)
- Global Account management (single identity across ecosystem)
- Wallet management (USDC on Base)
- KYC / Identity Verification
- Authentication & Security

Payments Module (Cross-Application)
- USDC on Base transaction management
- Fiat transaction management (Fiat <-> USDC)
- Reconciliation & Ledger
- Fee configuration

Only Just Causes (App-Specific)
- Campaign & Cause management
- Content Moderation
- Donation & Withdrawal management
- Support & Analytics

Extensible for future applications
- Each new app adds its own modules without changing the base structure

2. MENU STRUCTURE

2.1 Main Navigation (Sidebar)

Legend: [ECO] = Cross-ecosystem | [OJC] = Only Just Causes | [OHV] = Only High Value (future)

Scope	Menu	Sub-menus
[ECO]	Dashboard	Overview | Alerts & Pending Actions | Metrics per Application
[ECO]	Accounts (Global)	Account Listing | Account Detail | Activity History
[ECO]	KYC / Verification	Pending KYC Queue | Approved | Rejected | History
[ECO]	Wallets (Global)	Wallet Listing | Details | USDC Balances | History
[ECO]	Payments (Global)	On-Chain USDC Transactions | Fiat Transactions | Pending | Deposits | Withdrawals | Reconciliation | Ledger
[ECO]	Financial Settings	Fees per Application | Fees per Method | Approval Thresholds | Refund Policies
[OJC]	Campaigns (OJC)	Listing | Review New | Approved | Rejected | Suspended | Categories
[OJC]	Creators (OJC)	Creator Profiles | Verification | Campaign History | Withdrawals
[OJC]	Donations (OJC)	Donation History | Pending Donations | Refunds | Anonymous Donations
[OJC]	Withdrawals (OJC)	Pending Requests | Approved | Rejected | History by Creator
[OJC]	Moderation (OJC)	Campaign Reports | Comment Reports | Review Queue | Resolved
[OJC]	Support (OJC)	Open Tickets | Under Review | Resolved | Response Templates
[OJC]	Analytics (OJC)	Campaigns | Donations | Creators | Platform Growth | Export
[ECO]	Security & Audit	Global Audit Log | Admin Activity | Failed Logins | Critical Actions
[ECO]	Staff Management	Backoffice Users | Roles & Permissions | Staff Action History
[ECO]	Settings	General Settings | Content Policies | Terms of Service | Email Management | Notifications
[FUTURE]	+ New Application	App-specific modules added here (e.g. Only High Value, Only Second Hand)

3. PERMISSIONS MODEL (RBAC)

3.1 Role Structure

Roles are cross-ecosystem but can have a scope limited by application — a moderator for Only Just Causes does not access campaign management in Only High Value.

ECOSYSTEM_ADMIN (Ecosystem Super-Administrator)

- Full access to all modules across all applications
- Global Account management (Shared Objects level)
- Manual approval of high-value transactions
- Full staff and role management
- Global financial configuration
- Access to all logs and audit trails

APP_ADMIN (Application Administrator)

- Full access to the assigned application (e.g. only_just_causes)
- Campaign, creator, donation, and moderation management for that app
- Read-only access to Account data (Shared Objects)
- No access to global financial settings or other applications

SUPPORT (Support — with application scope)

- Ticket management for the assigned app
- View Account data relevant to the support case
- No access to detailed financial data
- No campaign management or content moderation

MODERATION (Moderation — with application scope)

- Review and approve/reject campaigns in the assigned app
- Content report management
- No access to financial data
- No account or staff management

FINANCE (Finance Team — cross-application)

- Access to Payments Module: transactions, reconciliation, ledger
- Manual approval of withdrawals above the configured threshold
- Fee configuration (requires secondary approval from ECOSYSTEM_ADMIN)
- No access to content management or moderation

READ_ONLY (Analyst/Auditor)

- View-only access to all data, no write permissions
- Full access to analytics and exportable reports

3.2 Permission Matrix

Feature	ECO_ADMIN	APP_ADMIN	SUPPORT	MODERATION	FINANCE
[ECO] Global Accounts	Full	View	View	None	View
[ECO] KYC	Full	Approve	View	None	View
[ECO] Wallets & Ledger	Full	View	None	None	Full
[ECO] Global Payments	Full	View	None	None	Full
[ECO] Financial Settings	Full	None	None	None	Partial
[OJC] Campaigns	Full	Full	None	Full	None
[OJC] Creators	Full	Full	View	View	None
[OJC] Donations	Full	View	None	None	Full
[OJC] Withdrawals	Full	View	None	None	Approve
[OJC] Moderation	Full	Full	None	Full	None
[OJC] Support	Full	Full	Full	None	None
[ECO] Staff Management	Full	None	None	None	None
[ECO] Audit / Logs	Full	App Only	None	None	Finance

4. SHARED OBJECTS MODULES (Cross-Application)

These modules manage entities that exist at ecosystem level — regardless of the application the user is registered in.

4.1 Account Management (Global)

4.1.1 Account Listing

- Fields: accountId (UUID), Email, Status (Active/Disabled/Banned/Pending), Created At, Last Login, Active Applications, KYC Status, Risk Flags
- Filters: Status, KYC Status, Application, Date, Risk Flags
- Bulk Actions: Export CSV, Bulk Disable

4.1.2 Account Detail

- General Tab: accountId, Email, Status, DOB, Country, Type (individual/company), Created At
- Security Tab: 2FA active, Failed login attempts, Manual password reset, IP history
- Applications Tab: Active profiles in each ecosystem app with navigation links
- Wallet Tab: Current USDC balance, on-chain address, movement history
- KYC Tab: Verification status, submitted documents, review history
- Audit Tab: Full log of all actions related to this account
- Internal Notes Tab: Staff notes for internal use

- Actions: Save Changes | Reset Password | Disable | Ban (reason required) | Delete (ECOSYSTEM_ADMIN ONLY, double confirmation)

4.2 KYC / Identity Verification

- KYC Queue: Pending submissions ordered by date, filterable by originating application
- Submitted fields: Legal name, Date of Birth, Country, Document Type, Document (front/back), Selfie
- Actions: Approve | Reject (reason required) | Request more information
- KYC status automatically propagated to all ecosystem applications
- Full review history (who, when, decision, reason)

4.3 Wallets (Global)

- Wallet listing with accountId, Base address, USDC balance, last activity
- Detail: current balance, movements (credit/debit), origin of each operation (app + type)
- Alerts: negative balances, abnormally high balances, inactive accounts with balance
- Manual balance editing not allowed — all operations go through the Payments Module

5. PAYMENTS MODULE (Cross-Application)

All financial operations in the ecosystem — regardless of the application — go through the Payments Module. There is no direct financial management in app-specific modules.

5.1 On-Chain Transactions (USDC on Base)

- Listing: ID, accountId, Origin App (appId), Type (Deposit/Withdrawal), Address, USDC Amount, Fee, Hash, Status, Date
- States: Pending | Confirmed | Failed | Cancelled
- Filters: Type, Status, Application, accountId, Period, Amount
- Actions: View Details | Block Explorer Link | Approve (if above threshold) | Reject
- Alerts: High-value transactions, transactions pending for more than X hours

5.2 Fiat Transactions (Fiat <-> USDC)

- Integration with payment provider(s) TBD (card, local payment methods)
- Listing: ID, accountId, Provider, Type (Deposit Intent / Withdrawal Intent), Fiat Amount, USDC Amount, Fee, Status, Date
- Actions: View Details | Process Refund | Dispute | View on Provider Dashboard
- Webhooks: History of received provider callbacks per transaction

5.3 Ledger (Financial Journal)

- Immutable record of all operations — credits and debits per accountId
- Fields: ID, accountId, appId, Operation Type, Source (on-chain/provider), USDC Amount, Network (Base), Status, Timestamp
- Filters: accountId, appId, Period, Type, Status
- Export: CSV for external financial audit
- Guarantees: Idempotency and transactional consistency

5.4 Reconciliation

- Frequency: Daily automated + manual when needed
- Steps: List on-chain transactions > Compare with internal Ledger > Identify discrepancies
- Actions: Create records for orphan transactions, Update pending states, Generate report
- Automatic alerts to ECOSYSTEM_ADMIN and FINANCE if critical discrepancies found

5.5 Financial Settings

- Fees per Application: Platform fee (%) configurable per app
- Fees per Method: On-chain, card, bank transfer
- Thresholds: Maximum auto-approval amount per operation type and per app
- Refund Policies: Period, conditions, automatic vs manual
- History: Every financial configuration change is audited with before/after state
- Note: Changes require ECOSYSTEM_ADMIN approval even when initiated by FINANCE

6. ONLY JUST CAUSES MODULES

App-specific modules for Only Just Causes. They always use accountId from Auth Token to identify users, and call the Payments Module for financial operations.

6.1 Campaign Management

6.1.1 Campaign Listing

- Fields: ID, Title, Creator (accountId/name), Category, Goal (USDC), Raised (USDC), Progress (%), Status, Created At, End Date
- States: Pending Review | Approved | Active | Paused | Ended | Rejected | Suspended
- Filters: Status, Category, Creator, Period, Min/Max Amount, With/Without KYC
- Quick Actions: Approve | Reject | Pause | View Details

6.1.2 Campaign Review Flow

- Campaign submitted -> Status: Pending Review
- Moderator/APP_ADMIN reviews: title, description, images, video, budget, milestones
- Rejection criteria: inappropriate content, illegal cause, insufficient documentation, fraud
- Approval: campaign becomes Active and visible to donors
- Rejection: reason required, automatic notification sent to creator
- Option: Request more information (campaign status set to Pending Creator)

6.1.3 Campaign Detail

- Info Tab: Title, Description, Category, Images, Video, Budget, Milestones
- Donations Tab: Full donation list (with/without account, anonymous masked), totals
- Withdrawals Tab: Withdrawal requests, history, status of each payout
- Reports Tab: Received reports, status, moderation decisions
- Analytics Tab: Donation chart over time, top donors, referral sources
- History Tab: Log of all actions on this campaign

6.1.4 Category Management

- CRUD for campaign categories
- Enable/disable categories
- Ordering and featured status

6.2 Creator Management

- Listing: accountId, Name/Handle, Email, KYC Status, Campaign Count, Total Raised, Status
- Filters: KYC Status, Campaign Count, Status, Country
- Detail: Campaign history, completed withdrawals, internal notes
- Actions: Verify Creator | Suspend | Ban (reason required) | View Account in Shared Objects
- Note: Account management is handled in Shared Objects modules — here only the creator role within OJC is managed

6.3 Donation Management

6.3.1 Donation History

- Fields: ID, Donor (accountId or 'Guest'), Campaign, USDC Amount, Method, Anonymous, Message, Date
- Filters: Campaign, Donor, Period, Method, Anonymous, Amount
- Anonymous donations: visible in backoffice with masked accountId (only ECOSYSTEM_ADMIN sees the real ID)

6.3.2 Refunds

- Listing of refund requests with status (Pending/Approved/Rejected)
- Criteria for automatic vs manual refund
- Actions: Approve | Reject (reason required) | Escalate to FINANCE
- Note: Financial processing of the refund is executed by the Payments Module

6.4 Withdrawal Management (Creators)

- Pending requests per campaign: ID, Creator, Campaign, Requested Amount, IBAN/Destination Wallet, Status, Request Date
- States: Pending Review | Approved (awaiting processing) | Processed | Rejected
- Approval conditions: active or ended campaign, KYC approved, no open critical reports
- Mandatory manual approval for amounts above the configured threshold
- Actions: Approve | Reject (reason required) | Escalate to FINANCE
- Note: The actual payout (USDC or bank transfer via off-ramp) is executed by the Payments Module

6.5 Content Moderation (OJC)

6.5.1 Campaign Reports

- States: Pending > Under Review > Resolved / Rejected
- Fields: ID, Reporter, Reported Campaign, Category (fraud, inappropriate content, copyright, spam), Evidence, Status
- Actions: Investigate (requires campaign review) | Suspend Campaign | Remove Campaign | Reject Report | Escalate

6.5.2 Comment Reports

- Fields: ID, Reporter, Reported Comment, Campaign, Reason, Status
- Actions: Remove Comment | Suspend User | Reject Report

6.6 Support (OJC)

- Tickets created by donors and creators on the OJC platform
- States: Open > Under Review > Pending User > Resolved
- Categories: Donation issue, Withdrawal issue, Campaign issue, Account/Access, Other
- Integration: Direct link to Account in Shared Objects and to transaction in Payments Module
- SLA Metrics: Average response time by category, 1st contact resolution rate

6.7 Analytics (OJC)

- Campaigns: Total active, by status, by category, success rate (goal reached)
- Donations: Total USDC volume, donation count, average value, daily/monthly growth
- Creators: Active count, verified, churn rate
- Financial: Total raised, processed withdrawals, fees collected
- Growth: New users, new campaigns, donor retention
- Export: CSV with customisable filters

7. EXTENSIBILITY FOR NEW APPLICATIONS

The backoffice is designed to grow with the ecosystem. When a new application is added, the following pattern is followed:

Step	Description
1. New menu group	Add a [NEW_APP] section to the sidebar with app-specific modules
2. Reuse Shared Objects	Accounts, KYC and Wallets already exist — the new app only adds its own Profile
3. Reuse Payments Module	Transactions and Ledger already exist — only the new appId needs to be added
4. New roles (optional)	Create APP_ADMIN and MODERATION roles with the new application's scope
5. Separate analytics	New app metrics dashboard added without modifying existing ones

7.1 Example: Only High Value (Future)

- Modules to add: Asset Management | Fractional Ownership | Return Distribution | Compliance
- Reused modules: Global Accounts | KYC | Wallets | Payments Module | Audit Log
- Roles: APP_ADMIN (ohv_admin) | MODERATION (ohv_moderation) with scope only_high_value

7.2 Example: Only Second Hand (Future)

- Modules to add: Listing Management | Buyer/Seller Management | Disputes | Logistics
- Reused modules: Global Accounts | KYC | Wallets | Payments Module | Audit Log
- Roles: APP_ADMIN (osh_admin) | SUPPORT (osh_support) with scope only_second_hand

8. AUDIT SYSTEM

8.1 Audited Events

Shared Objects

- Account: created, edited, disabled, banned, deleted, password reset
- KYC: submitted, approved, rejected, more information requested
- Wallet: balance updated (origin, amount, appId)

Payments Module

- Transaction: created, manually approved, rejected, confirmed, failed, cancelled
- Fee: changed (before/after, staff, timestamp)
- Reconciliation: executed, discrepancies found, actions taken

Only Just Causes

- Campaign: submitted, approved, rejected, suspended, ended
- Withdrawal: requested, approved, rejected, processed
- Report: created, under review, resolved, rejected
- Donation: refund approved, refund rejected

Staff & Settings

- Staff: created, edited, disabled, role changed
- Platform and financial configuration: all changes logged

8.2 Audit Log Structure

Field	Description
id	Unique event UUID
timestamp	Date/Time ISO 8601
event_type	Event type (enum)
scope	shared_objects | payments | only_just_causes | ...
entity_type	Account | Wallet | Campaign | Transaction | etc.
entity_id	ID of the affected entity
staff_id / staff_email	Staff member who executed the action
action	CREATE | UPDATE | DELETE | APPROVE | REJECT
before / after	Previous and subsequent state (JSON, if UPDATE)
details	JSON with specific details (reason, amount, etc.)
ip_address	Origin IP of the staff member

8.3 Retention Policy

- Financial audit logs: minimum 5 years (regulatory requirement)
- General audit logs: minimum 2 years
- Activity logs: 6 months
- Login logs: 3 months
- Storage: Dedicated database + CloudWatch — exclusive access for ECOSYSTEM_ADMIN

9. DASHBOARD & METRICS

9.1 Ecosystem Dashboard (Global View)

- Active Accounts (total + per app)
- Transactions in the Last 24h (total USDC + total Fiat)
- Transactions Pending Approval
- Alerts: reconciliation errors, exceeded thresholds, overdue KYC
- Recent Staff Activity

9.2 Only Just Causes Dashboard

- Active / Pending Review / Ended Campaigns
- Total Raised (USDC) — last day / week / month
- Donation Count — period
- Withdrawals Pending Approval
- Open Reports
- Unanswered Support Tickets

9.3 Critical KPIs

Scope	KPI	Frequency
[ECO]	Active Accounts per App (DAU/MAU)	Daily
[ECO]	USDC Transaction Volume	Daily
[ECO]	Average On-Chain Confirmation Time	Daily
[OJC]	Campaigns Approved vs Rejected (%)	Weekly
[OJC]	Campaign Success Rate (goal reached)	Monthly
[OJC]	Average Donation Value (USDC)	Weekly
[OJC]	Average Campaign Approval Time	Weekly
[OJC]	Average Withdrawal Processing Time	Daily
[OJC]	Reports Resolved in < 48h (%)	Weekly

10. RECOMMENDED TECH STACK

10.1 Backend

- Database: PostgreSQL (multi-schema: shared_objects, payments, only_just_causes, ...)
- Logs/Audit: DynamoDB or CloudWatch Logs (consistent with ecosystem AWS infrastructure)
- Authentication: AWS Cognito (same as ecosystem) + 2FA for staff

10.2 Frontend (Backoffice)

- Framework: React + TypeScript
- Bootstrap 5.2
- UI Library: React Admin or AdminJS (accelerates development)
- Charts: Chart.js or Recharts
- Design: Clear visual separation between ECO modules and app-specific modules

10.3 Infrastructure

- Cloud: AWS — within the Only High IQ Ecosystem multi-account structure
- Deployment: Workloads-NonProd for dev/test, Workloads-Prod for production
- Access: Restricted to corporate IPs or VPN
- Monitoring: CloudWatch + configured alerts