

Aramburu Tiziano Sebastian

Práctica github - Diseños y Arquitectura de Despliegue

BLOQUE A

1.

```
C:\WINDOWS\system32\cmd
Microsoft Windows [Versión 10.0.26200.8655]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\Walter>mkdir proyecto_remoto_inicial

C:\Users\Walter>cd proyecto_remoto_inicial

C:\Users\Walter\proyecto_remoto_inicial>git init
Initialized empty Git repository in C:/Users/Walter/proyecto_remoto_inicial/.git/

C:\Users\Walter\proyecto_remoto_inicial>git add .

C:\Users\Walter\proyecto_remoto_inicial>git commit -m "Crear estructura inicial del proyecto"
[master (root-commit) c27f8ea] Crear estructura inicial del proyecto
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 README.md
 create mode 100644 notas.txt

C:\Users\Walter\proyecto_remoto_inicial>

C:\Users\Walter\proyecto_remoto_inicial>git branch -M main

C:\Users\Walter\proyecto_remoto_inicial>git remote add origin https://github.com/tisipro/proyecto_remoto_inicial

C:\Users\Walter\proyecto_remoto_inicial>git remote -v
origin  https://github.com/tisipro/proyecto_remoto_inicial (fetch)
origin  https://github.com/tisipro/proyecto_remoto_inicial (push)

C:\Users\Walter\proyecto_remoto_inicial>git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 249 bytes | 249.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/tisipro/proyecto_remoto_inicial
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

2.

```
C:\WINDOWS\system32\cmd.exe
C:\Users\Walter\proyecto_remoto_inicial>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\Walter\proyecto_remoto_inicial>git diff
diff --git a/README.md b/README.md
index e69de29..0ac99a9 100644
--- a/README.md
+++ b/README.md
@@ -0,0 +1,4 @@
+## Objetivos
+
+## Ganar mucho dinero
+

C:\Users\Walter\proyecto_remoto_inicial>git add README.md

C:\Users\Walter\proyecto_remoto_inicial>git commit -m "Agregar objetivos al README"
[main 45376e1] Agregar objetivos al README
1 file changed, 4 insertions(+)

C:\Users\Walter\proyecto_remoto_inicial>git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 341 bytes | 341.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/tisipro/proyecto_remoto_inicial
c27f8ea..45376e1 main -> main

C:\Users\Walter\proyecto_remoto_inicial>
```

3.

```
C:\WINDOWS\system32\cmd.exe
C:\Users\Walter\proyecto_remoto_inicial>git remote
origin

C:\Users\Walter\proyecto_remoto_inicial>git remote -b
error: unknown switch 'b'
usage: git remote [-v | --verbose]
    or: git remote add [-t <branch>] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>] <name> <url>
    or: git remote rename [--[no-]progress] <old> <new>
    or: git remote remove <name>
    or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
    or: git remote [-v | --verbose] show [-n] <name>
    or: git remote prune [-n | --dry-run] <name>
    or: git remote [-v | --verbose] update [-p | --prune] [( <group> | <remote> )...]
    or: git remote set-branches [--add] <name> <branch>...
    or: git remote get-url [--push] [--all] <name>
    or: git remote set-url [--push] <name> <newurl> [<oldurl>]
    or: git remote set-url --add <name> <newurl>
    or: git remote set-url --delete <name> <url>

    -v, --[no-]verbose    be verbose; must be placed before a subcommand

C:\Users\Walter\proyecto_remoto_inicial>git remote -v
origin https://github.com/tisipro/proyecto_remoto_inicial (fetch)
origin https://github.com/tisipro/proyecto_remoto_inicial (push)

C:\Users\Walter\proyecto_remoto_inicial>git remote get-url origin
https://github.com/tisipro/proyecto_remoto_inicial

C:\Users\Walter\proyecto_remoto_inicial>
```

BLOQUE B

4.

```
C:\WINDOWS\system32\cmd.exe
C:\Users\Walter\proyecto_remoto_inicial>cd ..
C:\Users\Walter>mkdir segunda_copia
C:\Users\Walter>cd segunda_copia
C:\Users\Walter\segunda_copia>git clone https://github.com/tisipro/proyecto_remoto_inicial
Cloning into 'proyecto_remoto_inicial'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 6 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
C:\Users\Walter\segunda_copia>cd proyecto_remoto_inicial
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git remote -v
origin https://github.com/tisipro/proyecto_remoto_inicial (fetch)
origin https://github.com/tisipro/proyecto_remoto_inicial (push)
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git log --oneline --decorate --all
45376e1 (HEAD -> main, origin/main, origin/HEAD) Agregar objetivos al README
c27f8ea Crear estructura inicial del proyecto
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>
```

5.

```
C:\WINDOWS\system32\cmd.exe
C:\Users\Walter\proyecto_remoto_inicial>git add notas.txt
C:\Users\Walter\proyecto_remoto_inicial>git commit -m "Ampliar notas desde primera copia"
[main 5631566] Ampliar notas desde primera copia
1 file changed, 1 insertion(+)
C:\Users\Walter\proyecto_remoto_inicial>git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/tisipro/proyecto_remoto_inicial
45376e1..5631566 main -> main
C:\Users\Walter\proyecto_remoto_inicial>cd ..
C:\Users\Walter>cd segunda_copia
C:\Users\Walter\segunda_copia>cd proyecto_remoto_inicial
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git fetch origin
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 299 bytes | 42.00 KiB/s, done.
From https://github.com/tisipro/proyecto_remoto_inicial
45376e1..5631566 main -> origin/main
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git log --oneline --graph --decorate --all
* 5631566 (origin/main, origin/HEAD) Ampliar notas desde primera copia
* 45376e1 (HEAD -> main) Agregar objetivos al README
* c27f8ea Crear estructura inicial del proyecto
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git diff main..origin/main
diff --git a/notas.txt b/notas.txt
index e69de29..c6588d6 100644
--- a/notas.txt
+++ b/notas.txt
@@ -0,0 +1 @@
+Terminar trabajo GitHub
\ No newline at end of file
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git pull
Updating 45376e1..5631566
Fast-forward
 notas.txt | 1 +
1 file changed, 1 insertion(+)
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git log --oneline --graph --decorate --all
* 5631566 (HEAD -> main, origin/main, origin/HEAD) Ampliar notas desde primera copia
* 45376e1 Agregar objetivos al README
* c27f8ea Crear estructura inicial del proyecto
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>
```

6.

```
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git push
To https://github.com/tisipro/proyecto_remoto_inicial
! [rejected] main -> main (fetch first)
error: failed to push some refs to 'https://github.com/tisipro/proyecto_remoto_inicial'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>
```

```
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 305 bytes | 61.00 KiB/s, done.
From https://github.com/tisipro/proyecto_remoto_inicial
 5631566..4c49cbb  main    -> origin/main
Auto-merging notas.txt
CONFLICT (content): Merge conflict in notas.txt
Automatic merge failed; fix conflicts and then commit the result.

C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>|
```

```
C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git add notas.txt

C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git commit -m "Arreglar conflicto expansion notas"
[main 62a2e74] Arreglar conflicto expansion notas

C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>git push
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 12 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 673 bytes | 673.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/tisipro/proyecto_remoto_inicial
 4c49cbb..62a2e74  main -> main

C:\Users\Walter\segunda_copia\proyecto_remoto_inicial>|
```

BLOQUE C

7.

```
C:\WINDOWS\system32\cmd
C:\Users\Walter\proyecto_remoto_inicial>git pull
Already up to date.

C:\Users\Walter\proyecto_remoto_inicial>git switch -c feature_descripcion
Switched to a new branch 'feature_descripcion'

C:\Users\Walter\proyecto_remoto_inicial>git status
On branch feature_descripcion
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        descripcion.md

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\Walter\proyecto_remoto_inicial>git add descripcion.md

C:\Users\Walter\proyecto_remoto_inicial>git commit -m "Agregar descripción ampliada del proyecto"
[feature_descripcion e21b692] Agregar descripción ampliada del proyecto
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 descripcion.md

C:\Users\Walter\proyecto_remoto_inicial>git push -u origin feature_descripcion
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 343 bytes | 343.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature_descripcion' on GitHub by visiting:
remote:   https://github.com/tisipro/proyecto_remoto_inicial/pull/new/feature_descripcion
remote:
To https://github.com/tisipro/proyecto_remoto_inicial
 * [new branch]      feature_descripcion -> feature_descripcion
branch 'feature_descripcion' set up to track 'origin/feature_descripcion'.

C:\Users\Walter\proyecto_remoto_inicial>
```

Branches

New branch

Overview | Yours | Active | Stale | All

Q Search branches...

Default

Branch	Updated	Check status	Behind Ahead	Pull request
main	yesterday		Default	...

Your branches

Branch	Updated	Check status	Behind Ahead	Pull request
feature_descripcion	1 minute ago		0 1	...

Active branches

Branch	Updated	Check status	Behind Ahead	Pull request
feature_descripcion	1 minute ago		0 1	...

Agregar descripción ampliada del proyecto #1

 Merged [tisipro](#) merged 1 commit into [main](#) from [feature_descripcion](#)  now

 Conversation **0**  Commits **1**  Checks **0**  Files changed **1**



tisipro commented [1 minute ago](#) 

Agregar un archivo descripcion.md para escribir la descripcion del proyecto.



[Agregar descripción ampliada del proyecto](#)

[e21b692](#)



tisipro merged commit [b49bdeb](#) into [main](#) [now](#)

[Revert](#)



Pull request successfully merged and closed

You're all set — the [feature_descripcion](#) branch can be safely deleted.

[Delete branch](#)



Add a comment

Write

Preview

H

B

I

≡

<>























Add your comment here...

 Markdown is supported

 Paste, drop, or click to add files

[Comment](#)


```
C:\WINDOWS\system32\cmd
C:\Users\Walter\proyecto_remoto_inicial>git switch -c feature_instalacion
Switched to a new branch 'feature_instalacion'

C:\Users\Walter\proyecto_remoto_inicial>git status
On branch feature_instalacion
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        INSTALACION.md

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\Walter\proyecto_remoto_inicial>git add INSTALACION.md

C:\Users\Walter\proyecto_remoto_inicial>git commit -m "Agregar instrucciones iniciales de instalacion"

[feature_instalacion 7f80040] Agregar instrucciones iniciales de instalacion
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 INSTALACION.md

C:\Users\Walter\proyecto_remoto_inicial>git push -u origin feature_instalacion
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 268 bytes | 268.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature_instalacion' on GitHub by visiting:
remote:   https://github.com/tisipro/proyecto_remoto_inicial/pull/new/feature_instalacion
remote:
To https://github.com/tisipro/proyecto_remoto_inicial
 * [new branch]      feature_instalacion -> feature_instalacion
branch 'feature_instalacion' set up to track 'origin/feature_instalacion'.

C:\Users\Walter\proyecto_remoto_inicial>
```

Agregar instrucciones iniciales de instalacion #2

Ready to merge

Code

Open

tisipro wants to merge 1 commit into main from feature_instalacion

Conversation 0

Commits 1

Checks 0

Files changed 1

tisipro commented now

Agregar archivo INSTALACION.md que contendra las instrucciones de la instalacion

Agregar instrucciones iniciales de instalacion

7f80040

No conflicts with base branch

Merging can be performed automatically.

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)

Still in progress? Convert to draft

Add a comment

Write

Preview

H B I

Add your comment here...

Reviews

No reviews

Still in progress? [Convert to draft](#)

Assignees

No one—[assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone


Development

Successfully merging this pull request may close these issues.


None yet

Notifications

Customize



10.



11.

Mensaje o situación	Diagnóstico esperado	Secuencia segura propuesta
remote origin already exists	Existe otro remoto llamado origin	git remote add NOMBRE-DISTINTO-A-ORIGIN <URL>.git

src refspec main does not match any	No existe la branch main, o se llama de otra manera	hacer un commit, y luego ejecutar git push -u origin main
Authentication failed	Credenciales incorrectas, no haber realizado el 2FA	Ingresar nuevamente credenciales, realizar 2FA git config --global --unset user.name git config --global --unset user.email git config --global user.name "your_username" git config --global user.email "your_email@example.com"
Permission denied (publickey)	El servidor no tiene tu public key	
Push rejected: non-fast-forward		
La terminal no muestra caracteres al ingresar la credencial		

```
C:\WINDOWS\system32\cmd.exe
C:\Users\Walter\proyecto_remoto_inicial>git status
On branch feature_instalacion
Your branch is up to date with 'origin/feature_instalacion'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    env.env

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\Walter\proyecto_remoto_inicial>git status
On branch feature_instalacion
Your branch is up to date with 'origin/feature_instalacion'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\Walter\proyecto_remoto_inicial>git add .gitignore

C:\Users\Walter\proyecto_remoto_inicial>git commit -m "Ignorar archivo de configuracion local"
[feature_instalacion f4b239d] Ignorar archivo de configuracion local
 1 file changed, 2 insertions(+)
 create mode 100644 .gitignore

C:\Users\Walter\proyecto_remoto_inicial>git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 348 bytes | 348.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/tisipro/proyecto_remoto_inicial
   da5b1fc..f4b239d  feature_instalacion -> feature_instalacion

C:\Users\Walter\proyecto_remoto_inicial>
```

13.

```
C:\WINDOWS\system32\cmd.exe
C:\Users\Walter\proyecto_remoto_inicial>cd ..

C:\Users\Walter>git clone https://github.com/tisipro/repositorio_fork
Cloning into 'repositorio_fork'...
warning: You appear to have cloned an empty repository.

C:\Users\Walter>cd repositorio_fork

C:\Users\Walter\repositorio_fork>git remote add upstream https://github.com/tisipro/proyecto_remoto_inicial

C:\Users\Walter\repositorio_fork>git remote -v
origin https://github.com/tisipro/repositorio_fork (fetch)
origin https://github.com/tisipro/repositorio_fork (push)
upstream https://github.com/tisipro/proyecto_remoto_inicial (fetch)
upstream https://github.com/tisipro/proyecto_remoto_inicial (push)

C:\Users\Walter\repositorio_fork>git fetch upstream
remote: Enumerating objects: 30, done.
remote: Counting objects: 100% (30/30), done.
remote: Compressing objects: 100% (22/22), done.
remote: Total 30 (delta 5), reused 25 (delta 2), pack-reused 0 (from 0)
Unpacking objects: 100% (30/30), 4.43 KiB | 76.00 KiB/s, done.
From https://github.com/tisipro/proyecto_remoto_inicial
 * [new branch]      feature_descripcion -> upstream/feature_descripcion
 * [new branch]      feature_instalacion -> upstream/feature_instalacion
 * [new branch]      main -> upstream/main

C:\Users\Walter\repositorio_fork>
```

```
C:\WINDOWS\system32\cmd
C:\Users\Walter\repositorio_fork>git switch -c mejora_documentacion
Switched to a new branch 'mejora_documentacion'

C:\Users\Walter\repositorio_fork>git add .

C:\Users\Walter\repositorio_fork>git commit -m "Mejorar documentacion"
[mejora_documentacion (root-commit) c5e21fe] Mejorar documentacion
1 file changed, 6 insertions(+)
create mode 100644 README.md

C:\Users\Walter\repositorio_fork>git push -u origin mejora_documentacion
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 288 bytes | 288.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/tisipro/repositorio_fork
 * [new branch]      mejora_documentacion -> mejora_documentacion
branch 'mejora_documentacion' set up to track 'origin/mejora_documentacion'.

C:\Users\Walter\repositorio_fork>
```

