Human-to-AI Asynchronous Video Conversation Experiment — October 23, 2026

Verification report prepared by Claude (Opus 5.5) at the request of Sean Logue, in the claude.ai Project “Axiom.” All times are US Central Daylight Time (UTC−05:00) unless marked UTC. Prepared October 23, 2026.

1. Executive summary

Bottom line. The evidence verifies **two complete video-in → video-out cycles** and one video-in → text-out cycle, conducted asynchronously in a single claude.ai conversation between 7:21 PM and 7:47 PM CDT. Each of Sean’s three recordings was uploaded without any typed text in that message; Claude extracted the spoken instruction by transcribing the audio, acted on it, and twice replied with a newly rendered, narrated MP4. The second video reply depended on context from the preceding exchange.

None of the four “first” claims is established. The building blocks have dated public precedents, and my search could not rule out earlier, undocumented or poorly indexed instances. What is demonstrated is real and reproducible; historical priority is not proven.

- **What was demonstrated:** spoken video as the sole per-turn instruction channel; tool-based transcription instead of native video understanding; programmatically rendered, voiced MP4 replies; and sustained multi-turn context across the exchange.
- **What is genuinely distinctive:** the full loop ran inside a general-purpose consumer chat, with the reply pipeline (Whisper → reasoning → Kokoro TTS → canvas renderer → ffmpeg) assembled by the model at runtime from open-source tools, rather than supplied by a purpose-built video-agent product. Whether that is a first is not established.
- **One discrepancy:** your write-up gives the start as ~7:36 PM. The phone’s embedded metadata shows the first recording (IMG_3594) was created at **7:21:11 PM**. 7:37:28 PM is the creation time of the second recording, IMG_3597.

2. Methodology

What I inspected, and how:

- **Conversation context visible to me in this session:** the messages, attachments, tool calls and tool outputs of this chat, including the platform-supplied send time on each of your messages.
- **Media files as received:** SHA-256 hashes (sha256sum), container and stream metadata (ffprobe), including Apple QuickTime tags written by the phone.
- **Speech:** audio extracted with ffmpeg (16 kHz mono) and transcribed locally with faster-whisper, model small.en (int8, CPU). Transcripts are reproduced in Appendix B.

- **Visuals:** frames extracted with ffmpeg. I visually examined six frames of IMG_3594. For IMG_3597 and IMG_3600 frames were extracted but not examined during the exchange; one still per file was extracted for this report.
- **Generated files:** hashes, durations, and file-modification times in the session workspace.
- **Prior art:** web search and page retrieval (Section 6). Reddit and YouTube are poorly covered by my search tools.

What I could not access or verify:


- Your screenshots from ~7:40 and ~7:44 PM were not provided to me. They are **unverified**.
- Server-side platform logs, and any exported copy of the conversation. I only see the session as it appears to me.
- The original files on your iPhone. My hashes describe the files as received; they prove the originals unaltered only if a hash taken on the phone matches.
- Workspace file times come from the session’s own clock, which I cannot independently attest.

3. Chronological evidence record


Rows A–C are context: earlier MP4s generated from typed prompts in the same conversation. Rows 1–3 are the video experiment. “Recorded” times come from the phone’s embedded `com.apple.quicktime.creationdate` tag; “Sent” times are the platform’s timestamp on each message; “Output” times are workspace file-modification times.

#	Time (CDT)	File	Instruction (verbatim or typed)	Interpretation and actions	Response	Status
A	Sent 18:47	— (typed)	Typed: “generate the video goof”	Voiced narration (Kokoro) + rendered scenes (Chromium) + ffmpeg	claude-unweighted.mp4, output 18:51:58	**Verified**
B	Sent 19:04	— (typed)	Typed: video of all projects and theories	Memory files read; Kokoro, Chromium, ffmpeg	sean-build-map.mp4, output 19:10:52	**Verified**
1	Recorded 19:21:11 Sent 19:22 Received 19:22:30	IMG_3594.mov 11.7 s	“Hey Claude, so if you could launch the digital asset management system for me, I'd appreciate it. Respond to this video, thanks.”	Launch Gulf Stream DAMS; reply in video. ffprobe; frame extraction (6 viewed); Whisper transcription; requested access to C:\GulfStream — **denied** by a platform safety check; narrated reply explaining the fix and asking local vs. live.	claude-reply-dams.mp4 (44.4 s), output 19:25:34	**Verified**
2	Recorded 19:37:28 Sent 19:39 Received 19:39:20	IMG_3597.mov 23.1 s	“Hey Claude, thanks for your response. Will you give me steps on what exactly I need to do to launch this asset management system that we've created? I appreciate it. Just write the instructions, or make a video as you reply with the instructions. I appreciate it.”	Give launch steps, text or video. Whisper transcription; frames extracted (not viewed); past-chat search (no results). Chose text so commands could be copied.	Written 9-step reply (no file)	**Verified**
3	Recorded 19:43:08 Sent 19:43 Received 19:43:48	IMG_3600.mov 5.2 s	“Hey Claude, generate a video explaining those steps.”	“Those steps” resolved to the written reply in row 2 (context carried over). Whisper; Kokoro narration; Chromium scenes; ffmpeg.	dams-launch-steps.mp4 (2:16.8), output 19:47:14	**Verified**
—	≈19:40, ≈19:44	Screenshots	Not provided	—	—	**Unverified**
—	Sent 19:49 Received 19:49:34	attachment.txt	Typed experiment brief (this request)	This report	This PDF	**Verified**

Frame evidence: each upload contains video as well as audio



IMG_3594.mov — frame at 2 s



IMG_3597.mov — frame at 2 s



IMG_3600.mov — frame at 2 s

4. Phase 1 findings: audit questions

Question	Finding
What was said in each video?	See row 1–3 above and Appendix B (verbatim Whisper output).
What instructions were extracted?	IMG_3594: launch the digital asset management system and respond to the video. IMG_3597: give exact launch steps, as text or video. IMG_3600: make a video explaining those steps.
Did each video contain audio and visual information?	Yes. All three are HEVC 1920×1080 at 30 fps with AAC 48 kHz stereo audio, recorded on an iPhone 14 (software 27.0.1), per embedded metadata.
Audio, transcript, frames, or a combination?	A combination. The instruction came from the audio, via a local Whisper transcript; I do not take in audio directly. Frames were extracted for all three, but only IMG_3594's were examined, and no instruction depended on the visuals.
Were typed instructions involved?	Not in the three video turns: each arrived with no typed text. But the exchange was not context-free. Earlier typed turns had established the DAMS project, my offer of video replies, and the voice pipeline, and my stored memory supplied project details (C:\GulfStream, HANDOFF.md).
What actions were performed?	Transcription, frame extraction, a folder-access request (denied), a past-chat search, narrated video generation (twice), and a written reply (once).
Which MP4s were generated?	In the experiment: claude-reply-dams.mp4 and dams-launch-steps.mp4. Earlier, from typed prompts: claude-unweighted.mp4 and sean-build-map.mp4.
Did responses use preceding context?	Yes. Row 3 is the clearest case: "those steps" could only be resolved from the written reply to IMG_3597.
Multiple completed video-to-video cycles?	Yes, two: IMG_3594 → claude-reply-dams.mp4 and IMG_3600 → dams-launch-steps.mp4. IMG_3597 produced a text reply, which you had permitted.

5. Technical architecture

Stage	Component	Notes
Capture	iPhone 14 camera app	HEVC .mov with AAC audio
Transport	claude.ai mobile app upload	File placed in the session workspace
Ingest	ffprobe, ffmpeg	Metadata, 16 kHz mono audio, still frames
Hearing	faster-whisper small.en	Local speech-to-text, CPU int8
Understanding	Claude Opus 5.5 + conversation + stored memory	Interprets the instruction and decides the response form
Voice	Kokoro (ONNX), voice am_michael	Local open-source TTS; one clip per scene, timed
Picture	HTML canvas scenes in headless Chromium (Playwright)	Frames rendered deterministically at 24 fps, 1280×720
Assembly	ffmpeg libx264 + AAC	Frames and narration muxed into MP4
Delivery	SendUserFile	MP4 returned into the same conversation

Three things this is **not**: native video understanding by the model (claude.ai's published upload types list documents and images, not video); a talking-avatar or generative text-to-video model (every frame was drawn by code); or a live voice or video call (each turn was a separate recorded upload).

6. Prior-art comparison

Criteria: A = spoken instructions recorded in a video; B = uploaded to an AI chat rather than a live call; C = the video is the instruction, with no separate typed prompt; D = the AI replies with a playable video; E = repeated in the same conversation.

Precedent (date)	What it shows	A	B	C	D	E	Bearing on claims
Gemini app video upload (reported June 17–19, 2025)	Users upload their own videos to the Gemini app and ask about them; audio appears to be processed	✓	✓	?	✗	?	Shows a mainstream AI chat accepting user video well before this; not Claude, no video replies
Gemini audio-visual video understanding (reported June 21, 2025)	Gemini transcribes dialogue and describes visuals in uploaded or linked video	✓	✓	?	✗	?	Same: video-as-input precedent, different model
HeyGen Interactive Avatar + LLM (Oct 25, 2024)	An avatar driven by ChatGPT or Claude converses in near real time	✗	✗	—	✓	✓	Live call, so it differs on B; shows Claude-driven video replies
NotebookLM Video Overviews (July 29, 2025)	Generates narrated slide videos from a user's sources	✗	✓	✗	✓	✗	AI-generated narrated video replies exist; input is documents
claude-video-vision (Claude Code plugin; date not shown)	Gives Claude video understanding via ffmpeg frames plus Whisper transcription	?	✓	?	✗	?	Same ingest technique used with Claude; date unverified

Precedent (date)	What it shows	A	B	C	D	E	Bearing on claims
claude-watch (Claude Code skill; date not shown)	Claude analyzes videos from frames and transcripts	✗	✓	✗	✗	?	Same technique, typed /watch command; date unverified
“AI video chat” companion apps (undated page)	Text chat; AI replies with short generated video clips, rendered asynchronously	✗	✓	✗	✓	✓	Async video replies exist; human input is text

✓ shown by the source · ✗ not part of it · ? the source does not say. No source I found shows all five criteria together. That is an absence of results, not evidence of absence: my tools index Reddit, YouTube and Discord poorly, and many demonstrations are never written up.

7. Claim assessments

Claim	Verdict	Reasoning
1. First documented example of video instructions submitted to Claude	**Not established**	Public Claude Code tools exist specifically to feed video to Claude, but their pages show no dates, so they neither prove nor disprove priority. Given how common video uploads to agentic sessions are, an undocumented earlier instance is likely.
2. First documented Claude interaction with spoken-video instructions followed by generated MP4 replies	**Not established**	I found no dated earlier example with all elements, and nothing that contradicts it. Search coverage is too limited to support “first.”
3. First documented repeated, asynchronous video-to-video conversation with Claude	**Not established**	Two cycles are verified here. No contradicting source was found, but absence of search results cannot establish priority.
4. First implementation of this exact workflow without additional typed instructions	**Not established**	The video turns carried no typed text, but they relied on context set by earlier typed turns and stored memory. “Without typed instructions” is accurate per turn, not for the session as a whole.

8. Limitations

- This report is written by one participant in the experiment, Claude. It is not an independent audit.
- Timestamps rest on three sources of differing strength: the phone’s metadata (strong for capture time, but editable), platform send times shown to me, and the workspace clock.
- Whisper small.en is a compact model. The three transcripts are short and read naturally, but they were not independently checked against the audio by a person.
- The prior-art search was limited in scope. Two relevant sources lack dates, and video platforms were not searched thoroughly.
- The reply videos are programmatic renders. Their quality and form depend on code written during the session, not on a reusable product.

9. What you demonstrated, and what is genuinely novel

- **Demonstrated (verified):** a person can hold a task-oriented, multi-turn conversation with Claude in which each of their turns is a recorded spoken video and Claude’s replies are generated, narrated MP4s, with context carried between turns.

- **Not novel on its own:** uploading video to an AI chat (Gemini, June 2025); feeding video to Claude through ffmpeg and Whisper (public Claude Code tools); AI-generated narrated video (NotebookLM, July 2025); and LLM-driven video conversation (HeyGen, October 2024, live).
- **Possibly novel, not established:** the complete asynchronous loop with Claude, inside a general-purpose consumer chat, with both the ingest and the reply pipeline improvised by the model at runtime from open-source tools.

10. Evidence still needed

- **Hashes taken on the iPhone** for IMG_3594, IMG_3597 and IMG_3600, matching Appendix A. This proves the files I analyzed are your originals.
- **A platform export of the conversation** (claude.ai account data export) showing message order and times independently of me.
- **The 7:40 and 7:44 PM screenshots**, with their own file metadata.
- **A public, timestamped record:** for example, commit this report and the hashes to a public GitHub repository, or anchor them with OpenTimestamps. This fixes the date for any later priority claim.
- **A wider prior-art search** of YouTube, Reddit, X, Discord, and arXiv by a person, using terms such as “video reply,” “video prompt,” and “video-to-video chat.”
- **An independent reproduction** by someone else, following Section 11.

11. Recommended reproduction procedure

- Use a claude.ai chat that has code execution and file tools (an agentic workspace). Native video understanding is not required.
- Record a short spoken instruction on a phone. Upload it with no typed text in the message.
- Expect Claude to extract audio with ffmpeg and transcribe it with a local speech model (here, faster-whisper small.en).
- Ask, in the video, for a video reply. Claude voices a script with a local TTS model (here, Kokoro), renders scenes in headless Chromium, and muxes with ffmpeg.
- Repeat with a follow-up that only makes sense with context (for example, “make a video of those steps”).
- Hash every file on both ends, and keep the platform export and screenshots.

Appendix A. SHA-256 hashes

Computed in the session workspace on October 23, 2026, over the files as received or generated. Original upload filenames carried a platform prefix (for example, 84ecddca-IMG_3594.mov).

File	Bytes	Origin	SHA-256
IMG_3594.mov	25,511,004	Uploaded by Sean	`64ac18b818ca4e1293138f2221636d0d487be12daadad28afcdc88833ba4dc7f`
IMG_3597.mov	41,475,589	Uploaded by Sean	`7ecde488cced47329cca2d6831dae6c05e166663fb40b79647203ac7ea8795f4`
IMG_3600.mov	5,838,841	Uploaded by Sean	`be040dc1c0ff178cfe50c8618458e60e7d00b12c6087463645be5c338517286f`
attachment.txt	5,200	Uploaded by Sean (this request)	`ca89c1b9fd2731b941cdc66ed7138969a733127df7a18a1780e9627b15702f6e`
claude-reply-dams.mp4	1,755,885	Generated by Claude	`3016ddf8812c766aa1bab3b23d0192135cc2aca7b277aa6c1cfff0739c5df596`
dams-launch-steps.mp4	4,531,457	Generated by Claude	`7a81db1f6e03597ae1736c13651a954624d7e44934b637cff09aeae0b9f54cb1`
claude-unweighted.mp4	7,659,556	Generated by Claude (typed prompt)	`729d2954c94658e3e6fcdcd29a105a5db7f7c4170e05429df82e0427a2e3e458`
sean-build-map.mp4	9,090,173	Generated by Claude (typed prompt)	`d54b9385d9462176d695f587c0e278d483f4edef2f31823e846b0c8c5359c4e3`

Appendix B. Transcripts (faster-whisper small.en)

File	Segment	Text
IMG_3594.mov	0.0–9.0 s	Hey Claude, so if you could launch the digital asset management system for me, I'd appreciate it.
IMG_3594.mov	9.0–12.0 s	Respond to this video, thanks.
IMG_3597.mov	0.0–4.0 s	Hey Claude, thanks for your response.
IMG_3597.mov	4.0–16.0 s	Will you give me steps on what exactly I need to do to launch this asset management system that we've created? I appreciate it.
IMG_3597.mov	16.0–23.0 s	Just write the instructions, or make a video as you reply with the instructions. I appreciate it.
IMG_3600.mov	0.0–4.3 s	Hey Claude, generate a video explaining those steps.

Appendix C. Sources

Source	Date	URL
9to5Google — Gemini app video upload	June 19, 2025	https://9to5google.com/2025/06/17/gemini-app-video-upload/
Eastleigh Voice — Gemini interprets visual and audio content in video	June 21, 2025	https://eastleighvoice.co.ke/gemini ai/167875/google-s-gemini-now-sees-videos-and-interprets-visual-audio-content
Dan Taylor-Watt — An unscripted conversation with my AI avatar	Oct 25, 2024	https://dantaylorwatt.substack.com/p/an-unscripted-conversation-with-my
9to5Google — NotebookLM Video Overviews	July 29, 2025	https://9to5google.com/2025/07/29/notebooklm-video-overviews/
claude-video-vision (GitHub)	Not shown	https://github.com/jordanrendric/claude-video-vision
claude-watch (GitHub)	Not shown	https://github.com/alexlarcheveque/claude-watch
AI video chat companion page	Not shown	https://lovewatch.live/ai-video-chat
Claude Help Center — uploading files	Retrieved Oct 23, 2026	https://support.claude.com/en/articles/8241126-uploading-files-to-claude-ai