EL NIÑO ACTION BRIEFING · 30 OCTOBER 2026

Mongo, Guéra

Here heat kills mostly through children who are already sick, so the strongest heat measure is to keep malnutrition treatment running, and to put water in reach before March.

PROVINCE	EXCESS HEAT DEATHS	WINDOW	DOMINANT HAZARD
Guéra (province level)	980 forecast, 330 of them in October and 210 in March; 350 already past (Jun–Sep)	6-month forecast, Oct 2026 – Mar 2027	Heat on sick and malnourished children; water scarcity; meningitis Jan–May; the 2027 lean season

15/15 recommendations checked. 9 corrected, 0 unverified, 6 contraindicated (the six "Do not do this" cards; one of them, about old meningitis vaccination, came from verification). All 8 For you steps were checked too, and 4 were corrected. Exposure figure: Climate Impact Lab El Niño Heat Mortality Tracker data, version of 26 October 2026, pre-peer-review, methods forthcoming. It is published for Guéra province, not for Mongo, and it counts heat only. Mongo's share was not calculated, because the town's current population could not be confirmed. Guéra falls outside every pre-arranged money channel checked: the UN drought anticipatory-action framework, the World Bank safety-net project, the Red Cross early-action protocol, and the priority areas of the 2026 humanitarian plan. The funding target moved from the panel's XAF 249 million (US$424,000) to XAF 238 million (US$405,800) after verification (–4%). Two of its lines are now contingencies, released only on a trigger.

EXECUTIVE SUMMARY — AT A GLANCE



12.18°N 18.68°E, Chad · Natural Earth

- **The risk.** In Guéra, 13.3% of young children were acutely malnourished in 2024, and households already pay 1,000–1,250 XAF a day for water.
- **For you.** This month, have every child under five measured with the arm band at the health centre; treatment is free in principle.*
- **The money.** XAF 176–549 million (US$300,000–936,000); last-mile malnutrition treatment buys the most lives.
- **Do not.** Do not count on old meningitis vaccination: it does not protect against the serogroup C strain now in eastern Chad.*

For you, as a resident	8 steps	p. 2
What to do	**9** actions	p. 5
Who does what	RACI chart	p. 12
Where money does the most	funding	p. 12
Do not do this	**6** items	p. 14
What has happened here	the record	p. 16
How this was produced	methodology	p. 18
References	sources	p. 20

* Suggested formulation: check with a health worker before sharing.

FOR YOU, AS A RESIDENT 8 STEPS

For a family in Mongo, El Niño's heat is most dangerous to a child who is already thin or feverish, and it arrives when water is scarce and costly. Meningitis season runs from January to May, and the next hungry season starts in June. The ranked actions below are written for the province and its partners. These are the ones you can take yourself.

Have every child under five measured with the arm band (MUAC) at the health centre now, and again each month until May

PARTIALLY CONFIRMED FROM ACTION 1

BY WHEN	COST TO YOU	PROTECTS
November 2026, then monthly	free in principle; ask at the nutrition unit	young children

A severely wasted child is several times more likely to die of fever, diarrhoea, or a hot day than a well-fed one. The nutrition unit (UNT) at the Mongo provincial hospital treats severe malnutrition with UNICEF and EU support. Its own staff say cases double between April and October. Free treatment is the rule in principle, but it could not be confirmed in an official text.*

From January, take anyone with a high fever and a stiff neck to the hospital the same day

PARTIALLY CONFIRMED FROM ACTION 3

BY WHEN	COST TO YOU	PROTECTS
January–May 2027	transport; treatment is free during epidemics	children and young adults

In Adré, in eastern Chad, meningitis cases rose from 18 in January to 109 in March 2026, and about one child in eight admitted died. One dose of the right antibiotic, given early, saves most of them. The MenAfriVac injection many people had years ago protects only against serogroup A. It does not protect against the serogroup C strain now circulating.*

Before March, keep two to three days of water at home in covered containers

PARTIALLY CONFIRMED FROM ACTION 4

BY WHEN	COST TO YOU	PROTECTS
28 February 2027		drinking water in the hottest weeks

* Suggested formulation: check with a health worker before sharing.

about XAF 2,000 (US$3.40) per 20-litre jerrycan (a Cameroon price), plus XAF 2,000–3,750 (US$3.40–6.40) of water

In March 2026, households in sectors 1, 2, and 3 paid cart vendors 1,000–1,250 XAF a day, because too few boreholes worked, and demand rises with the heat. A stock bought before the hot season shields a family from the worst price days.

Keep every water container covered, and scrub it before refilling

PARTIALLY CONFIRMED · FROM ACTION 4

BY WHEN	COST TO YOU	PROTECTS
now, and all dry season	a lid	the family from cholera and diarrhoea

Cholera reached Bitkine, in Guéra, in 2025: 220 cases and 7 deaths by late September. Water bought from a cart and stored open is the easiest way for it to travel from house to house.*

Keep ten packets of oral rehydration salts at home for a child with diarrhoea

PARTIALLY CONFIRMED · FROM ACTION 2

BY WHEN	COST TO YOU	PROTECTS
30 November 2026	price in Chad not found	young children

Oral rehydration salts (ORS) are what keep a child with diarrhoea alive until help arrives: pooled studies put the cut in child deaths from diarrhoea at about 69%. The health centre has them; ask for the zinc course as well.*

In the hottest hours of March to May, rest in shade and wet the skin; a fan helps only below about 38°C

PARTIALLY CONFIRMED · ROLE-SPECIFIC

BY WHEN	COST TO YOU	PROTECTS
March–May 2027	none	older people, workers, and anyone sick

* Suggested formulation: check with a health worker before sharing.

Mongo's hottest months are March to May, averaging about 39°C at midday, and the weather service forecast 45°C in May 2024. In very dry heat, a fan blowing on dry skin can heat the body further. Above about 38°C, wet the skin first, then let moving air cool it.*

Look in every day on an older or sick neighbour during hot spells, and tell your chef de quartier who lives alone

PARTIALLY CONFIRMED · FROM ACTION 6

BY WHEN	COST TO YOU	PROTECTS
from November	none	people no one else is checking

The people who die in hot weather are the ones nobody sees. The chef de quartier already has a delegate at the mairie, so a name given to him can reach the people organising checks.

Buy millet or sorghum for the hungry season once the new harvest reaches the market, not before, and store it in sealed bags

PARTIALLY CONFIRMED · FROM ACTION 8

BY WHEN	COST TO YOU	PROTECTS
late November 2026 – January 2027	prices vary; a subsidised 50 kg sack sold for XAF 7,500 (US$12.80) in Mandoul in 2026	food in June–September 2027

In late August a sack of berbéré in Mongo tripled in a week, after a poor rainy season, and this year's harvest is running late, into November. Prices are at their seasonal high now. Buy once new grain is in the market, and keep it in triple-layer hermetic bags if the agriculture office can supply them.

What to ask of the people in charge

- Ask the Délégation provinciale de la santé whether children in Guéra receive the full 14 sachets of therapeutic food a week (action 1).*
- Ask the governor and the mairie when the 500 m³ water tower will be commissioned, and which boreholes will be repaired before March (action 4).

* Suggested formulation: check with a health worker before sharing.

- Ask the mairie how Mongo households can be entered in the national social registry, so that cash can reach them in a crisis (action 5).
- Ask the Délégation du commerce whether ONASA will hold a subsidised grain sale in Guéra in 2027 (action 8).

WHAT THIS PLACE SHOULD DO RANKED

Ranked by expected lives saved per unit of effort before the peak. Backing lenses are shown per action; an action several lenses reached independently is the stronger bet.

1. Keep malnutrition screening and treatment running through May: pay for last-mile delivery and supervision, and confirm Guéra's children get the full dose

PARTIALLY CONFIRMED | PUBLIC HEALTH · PHILANTHROPIST · EMERGENCY MANAGER | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
Délégation provinciale de la santé du Guéra, with UNICEF and the Mongo UNT	now through May 2027	XAF 176 million (US$300,000)	deaths of wasted children from heat, fever, and diarrhoea

SMART 2024 found 13.3% acute malnutrition in Guéra, and 1.8% severe. Severely wasted children have about 11.6 times the mortality of well-nourished children (Olofin et al. 2013). Most of the heat deaths the model counts here will be these children dying of malaria or dehydration on a hot day. UNICEF reports Chad's therapeutic food (RUTF) funded to May 2027, so the gap is getting it from the warehouse to Guéra's health centres. The cost assumes 3,000 children at about US$100 each for delivery and care.

* Suggested formulation: check with a health worker before sharing.

Corrected in verification: the 3,000 caseload and the US$100 unit cost are planning assumptions, not sourced. The published cost-effectiveness figures (US$42 per DALY in Malawi, US$53 in Zambia) compare a whole programme with none, so they overstate the value of adding last-mile support to a programme that already runs. MSF's report of rations cut to 10 sachets a week covers eastern Chad, not Guéra.

2. Set up a shaded cooling and rehydration corner at the Mongo provincial hospital by 15 February, and stock ORS and zinc at the health centres

PARTIALLY CONFIRMED | EMERGENCY MANAGER · PUBLIC HEALTH · PHILANTHROPIST | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
Délégation provinciale de la santé du Guéra, with the provincial hospital	**15 February 2027, before the March–May heat**	**about XAF 3 million (US$5,100), an estimate**	**heat deaths in infants and older people recorded as "fever"**

Mongo's hottest months average about 39°C at midday (March 39.0°C, April 38.7°C, May 38.6°C, 1961–90 normals), and the national weather service (ANAM) forecast 45°C for 3 May 2024. Chad has no formal heat-health warning system, so the hospital has to be ready without one. In September 2025 the minister found the hospital short of staff and caesarean kits.

* Suggested formulation: check with a health worker before sharing.

Transferability: the heat-plan evidence (Ahmedabad, Hess et al. 2018) comes from an Indian city, and the ORS evidence is about diarrhoea, not heat. Corrected in verification: October averages 34°C, so the tracker's large October figure reflects heat above normal for the season, not the hottest weeks.

3. Before January, stock ceftriaxone and rapid tests in each district hospital, track meningitis weekly, and have the emergency vaccine request ready to send

PARTIALLY CONFIRMED | EMERGENCY MANAGER · PUBLIC HEALTH · HISTORIAN | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
Délégation provinciale de la santé du Guéra	31 December 2026; surveillance from week 1 of 2027	XAF 29 million (US$50,000), held as a contingency	a two- to three-week delay before an outbreak is confirmed and vaccine arrives

Chad's first serogroup C outbreak hit Ouaddaï in 2025, and the country used the new Men5CV vaccine for the first time, reactively, in July 2025. The International Coordinating Group (ICG) releases vaccine when a district passes the epidemic threshold (10 suspected cases per 100,000 a week, for a district of 30,000–100,000) and asks within seven days. No case has been reported in Guéra. The districts are Mongo, Bitkine, Melfi, and Mangalmé.

Corrected in verification: a preventive Men5CV campaign before January has no supply route (no Gavi preventive campaign is scheduled for Chad), so the reactive request is the realistic plan. MenAfriVac's 94% fall in meningitis in Chad was against serogroup A.

4. Before March, fund repairs, spare parts, and a mechanic for Mongo's existing boreholes, chlorinate water points, and publish the water tower's commissioning date

PARTIALLY CONFIRMED | SKEPTIC · HISTORIAN · EMERGENCY MANAGER · FRONTLINE | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
Governor of Guéra, with the mairie, the provincial water office, and STE	28 February 2027	not costed; unfunded	households priced out of water in the heat; cholera

* Suggested formulation: check with a health worker before sharing.

The town still relies on STE's old 100 m³ works. A 1,000 m³ tower and 20 km of pipe were promised in April 2021; by June 2025 the project was 500 m³ and 14 km, due in December 2025, and there is no sign it is running. In 600 rural sites studied, affordable repair was the best predictor of whether a pump works, and it was missing at 62% of them (Whaley 2019). New boreholes are worth building only with a repair budget attached. Water committees were trained in Mongo in April 2025, but no repair fund was mentioned.

Corrected in verification: no count of Mongo's boreholes, working or broken, was found, and the evidence is rural, not urban. Agreeing a price ceiling with cart vendors is untested here, so it is kept as a question, not an action.

5. Get Guéra written into the money that already moves on a trigger: the 2027 drought framework, the World Bank safety net's shock window, and the social registry

PARTIALLY CONFIRMED | ECONOMIST | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
Ministry of Social Action, with OCHA Chad and the Governor of Guéra	before the 2027 framework revision (spring 2027)	administrative; if triggered, about XAF 8,384 (US$14.28) per person per month	households selling livestock into a falling market to survive

Chad's drought anticipatory-action framework triggered on 5 May 2026, on ECMWF seasonal forecasts. WFP's share, US$4.9 million (US$1.96 million from CERF and US$2.94 million from Austria), reached 170,472 people in seven provinces, and Guéra was not one of them. The World Bank's Adaptive and Productive Safety Nets project (US$100 million from IDA plus US$20 million from a trust fund) covers nine provinces, without Guéra. It has a shock window for 40,000 households in drought. The social registry's shock-response layer covers only Kanem and Barh-el-Gazel.

* Suggested formulation: check with a health worker before sharing.

Corrected in verification: CERF's own envelope was US$4.4 million across FAO, UNICEF, and WFP; the US$4.9 million is WFP's activation including Austria, and the two must not be added. An estimate of 10,000 Guéra households at XAF 50,306 each (XAF 503 million, US$857,000) is our arithmetic, not a World Bank figure.

6. Warn through Radio Communautaire de Mongo, the chefs de quartier, imams, and pastors in Chadian Arabic and local languages, and ask water-cart vendors to report homes that stop buying water

PARTIALLY CONFIRMED | FRONTLINE · SKEPTIC | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
Mairie de Mongo, with the chefs de quartier and religious leaders	from November 2026	near zero	warnings that never reach isolated and poor households

Radio Communautaire de Mongo trained producers in local languages in January 2026. Its listeners' club already organises volunteer clean-ups. Chadian Arabic links Mongo's Hadjerai peoples, whose languages include Dangaléat, Kenga, and Migaama; French is used only in offices. Each chef de quartier lists isolated older people, people with disabilities, and Quranic pupils for a daily check on hot days. A household that spends 1,000 XAF a day on water and stops buying is in trouble, and the cart vendor is the first to know.

Corrected in verification: Radio Sôt-Al-Nadja (98.3 FM), opened in August 2026, is an evangelical station, so it should carry the messages but not lead them in a mainly Muslim town. Airtime in Dangaléat or Kenga was not confirmed.

7. Take referral messages, ORS, and malaria testing to the nomadic camps around Mongo, Melfi, and Bitkine, pairing Red Cross volunteers with community health agents

PARTIALLY CONFIRMED | EMERGENCY MANAGER | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
Délégation provinciale de la santé, with the Croix-Rouge du Tchad Guéra committee	November 2026 – March 2027	about XAF 5 million (US$8,500), an estimate; unfunded	deaths in camps that never reach a clinic

* Suggested formulation: check with a health worker before sharing.

In October 2021, in nomad camps near Melfi, 52 people fell ill with what turned out to be malaria, and 7–8 died. They had relied on travelling healers. Chad has had a community case-management policy for malaria and pneumonia since 2015, so testing and treatment should come from its community health agents, with Red Cross volunteers finding and referring.

Corrected in verification: no source authorises Red Cross volunteers to test or treat. The higher death tolls rumoured at the time (50 to 91) were denied by the ministry.

8. Ask ONASA to bring its subsidised grain sales to Guéra for the 2027 lean season, and have the commerce office publish Mongo's grain prices every week

PARTIALLY CONFIRMED | FOOD · HISTORIAN | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
ONASA, with the Délégation provinciale du commerce	request by March 2027; sales before June	sale subsidy not costed	the 2027 hungry season being met at August-2026 prices

Guéra's worst years came a season after an El Niño, not during it: the 1983–84 famine followed the 1982–83 event, and Guéra was among the worst-hit regions in 2010 after a bad 2009 harvest. The 2026 rains were late and broken (FAO, September 2026). ONASA ran subsidised sales in Mandoul from 5 August 2026 at XAF 7,500 for 50 kg of sorghum or maize, but no sale in Guéra was found. The commerce delegate announced market inspections after the August spike.

* Suggested formulation: check with a health worker before sharing.

Corrected in verification: ONASA restocks partly from imports, not from local harvest purchases, so "buy locally at harvest" was dropped. Weekly price publication is not happening yet, and FEWS NET does not report Mongo's market.

9. Write a Red Cross heatwave early-action protocol for Guéra for 2027, copying the one Burkina Faso uses in Ouagadougou

PARTIALLY CONFIRMED | ECONOMIST | ADAPTATION INVENTORY: NOT CHECKED

OWNER	BY WHEN	COST	PREVENTS
Croix-Rouge du Tchad, with IFRC and ANAM	drafted before the 2027 hot season	benchmark CHF 219,935 (XAF 157 million, US$267,000) for Ouagadougou; unfunded	the next heatwave arriving with no money released in advance

The Chadian Red Cross's only early-action protocol is for floods in six provinces (CHF 192,833, approved August 2024, not activated in 2025). Burkina Faso's heatwave protocol for Ouagadougou funds early warning, water, checks on chronically ill people, and cash on an ANAM-style temperature forecast. A Guéra version would need a threshold set against the Mongo station.

Corrected in verification: this protects the next season more than this one. Sovereign drought insurance through African Risk Capacity was left out, because Chad's current eligibility could not be confirmed.

* Suggested formulation: check with a health worker before sharing.

WHO DOES WHAT

RACI CHART

R = Responsible (does the work) · **A** = Accountable (one per action; signs off and answers for it) · **C** = Consulted (asked before) · **I** = Informed (told after). Built from the owners named in the verified actions. No one here has been contacted or has agreed to a role; every row is a proposal.

Action	Délégation de la santé	Provincial hospital and UNT	UNICEF	Governor of Guéra	Mairie de Mongo	Water office and STE	Chefs de quartier and religious leaders	Croix-Rouge du Tchad	Ministry of Social Action and OCHA	ONASA and commerce office
1. Malnutrition treatment, last mile	**A**	**R**	**R**	**I**			**C**			
2. Hospital cooling corner, ORS	**A**	**R**	**C**	**I**				**C**		
3. Meningitis readiness	**A/R**	**R**	**C**	**I**			**I**	**C**		
4. Borehole repairs, chlorine, tower date	**C**			**A**	**R**	**R**	**C**			
5. Guéra into pre-arranged money			**C**	**R**	**C**				**A/R**	
6. Warnings and neighbourhood checks	**C**			**I**	**A**		**R**	**R**		
7. Nomadic-camp outreach	**A**	**C**		**I**			**C**	**R**		
8. Grain sales and weekly prices				**C**	**I**				**C**	**A/R**
9. Red Cross heatwave protocol	**C**			**I**				**A/R**	**C**	

What the chart shows: the Délégation provinciale de la santé is accountable for four of the nine actions and carries the life-saving core. The governor is accountable only for water, but is informed or doing the work on most rows. Actions 5, 6, and 8 cost almost nothing; they need decisions in N'Djamena and at the mairie, not money.

WHERE MONEY DOES THE MOST

FUNDING

The Philanthropist lens, reconciled against the ranked actions and verified. Placements are ranked by marginal lives saved per dollar. The envelope is bounded by what this place can spend before the peak, not by what it needs. It covers Guéra province, with the Mongo nutrition unit as the referral point.

FLOOR

XAF 176 million (US$300,000)

TARGET

XAF 238 million (US$405,800)

CEILING

XAF 549 million (US$935,800)

LARGEST UNCERTAINTY

Guéra's actual caseload of severe malnutrition; no admissions figure was found

Floor = last-mile malnutrition treatment, XAF 176.1 million. Target = floor + Red Cross outreach (XAF 14.7 million) + a full-dose RUTF contingency (XAF 18.1 million) + a meningitis contingency (XAF 29.4 million) = XAF 238.3 million. Ceiling = target + cash to households of children in treatment (XAF 135.0 million) + a doubled caseload (XAF 176.1 million) = XAF 549.4 million. Do not release the ceiling lines until the

* Suggested formulation: check with a health worker before sharing.

provincial delegation's admissions data and a named cash operator are in hand. Water repairs and camp outreach are left out of the envelope, because neither has a named recipient. The target moved −4% in verification.

RECIPIENT	USE	AMOUNT	MECHANISM	BASIS	VERDICT
UNICEF Chad, earmarked for the Délégation de la santé and the Mongo UNT	Action 1: transport, supervision, inpatient care for about 3,000 children	XAF 176.1 million (US$300,000)	direct grant (earmarked)	Whole-programme community treatment: US$42 per DALY (Malawi, Wilford 2012), US$53 per DALY (Zambia, Bachmann 2009); overstates a last-mile add-on	Partially confirmed
Croix-Rouge du Tchad, through national headquarters or IFRC	Actions 2 and 6: ORS, zinc, heat and referral outreach in Mongo	XAF 14.7 million (US$25,000)	direct grant	No cost-per-death study; cheap coverage. No Guéra grant at this size on record	Partially confirmed
UNICEF Chad	Action 1: RUTF to restore 14 sachets a week, if Guéra is found rationed	XAF 18.1 million (US$30,800)	pre-positioned stock, released on a trigger	84,000 sachets at about US$0.37; rationing documented in eastern Chad only	Unverified for Guéra
Délégation provinciale de la santé du Guéra	Action 3: ceftriaxone, rapid tests, surveillance	XAF 29.4 million (US$50,000)	pre-positioned stock, released at the alert threshold	WHO presumptive treatment; vaccine comes free from ICG	Partially confirmed
Cash operator to be named	Cash to households of children in treatment (ceiling only)	XAF 135.0 million (US$229,900)	cash transfer	Grellety et al. 2017 (DRC): recovery 1.35×, relapse 0.30× at US$40 a month for 6 months; this transfer is smaller and shorter	Partially confirmed
UNICEF Chad, earmarked as above	Action 1 at double the caseload (ceiling only)	XAF 176.1 million (US$300,000)	direct grant (earmarked)	Released only if admissions data shows more than 3,000 children	Partially confirmed

* Suggested formulation: check with a health worker before sharing.

A funder's view: do not buy therapeutic food. UNICEF reports Chad's RUTF funded to May 2027. What is unpaid is getting it from the warehouse to Guéra's health centres. The cheapest money of all costs nothing: having Guéra written into the drought framework and the safety net's shock window (action 5).

Do not do this

CONTRAINDICATED · ADVICE THAT WOULD COST LIVES HERE

Advice that circulates for this hazard and would cost lives here.

Relying on past MenAfriVac vaccination, or waiting for a preventive campaign, to protect against this season's meningitis *

CONTRAINDICATED

Found in verification. MenAfriVac protects against serogroup A only. The outbreaks in eastern Chad in 2025 and 2026 were serogroup C, and about one child in eight admitted in Adré died. No preventive Men5CV campaign is scheduled for Chad.

Instead: treat fever with a stiff neck as an emergency, stock ceftriaxone, and send the ICG request as soon as a district crosses the threshold (action 3).

Cooling centres that need grid power or fans, or that crowd people together in February–May *

CONTRAINDICATED

Mongo's power comes from a solar-hybrid plant whose output was described as "very low" in June 2025. In very dry heat, fans on dry skin raise body temperature: in a 2019 trial they harmed at 47°C and 10% humidity, and later modelling puts the cut-off near 38–39°C. Gathering people in February–May also brings them together in meningitis season.

* Suggested formulation: check with a health worker before sharing.

Instead: shaded, ventilated spaces that need no power, wet skin with moving air, and care brought to people at home (actions 2 and 6).

Telling people to "drink more water" where water is bought by the day

CONTRAINDICATED

Households in sectors 1, 2, and 3 already pay 1,000–1,250 XAF a day to cart vendors, and cut back on water and hygiene when it costs too much. Advice that ignores the price changes nothing for the people most at risk.

Instead: repair the boreholes that are down (action 4), and look for help with the cost of water in the peak weeks.

Drilling new boreholes with no repair budget, spare parts, or mechanic

CONTRAINDICATED

More than a quarter of Africa's handpumps are out of order at any time, and affordable repair is the best predictor of whether one works (Whaley 2019). Residents are asking for new boreholes, and they need them, but a borehole without a repair fund becomes the next broken one.

Instead: new boreholes only with a funded repair plan, and repair the existing ones first.

Storing water uncovered

CONTRAINDICATED

Cholera reached Bitkine, in Guéra, in 2025 (220 cases, 7 deaths by late September). Water bought from a cart and kept open is easily contaminated.

* Suggested formulation: check with a health worker before sharing.

Instead: covered, narrow-necked containers, scrubbed before each refill.*

Warning only in French, or only by SMS

CONTRAINDICATED

French is the language of offices in Mongo. Most people speak Chadian Arabic and a Hadjerai language, and Chad's early-warning system has few relays outside the towns.

Instead: community radio, chefs de quartier, imams, and pastors, in Chadian Arabic and local languages (action 6).

WHAT HAS HAPPENED HERE BEFORE — THE RECORD

YEAR	EVENT	TOLL	WHAT CHANGED AFTER
1983–84	Famine in Guéra, the year after the 1982–83 El Niño, after two decades of war had emptied granaries	No Guéra figure found; the Red Cross appealed for 140,000 drought victims across Chad in 1984	Not recorded
2009–10 (El Niño)	Drought and a 34% national cereal deficit; Guéra among the worst hit	Acute malnutrition 16.1%, severe 4.9% in Guéra	The alarm came late, with too few partners to deliver
August 2011	Cholera after heavy rains	152 cases at Mongo hospital in nine days (IFRC)	Not recorded
2012	Sahel food crisis; northern Guéra worst hit; women in Tassino dug grain from anthills	No Guéra death count found	Aid slowed by late recognition of the crisis
2021–26	Mongo's water tower: 1,000 m³ promised in April 2021, cut to 500 m³, due December 2025	Households paying 1,000–1,250 XAF a day for water in March 2026	Not yet commissioned, as far as any source shows

* Suggested formulation: check with a health worker before sharing.

YEAR	EVENT	TOLL	WHAT CHANGED AFTER
October 2021	Malaria in nomad camps near Melfi, first reported as an unknown disease	52 ill, 7–8 dead	The minister warned against travelling healers
2025	Cholera in Bitkine district	220 cases, 7 deaths by late September	Prevention days in Mongo
August 2026 (El Niño)	Late, broken rains; berbéré tripled in price in Mongo in a week	Not applicable	Market inspections announced

The recurrence nobody has noticed: Guéra's deadliest years came the season after an El Niño, not during it. The 1983–84 famine followed the 1982–83 event, and 2010's malnutrition followed the 2009 harvest. This briefing covers the first hit, heat on sick children, but the second, the June–August 2027 lean season, will land on households whose reserves the hot season has drained. No heat death or meningitis outbreak has ever been recorded for Guéra, and that reflects missing surveillance, not safety.

WHERE THE EXPERTS DISAGREE

UNRESOLVED

- **The danger is in October** (the tracker: 330 of 980 deaths) versus **the danger is in March–May** (the Skeptic and the climate record: Mongo's hottest months). Both can be true. The tracker counts heat above normal, and October's anomaly falls on the malnutrition and malaria peak. Mongo death records would settle it, but the town has no working death registration.
- **Run a heat programme** (Emergency manager) versus **malnutrition and malaria care is the heat programme** (Public health). The ranking follows Public health, with a hospital cooling corner as the one heat-specific step.
- **Twice-yearly azithromycin for all children under five** (Public health: −14% all-cause mortality in Niger, AVENIR trial, 2024) versus **not national policy, and not deliverable before the peak**. Left out of the ranked actions; worth raising with the ministry for 2027.
- **Buy grain locally at harvest to stabilise prices** (Food) versus **ONASA buys imports so as not to create shortages at home** (verification). Kept as a request for sales in Guéra, not for local purchase.

* Suggested formulation: check with a health worker before sharing.

WHAT NOBODY COVERED — BLIND SPOT

No lens looked at pregnant women and births in the heat, although the Mongo hospital was short of caesarean kits and staff in September 2025. No lens counted Mongo's displaced people or herders passing through in the dry season, and none found Guéra's own Cadre Harmonisé phase for this season. The newest malnutrition survey is from 2024.

HOW TO READ THIS — METHOD

The panel is author-built. Eight simulated expert lenses were used to generate these recommendations. Where they agree, that is a strong hypothesis, not a consensus of the field. Every recommendation was then independently checked for evidence, transferability to this location, and feasibility before the peak; the verdict tags carry the result.

Mortality figures are published at province scale, for Guéra. They are not figures for Mongo itself. The El Niño projection covers *heat only*; drought, flood, fire, smoke, and crop failure are additional to it and are carried here by the historical record rather than by a published number.

HOW THIS BRIEFING WAS PRODUCED — METHODOLOGY

- **Scope.** The location was taken as given: Mongo, the capital of Guéra province, Chad. Mortality figures exist only at province level; town detail is used for hazard exposure and action design, not for death counts. The town's current population could not be confirmed, so no Mongo share of the provincial figure is given.
- **Exposure.** Climate Impact Lab El Niño Heat Mortality Tracker data, file `v261026_adm1_output_BASE_rounded_cust.csv` (version of 26 October 2026, pre-peer-review): Guéra (GADM TCD.7_1), 350 additional heat deaths June–September 2026, 980 forecast October 2026 – March 2027 (October 330, November 230, December 70, January 68, February 62, March 210), 1,300 in total; Chad, 17,000; the world, 857,400. This update supersedes the September report *451,000 at Risk*. Method: ECMWF SEAS5 seasonal forecasts applied to temperature–mortality relationships against a 1996–2025 baseline. The figures count heat only; we inferred this from the data, because cold countries show exactly zero in every winter month. They are never added to the Impact Map's long-run projections.
- **Expert panel.** Eight simulated expert lenses (emergency manager, public health scientist, frontline responder, skeptic, economist, historian, philanthropist, and food supply chain analyst) each researched this place independently and in parallel, from web sources in French and English, to a fixed brief.

* Suggested formulation: check with a health worker before sharing.

- **Reconciliation.** Duplicate actions were merged and backing lenses recorded. Convergence was tested for shared bias (whether the evidence behind an agreed action came from a setting like this one) before it counted in an action's favour. Contradictions were kept, not resolved by dropping a side. Actions were ranked by expected lives saved per unit of effort before the peak, each was given a named payer and trigger or marked unfunded, and the funding placements were reconciled against the ranked list.
- **Verification.** Six verifier agents checked every recommendation on three tests: evidence (the primary source and its effect size), transferability (whether that evidence came from somewhere like here), and feasibility (whether it can be done here before the peak). Financial actions were also checked for availability in this jurisdiction, a named payer, a trigger threshold, and whether they already exist; food actions for published triggers and timing. The funding envelope was checked for real recipients, published unit costs, and duplication, then re-summed.
- **Who does what.** The RACI chart is built from the owners named in the verified actions, with one accountable party per action. It is a proposal: no organisation named in it has been contacted or has agreed to a role.
- **Verdicts.** *Confirmed*: evidence, transferability, and feasibility all hold. *Partially confirmed*: holds after the corrections shown. *Unverified*: could not be checked to a primary source. *Contraindicated*: would do harm or waste the window here.
- **Adaptation Inventory.** Not consulted in this run. The browse page loads its data in the browser, and on earlier runs its "Download Inventory" link led to a registration form. No action here should be read as having no precedent; none was checked.
- **Money.** Costs are shown in Central African CFA francs (XAF) with US dollars in parentheses, at XAF 587.14 = US$1. The rate comes from the fixed peg of XAF 655.957 = €1 and the ECB reference rate of €1 = US$1.1172 (30 October 2026). Figures published in Swiss francs (Red Cross protocols) are given as published.
- **Reader.** No role was given, so the For you section is written for a resident. Its steps were taken from the verified actions and from what the panel found about households here. Any step not drawn from a ranked action was verified on the same three tests. The rest of the report is written for the province and its partners.
- **Language.** A French version accompanies this one, because French is the language of Chad's administration. An edition in Modern Standard Arabic, Chad's other official language, was added on 31 October 2026. Most residents of Mongo speak Chadian Arabic and a Hadjerai language; no version was made in those, and action 6 asks for the key messages to go out on radio in them instead.
- **Health wording.** Passages where a wording error could hurt someone (malnutrition treatment, meningitis, water storage and cholera, ORS and zinc, and cooling and fans) are marked "* Suggested formulation: check with a health worker before sharing." They were checked against

* Suggested formulation: check with a health worker before sharing.

published sources, not by a health professional. They are suggestions, not medical advice, and anyone passing them on should confirm them with a doctor, pharmacist, nurse, or community health worker first. The marker was added on 2 November 2026.

- **Rules.** No cost is derived by dividing a published total, and no local figure is invented; where data is thin, the report says so and shows the containing geography's number with its arithmetic. Every source is listed below with its verification status.
- **Limits.** The panel and verifiers are AI research agents working from web-available sources, not human experts, and no one in this place was interviewed. This was the second full briefing in one session, so verifiers were held to about 15 searches each. Several sources (the 2025 humanitarian plan's nutrition chapter, WFP's price dataset, a WHO meningitis page) refused direct reads. No count of Mongo's boreholes, no Guéra caseload of severe malnutrition, no Cadre Harmonisé phase for Guéra, and no chlorine or ORS price in Chad was found. The jerrycan price is from Cameroon. The locator map shows Mongo at country scale.

References · status after verification

Climate Impact Lab, El Niño Heat Mortality Tracker data v261026 (downloaded 30 Oct 2026); tracker · confirmed

Nutrition and health: SMART 2024 Chad; UNICEF, Mongo UNT; UNICEF RUTF funding, Q2 2026; MSF, rationing in eastern Chad; UNICEF HAC Chad 2026; Bachmann 2009; Wilford 2012; Grellety 2017; Munos 2010; Hess 2018; AVENIR trial; minister's hospital visit, Sep 2025 · partially confirmed

Heat and power: Mongo climate normals (WMO/DGMN); ANAM forecast, May 2024; Morris 2019, fans; Mongo solar-hybrid plant · partially confirmed

Meningitis and outreach: Men5CV campaign, Abéché 2025; MSF, Adré 2026; ICG stockpiles; MenAfriVac effect; meningitis thresholds; MenAfriCar; Croix-Rouge Mongo, May 2026; Melfi 2021; community case management; Radio Communautaire de Mongo; Radio Sôt-Al-Nadja; chefs de quartier · partially confirmed

Water: vendor water, Mar 2026; tower first stone, 2021; tower visit, Jun 2025; water committees; Whaley 2019; WHO AFRO cholera sitrep, Sep 2025; cholera 2011; jerrycan price (Cameroon) · partially confirmed

Money: WFP anticipatory action, Chad 2026; Anticipation Hub; World Bank safety nets; social registry shock layer; Chad flood sEAP; Burkina Faso heatwave sEAP; Chad humanitarian plan 2026; ECB reference rate · partially confirmed (ARC: unverified, left out)

Food and history: Mongo grain price, Aug 2026; FAO GIEWS Chad; FEWS NET Chad; FEWS NET El Niño 2026–27; ONASA sale, Mandoul; ONASA restocking, 2020; ASC Leiden, Guéra; 1984 appeal; Guéra 2010 malnutrition; FEWS NET alert, Dec 2009; 2012 crisis · partially confirmed

Exposure data · Climate Impact Lab, 451,000 at Risk · Impact Map · Adaptation Inventory

Generated 30 October 2026 for Mongo, Guéra. El Niño Ready is volunteer-run and is not affiliated with Climate Week NYC, The Climate Group, or Columbia University.

* Suggested formulation: check with a health worker before sharing.