
Upper Mare aux Vacoas, Mauritius

Curepipe, Vacoas-Phoenix, Floréal, Forest-Side, St Pierre, and Moka: a reservoir-driven water shortage that breeds mosquitoes. The first job is to cover every stored drum before the rains.

IMPACT REGION	EXCESS HEAT DEATHS	WINDOW	DOMINANT HAZARD
Straddles two: MUS.Rb4955ae83ec (Curepipe, Vacoas-Phoenix) and MUS.R8e39d7d595c (Moka, St Pierre); labels unconfirmed	None published for Mauritius	Study: Jun 2026 – Feb 2027	Water rationing, mosquito-borne disease, flash floods

12/12 recommendations verified. 7 corrected, 0 unverified, 5 contraindicated; 1 funding placement unverified (the Caritas doorstep-water grant, pending a quote). Exposure figure: Climate Impact Lab, *451,000 at Risk* (Sep 2026, pre-peer-review) publishes no figure for Mauritius, and none has been scaled here. **The funding target fell by more than two-thirds in verification**, from Rs 12.45M to Rs 3.52M. A tank top-up turned out to be funded already, and two recipients have no record at the proposed scale.

EXECUTIVE SUMMARY — AT A GLANCE



20.31°S 57.50°E, Mauritius · Natural Earth

- **The risk.** Mare aux Vacoas is at 35.5% and falling, with taps on every other day, 3–8 a.m. Every stored drum is a breeding site for the mosquito that spread 6,891 confirmed chikungunya cases this year.
- **First action.** Health ministry vector teams and councils check and cover every stored-water container, house to house, by 30 November.
- **The money.** Floor Rs 1.57M, target Rs 3.52M, ceiling Rs 6.52M ($33k / $73k / $136k). Clinic readiness buys the most.
- **Do not.** Make fogging the visible response. No trial shows it cuts dengue, and it pulls staff from container work.

What to do	**7** actions	p. 2
Who does what	RACI chart	p. 9
Where money does the most	funding	p. 9
Do not do this	**5** items	p. 11
What has happened here	the record	p. 13
How this was produced	methodology	p. 16
References	sources	p. 17

* Suggested formulation: check with a health worker before sharing.

THE PREMISE

READ FIRST

This is not an "El Niño drought". El Niño has almost no measurable effect on Mauritius rainfall. Across 20 stations from 1960 to 2011, ocean indices explained an average adjusted R^2 of 0.036 of monthly rain (conference slides, not peer-reviewed). The worst recent droughts, 1998–99 and 2011–12, fell in La Niña years. The last El Niño summer, 2023–24, brought 140% of normal rain and the largest dengue outbreak on record. The Mauritius Meteorological Services (MMS) bulletin of 10 August 2026 puts October–December rain at about 92% of normal (near-normal to slightly dry), and warmer than normal.

What this zone faces is a **water deficit carried over** from a 2025–26 summer with 66% of normal rain. Rationing began on 17 June, under a CWA communiqué of 15 June, effective 17 June, when MAV stood at 45%: six hours of supply a day. It was revised on 5 and 10 August. On 9 October, Mare aux Vacoas (MAV) held 35.5%. The Water Resources Commission projects about 20% by the end of November, against a record low of 29% in 2011–12. Under the CWA press notice of 9 October, from 10–11 October Vacoas, Phoenix, St Pierre, Curepipe, Forest-Side, and Floréal get water **every other day, 3–8 a.m. only**. MAV's output to the La Marie treatment plant has fallen from about 110,000 to 56,000–61,000 m^3 a day. On top of that deficit come the summer's usual killers: **mosquito-borne disease** (chikungunya now, possibly dengue), and **flash floods and cyclones** from December to April. The plateau is cool, at about 3,600 mm of rain a year, so heat matters less here than on the coast.

Scope: the Central Water Authority (CWA) MAV Upper supply zone. The zone holds about 245,000 people (WorldPop 2020 estimate; the census does not publish supply-zone totals). Moka is listed in the CWA zone and in the 15 June communiqué (Moka/St Pierre) but was not named in the 9 October notice. Beau Bassin-Rose Hill and Quatre Bornes are in MAV Lower and have their own briefing. Plaines Wilhems district figures (340,780 people) include both zones; town figures used here are Vacoas-Phoenix 107,433 and Curepipe 70,008 (Census 2022, Statistics Mauritius). The zone straddles two Climate Impact Lab impact regions: Curepipe and Vacoas-Phoenix, in Plaines Wilhems district, sit in MUS.Rb4955ae83edc3e08 (label unconfirmed; Port Louis and Plaines Wilhems, about 447,000 people), and Moka and St Pierre, in Moka district, sit in MUS.R8e39d7d595d97ac3 (label unconfirmed; the rest of the main island plus Rodrigues, about 850,000 people). The Climate Impact Lab publishes no death figure for either.

WHAT THIS PLACE SHOULD DO

RANKED

Ranked by expected lives saved per unit of effort before the peak. Backing lenses are shown per action; an action several lenses reached

* Suggested formulation: check with a health worker before sharing.

independently is the stronger bet.

1. Check and cover every stored-water container, house to house, by 30 November

PARTIALLY CONFIRMED · SKEPTIC · PUBLIC HEALTH · FRONTLINE · HISTORIAN · EMERGENCY MANAGER · PHILANTHROPIST

ADAPTATION INVENTORY: NO ENTRY

OWNER	BY WHEN	COST	PREVENTS
Ministry of Health, Vector Biology and Control Division, with the councils	Start now; first round by 30 Nov	Rs 0.6M pilot, 1,000 households at Rs 600 (assumed)	Chikungunya and dengue bred in rationing water

Rationing makes every household a water store: drums, buckets, and basins filled at 3 a.m. and kept for two days. Teams check each yard, fit lids or tied cloth or mesh, put larvicide in drums that cannot be sealed, and teach "refill day is scrub day". Because the local mosquito, *Aedes albopictus*, also breeds outdoors in plant saucers, tyres, and rubbish, each visit includes a yard clean-up. The best trial evidence comes from Camino Verde, a cluster randomised trial in Mexico and Nicaragua: community container management cut recent dengue infection in children by 29.5% (95% CI 3.8–55.3). A systematic review found an odds ratio of 0.22 for environmental management plus container covers, from a single Cuban study, and rated the evidence "very weak". The division already works at scale: by May 2026 it had made 25,000+ inspections and larvicided 105,000 sites.*

* Suggested formulation: check with a health worker before sharing.

Transferability: the trials targeted *Ae. aegypti* in Latin America. Covering stored water reaches a smaller share of *albopictus* breeding sites, hence the yard clean-up. The disease here this year is chikungunya: 6,891 confirmed cases by 28 August 2026 (NY State Global Health Update), mostly mid-April to early May (the 12 July count of 6,675 included 92 on Rodrigues), against one local dengue case early in the year. *Albopictus* carries chikungunya efficiently. The often-cited precedent, the eradication of *Ae. aegypti* in 1949–51, was achieved by indoor DDT spraying, not container work, so it is not used here.

2. Take water to the door for people who cannot collect it, and fix published tanker stops in the dry pockets

PARTIALLY CONFIRMED | EMERGENCY MANAGER · FRONTLINE · SKEPTIC · PHILANTHROPIST · HISTORIAN | ADAPTATION INVENTORY: NO ENTRY

OWNER	BY WHEN	COST	PREVENTS
CWA, with the councils, Caritas, and volunteers	**Register and stops published by 15 Nov**	**Doorstep delivery Rs 1.35M (unquoted); tanker hire unquoted**	**Dehydration and unsafe stored water among the housebound**

The supply window is now 3–8 a.m., every other day. An 85-year-old living alone, a bedridden patient, or a household with no tank or pump cannot catch it. Two steps follow. First, volunteers working from social welfare centres (Wooton, Grannum) and parish networks list people who live alone, are disabled or bedridden, or are on home care or dialysis. Each gets a neighbour "buddy" and doorstep delivery. Second, CWA publishes a fixed tanker stop and time list for the high-ground pockets that ran dry in June and October: Wooton, Route du Jardin, Rue Couvent, Highlands, and Allée-Brillant. In June, residents said the promised tankers never came. On the evening of 7 October, Highlands and Allée-Brillant residents blocked roads; the same evening, three tankers were sent to Saint-Paul, where residents queued with buckets, basins, and jerry cans.

* Suggested formulation: check with a health worker before sharing.

Evidence and feasibility: UK water companies must deliver to registered vulnerable customers during supply cuts, and those registers still fail at scale. No trial measures mortality. CWA has about 25–35 working tankers island-wide, private tankers are being registered, and Cabinet has funded 30,000-litre sub-locality tanks and 10 tanker liaison officers. No list of tanker stops and no vulnerable-person register was found. Caritas has no documented water-delivery record (it supplied about 70 volunteers to COVID aid distribution), so its amount is conditional on a quote.

3. Get every household without storage onto the 9 October Rs 15,000 DBM tank voucher, with a lid and screened vent on every tank

PARTIALLY CONFIRMED | ECONOMIST · HISTORIAN · PHILANTHROPIST · FRONTLINE | ADAPTATION INVENTORY: NO ENTRY

OWNER	BY WHEN	COST	PREVENTS
Ministry of Energy and Public Utilities; DBM pays, CWA inspects	Filing clinics weekly to 30 Nov	No new money: scheme funded by Cabinet, 9 Oct 2026	Households unable to store a 5-hour pre-dawn supply

Cabinet extended the Water Tank and Pump Grant on 9 October 2026 to every household without a tank; the Mega business account of the scheme says tenants are eligible and there is no income test. The Development Bank of Mauritius (DBM) issues a Rs 15,000 voucher. Accounts differ on what it buys: two tanks and a pump, or one 1,000-litre tank, a pump, and fittings. The lenses proposed a new tank top-up; that is now funded, so this action is enrolment. Volunteers run Saturday filing clinics at welfare centres and parish halls for elderly and Kreol-only households, and record who is excluded (squatters, tenants without landlord consent). The Ministry of Health should ask DBM that every grant tank come with a sealed lid and screened vent and overflow. That lid condition is a national ask, shared by all six Mauritius briefings (MU-01).

* Suggested formulation: check with a health worker before sharing.

What is not known: no budget, grant count, deadline, or lid rule has been published. The CWA page carries only an application link. Storage reduces water deprivation but adds containers; see "Do not do this".

4. Publish what happens at 25%, 20%, and 15%, with 48 hours' notice, and keep a street-by-street dry-day log

PARTIALLY CONFIRMED | EMERGENCY MANAGER · FRONTLINE · SKEPTIC | ADAPTATION INVENTORY: NO ENTRY

OWNER	BY WHEN	COST	PREVENTS
Water Crisis Committee (Ministry of Energy and Public Utilities), with CWA	31 Oct	Under Rs 0.5M (estimate)	Surprise dry days, panic hoarding, and unrest

Each cut so far was announced ad hoc: six hours a day under the CWA communiqué of 15 June, effective 17 June (MAV at 45%); revised schedules on 5 August and 10 August; and every other day, 3–8 a.m., from 10–11 October under the press notice of 9 October. None was tied to a published reservoir threshold. MAV will cross 25% and probably 20% before the rains. Publishing the schedule for each threshold now lets households plan their storage. Volunteers log which streets went dry and for how long, and send the log weekly to CWA's liaison officers and the constituency MPs, so tankers go where the taps actually failed. No CWA SMS service was found; the national Everbridge alert system belongs to the NDRRMC and could carry the notices.

Evidence: this is operational practice, not a trial-tested intervention. The 7 October road blockades in Highlands and Allée-Brillant show what unannounced cuts cost.

5. Get clinics ready for a mosquito-borne surge: top up rapid tests, retrain on fluids, and serotype the first dengue cases

PARTIALLY CONFIRMED | PUBLIC HEALTH · PHILANTHROPIST | ADAPTATION INVENTORY: NO ENTRY

OWNER	BY WHEN	COST	PREVENTS
Ministry of Health and Wellness	Stock check by 31 Oct; training by 30 Nov	Rs 1.57M: 4,000 tests × Rs 242 + 60 clinicians × Rs 10,000	Deaths from late fluid management in severe dengue

* Suggested formulation: check with a health worker before sharing.

Deaths from dengue happen in the clinic, through late recognition of warning signs and poor fluid management, not in the gutter. WHO supplied 25,000 rapid tests in 2024, which have probably now expired, so the first step is a stock and expiry check. Train clinicians at the Vacoas and Dr Quenum (St Pierre) area health centres, and at Victoria Hospital, the Plaines Wilhems referral hospital in Candos that this zone's patients use. The 2023–24 outbreak was DENV-2 only, as was 2009. A second infection with a different serotype carries far higher risk of severe disease: 7.64 times the hazard at intermediate antibody levels in a Nicaraguan cohort (Katzelnick et al., *Science* 2017). If DENV-1 or DENV-3 appears, alert the clinics even while case numbers are low.*

Dengue tests do not detect chikungunya, the disease circulating now, so stock both. The 2023–24 outbreak reached 3,311 cases on the main island and 1,363 on Rodrigues, with 4 deaths, by 19 March 2024 (WHO AFRO); then about 7,177 cases and 15 deaths nationally by 28 April (TravelHealthPro, secondary), a case fatality of roughly 0.2%. The government's own figure is 6,673 cases and 8 deaths (June 2024). The figure often quoted, that WHO guidance keeps case fatality "below 1%", could not be checked against the 2009 text. Unit price from UNICEF's catalogue; the training cost per head is unverified.

6. Keep the rationed network safe: test chlorine at the far ends daily, flush on restart, and publish the results

PARTIALLY CONFIRMED | SKEPTIC · PUBLIC HEALTH | ADAPTATION INVENTORY: NO ENTRY

OWNER	BY WHEN	COST	PREVENTS
CWA, with Ministry of Health environmental health	**From now, for the rationing period**	**Existing staff and lab budget**	**Contamination drawn into empty, leaking mains**

Pipes left empty for 43 hours out of every 48 lose pressure and can pull in groundwater and sewage, especially where about 60% of water is lost to leaks. In Hubli-Dharwad, India, households on continuous supply had 38% fewer typhoid cases (adjusted ratio 0.58, 95% CI 0.41–0.78) than those on intermittent supply. There was no significant difference in child diarrhoea (Ercumen et al., *PLoS Medicine* 2015, matched cohort). CWA says it samples daily nationwide and meets WHO standards but publishes no residual-chlorine results. Publishing them for the network's tail ends would make a failure visible before it becomes an outbreak.

* Suggested formulation: check with a health worker before sharing.

Transferability: the typhoid baseline in Hubli-Dharwad was far higher than in Mauritius. The mechanism transfers; the size of the effect does not. No 2026 contamination reports were found in this zone; the nearest precedent is a 2024 gastro-enteritis rise at Brisée-Verdière (Moka), traced to a pump drawing from a polluted river.

7. Run drought and flood response from one command: drill heavy rain by 30 November, rebuild the refuge list, and clear the listed drains

PARTIALLY CONFIRMED | EMERGENCY MANAGER · SKEPTIC · HISTORIAN | ADAPTATION INVENTORY: NO ENTRY

OWNER	BY WHEN	COST	PREVENTS
NDRRMC, with the Local DRRM Committees of Curepipe, Vacoas-Phoenix, and Moka	30 Nov	Existing drain-maintenance votes (Rs 1–2M, unsourced estimate)	Deaths in vehicles and low roads in the first cloudburst

The 2016 Act gives each local authority a Local DRRM Committee and a Local Emergency Operations Command (sections 19–22). The tanker crews and fire-service trucks now delivering water are the same crews and trucks needed for flood rescue, so the drill should settle who hands over which round when a heavy-rain warning goes out. No current public refuge-centre list exists (the NDRRMC shelters page is empty), so rebuild it. Clear existing drains at the Land Drainage Master Plan's high-risk sites, which press reports say include Vacoas and Camp-Caval in Curepipe. Add observed rain-gauge thresholds alongside the MMS Heavy Rainfall Warning. The 2017 Heavy Rainfall Protocol governs only public-sector staff and has no gauge trigger.

The record: no flash-flood deaths were found on the plateau itself. The 2013 Port Louis flood killed 11, and Cyclone Belal (January 2024) killed one motorcyclist on a flooded road. SWIOCOF expects well below normal cyclone activity in the basin but near-normal landfall risk for the Mascarenes. New drain works are not feasible before the peak: the Vacoas works are stalled pending Rs 993M.

* Suggested formulation: check with a health worker before sharing.

WHO DOES WHAT

RACI CHART

R = Responsible (does the work) · **A** = Accountable (one per action; signs off and answers for it) · **C** = Consulted (asked before) · **I** = Informed (told after). Built from the owners named in the verified actions. No one here has been contacted or has agreed to a role; every row is a proposal.

Action	MoH	CWA	MEPU	DBM	Councils	NDRRMC	Red Cross	Caritas	Volunteers
1. Cover stored water	**A/R**	**I**			**R**	**I**	**R**		**R**
2. Doorstep water and tanker stops	**C**	**A/R**	**I**		**R**		**C**	**R**	**R**
3. Tank-grant enrolment	**C**	**R**	**A**	**R**	**I**			**C**	**R**
4. Published triggers and dry-day log		**R**	**A**		**I**	**C**			**R**
5. Clinic readiness	**A/R**								
6. Network water safety	**C**	**A/R**	**I**						
7. One command for drought and flood	**I**	**C**	**I**		**R**	**A**	**C**		

What the chart shows: CWA and the Ministry of Health carry most of the work. The Ministry of Energy and Public Utilities (MEPU), which chairs the Water Crisis Committee, is accountable for the two rows that need a decision rather than money: the tank-grant terms and the published triggers. Volunteers appear in four rows and are accountable for none, so each row needs a named organisation to hold them.

WHERE MONEY DOES THE MOST

FUNDING

The Philanthropist lens, reconciled against the ranked actions and verified. Placements are ranked by marginal lives saved per dollar. The envelope is bounded by what this place can spend before the peak, not by what it needs.

FLOOR	TARGET	CEILING	LARGEST UNCERTAINTY
Rs 1.57M ($32,636)	**Rs 3.52M ($73,172)**	**Rs 6.52M ($135,534)**	**Whether dengue circulates at all this summer; chikungunya kills few**

Arithmetic at Rs 48.1061 per US dollar (MRA customs rate, week 41, 12 Oct 2026). Floor = clinic readiness, Rs 1.57M. Target = 1.57M + covers pilot 0.60M + doorstep delivery 1.35M = Rs 3.52M. Ceiling = target + covers scale-up 3.00M (5,000 more households, 6,000 in all, × Rs 600) = Rs 6.52M. Rs 600 a household for a covers kit (lid or cover, mesh, larvicide where safe) is an assumption, the same across all six Mauritius briefings: there is no Mauritian quote, so money is released only against a written supplier quote. This zone carries no trigger cash; the national trigger-cash line (MU-F01) sits outside every zone envelope. **The target fell from Rs 12.45M to Rs 3.52M in verification.** The tank top-up (Rs 4.8M) is already funded by the 9 October grant. The covers placement was cut to a pilot because no recipient has a record at 6,000 households. The dialysis water reserve was moved to the MAV Lower briefing, because the regional dialysis unit at Victoria Hospital (Candos) sits in that

* Suggested formulation: check with a health worker before sharing.

zone; counting it here too would double-count it. Expected deaths in this zone are in single digits or fewer, so this money mostly buys illness averted.

RECIPIENT	USE	AMOUNT	MECHANISM	BASIS	VERDICT
Ministry of Health and Wellness (area health centres serving the zone)	Action 5: rapid tests and fluid-management training	Rs 1.57M ($32,636)	Pre-positioned stock	Tests at about $5 each (UNICEF catalogue); release after the stock and expiry check	CORRECTED
Mauritius Red Cross Society (HQ Curepipe), targeted by the vector division	Action 1: covers, mesh, and larvicide, 1,000-household pilot	Rs 0.60M ($12,472)	Matching grant	1,000 households × Rs 600, an assumed unit cost with no Mauritian quote; released against a written supplier quote. Context: community participation cost $3,953 per DALY in Colima, Mexico (2008 USD); Camino Verde cost $29,618 per DALY in Guerrero and was "marginally cost-effective".	CORRECTED
Caritas Île Maurice parishes	Action 2: doorstep water for about 300 housebound households, 18 weeks	Rs 1.35M ($28,063)	Direct grant, conditional on a quote	300 × 18 × Rs 250 per delivery, an unquoted estimate	UNVERIFIED
Mauritius Red Cross Society (ceiling only)	Action 1: covers scaled from the pilot to 6,000 households (5,000 more)	Rs 3.00M ($62,362)	Matching grant	5,000 × Rs 600 (assumed unit cost); released only against a written supplier quote and after the pilot shows the Red Cross can work at this scale	CORRECTED

The funder's one thing: the cheapest protection in this zone is the money already being spent. The Rs 15,000 tank grant will put thousands of new containers into back yards just before mosquito season. A lid and screened-vent requirement on that grant costs the donor nothing and is worth more than any placement above.

* Suggested formulation: check with a health worker before sharing.

Do not do this

CONTRAINDICATED · ADVICE THAT WOULD COST LIVES HERE

Advice that circulates for this hazard and would cost lives here.

Make fogging the visible response to mosquitoes

CONTRAINDICATED

A systematic review found no randomised trial of outdoor space-spraying against dengue. The Ministry of Health lists fogging and mist-blowing among its routine chikungunya measures. Next door in Réunion, *Ae. albopictus* developed resistance to deltamethrin, confirmed in 2017 after use since 2006. Resistance has not been tested in Mauritius. Fogging is visible and reassuring, and it takes staff away from the container work that does have trial evidence.

Instead: put the vector teams on action 1. Keep fogging for confirmed case clusters, and test local mosquitoes for resistance first.

Run the rationing response on open drums, buckets, and basins

CONTRAINDICATED

Where supply is intermittent, household storage containers are the main *Aedes* habitat; studies in Laos, Thailand, and Brazil found most positive containers were stored water. Commercial polyethylene tanks are normally closed. The danger is the improvised store: a drum with no lid, a bucket filled at 3 a.m., an unscreened overflow. Telling people to "store water" without saying how turns a water plan into a mosquito plan.

* Suggested formulation: check with a health worker before sharing.

Instead: pair every storage message and every grant tank with a lid, screened vents and overflows, and a weekly scrub. Use larvicide where a container cannot be sealed.*

Call this season an "El Niño drought"

CONTRAINDICATED

The MMS bulletin of 10 August puts October–December rain at about 92% of normal: near-normal to slightly dry, not a drought. The worst recent droughts (1998–99, ONI −1.5; 2011–12, ONI −0.9) came in La Niña years, and the last El Niño summer (2023–24, ONI +1.8) was wet. Drought framing prepares people for dry heat and leaves them unready for the cloudburst that kills, as Zimbabwe found in 1997, when farmers cut planting on a dry forecast and the rains came in normal.

Instead: one message from December to April: "short of water AND flood season". Store water safely, and stay off flooded roads and out of underpasses in heavy rain.

Send tankers only to people who can come and queue

CONTRAINDICATED

This is already the model here. On the evening of 7 October, three tankers were sent to Saint-Paul and residents queued with buckets, basins, and jerry cans; in June, promised tankers did not reach Curepipe or Wooton. In Cape Town and Chennai, emergency supply reached the people already best placed to collect it, and private tanker water cost 3–50 times as much as piped water.

Instead: publish fixed stops, and deliver to the door for registered housebound households (action 2).

Buy insurance that pays on the level of Mare aux Vacoas

CONTRAINDICATED

A parametric trigger must be objective and outside the insured party's control: "neither the insured nor the risk taker should be able to influence the trigger" (World Bank Financial Protection Forum). CWA sets releases from the reservoir and loses about 60% of its water to leaks, so a reservoir-level policy would pay out on CWA's own losses. Mauritius is not an African Risk Capacity member, and no rainfall-

* Suggested formulation: check with a health worker before sharing.

index cover was found.

Instead: if cover is bought for 2027–28, index it to MMS rainfall, for example November–January rain at Vacoas below 60% of normal. Realistic payout is USD 1–3M. This season, the cheaper money is the water lost before billing.

WHAT HAS HAPPENED HERE BEFORE — THE RECORD

YEAR	EVENT	TOLL	WHAT CHANGED AFTER
1867	Malaria epidemic	About 40,000 deaths, roughly a tenth of the island's population (Seetah gives 41,000; a Université de La Réunion paper about 40,000 of 333,000)	Families fled to the plateau; Curepipe grew, and Mare aux Vacoas was built in 1885 to serve it
1949–51	Malaria eradication campaign	—	Indoor DDT spraying also eliminated *Ae. aegypti*; *albopictus* remained
1998–99 (La Niña)	Drought	Sugar crop about 340,000 t against 625,000 t potential	No zone-specific rationing record found
2005–06	Chikungunya epidemic	743 excess all-cause deaths (not attributed deaths)	Vector control expanded
2011–12 (La Niña)	Drought; MAV fell to 29%	Output cut from 110,000 to 40,000 m³/day; no deaths recorded	Tank grants, inter-reservoir transfers, new boreholes and river intakes; promised dams still unbuilt

* Suggested formulation: check with a health worker before sharing.

YEAR	EVENT	TOLL	WHAT CHANGED AFTER
2023–24 (El Niño, wet)	Dengue outbreak, DENV-2; Vacoas among affected areas	3,311 cases on the main island and 1,363 on Rodrigues, with 4 deaths, to 19 March 2024 (WHO AFRO); then about 7,177 cases and 15 deaths nationally by 28 April (secondary). Government figure: 6,673 cases and 8 deaths (June 2024)	WHO supplied 25,000 rapid tests
Jan 2024	Cyclone Belal	1 dead in Mauritius, a motorcyclist on a flooded road	MMS director resigned
2026	Chikungunya; sharp rise reported 2 April 2026	6,891 confirmed cases by 28 Aug 2026, mostly mid-April to early May (the 12 July count of 6,675 included 92 on Rodrigues); no deaths reported	Sterile-male releases, larviciding
Jun 2026	Rationing begins: CWA communiqué of 15 June (MAV at 45%), effective 17 June, six hours of supply a day	—	Tankers prioritise hospitals, homes, schools, and prisons; schedule revised 5 and 10 August
Jun 2026	Curepipe (Rue Couvent, Ramjan Lane), Route du Jardin, Wooton dry for 3–4 days	None recorded	Promised tankers did not arrive
Oct 2026	Road blockades in Highlands and Allée-Brillant (7 Oct); supply cut to every other day, 3–8 a.m., from 10–11 Oct (CWA press notice of 9 Oct)	None recorded	Tank grant opened to all; private tankers registered

The recurrence nobody has noticed: the plateau's water crisis and its mosquito crisis are one event happening twice. The towns of the plateau were settled by refugees from a mosquito epidemic. Twice now (2012, and again in 2026) the policy response to a dry reservoir has been to pay households for more water containers.

* Suggested formulation: check with a health worker before sharing.

WHERE THE EXPERTS DISAGREE — UNRESOLVED

- **More household storage** (Historian, Economist, and the government's own grant) versus **storage as breeding sites** (Skeptic, Philanthropist). Both are right: without storage, people cannot catch a 5-hour pre-dawn supply. The reconciliation is closed storage only, with a lid requirement on the grant. What would settle it: a container survey in the rationed streets in November.
- **Dengue framing** (most lenses) versus **chikungunya now** (the evidence pack and verifiers). The actions work for both, but clinic stock must cover both tests. Serotyping the first dengue cases decides how worried to be.
- **Fix the leaks** (Economist, Historian: water lost before billing costs Rs 24/m³ to produce, against a Rs 14 tariff) versus **timing** (financial verifier: a performance contract cannot be let and pay off before December, and CWA cannot fund success fees). Night-time pressure reduction by CWA staff is the only part available this season.
- **Food**: the food-supply lens found the El Niño signal weak. Food inflation of 6.2% in September 2026 comes from oil, freight, and shipping disruption, and plateau vegetables held up best in the 2025 drought. Its proposed Social Register food top-up (about Rs 45M, unverified household count) was not ranked here. Its one useful warning: watch planting in October and November, because a vegetable not planted by mid-November cannot be in the Vacoas market in January.

WHAT NOBODY COVERED — BLIND SPOT

No lens could say how many households in the zone have no tank or no pump. That number sizes actions 2 and 3 and the funding for both, and nothing published holds it. The tank-grant applications will produce it within weeks. The Water Crisis Committee should publish the count by locality, because it is also the best map of who cannot store a 3–8 a.m. supply.

HOW TO READ THIS — METHOD

The panel is author-built. Eight simulated expert lenses were used to generate these recommendations. Where they agree, that is a strong hypothesis, not a consensus of the field. Every recommendation was then independently checked for evidence, transferability to this location, and feasibility before the peak; the verdict tags carry the result.

Mortality figures are resolved at Climate Impact Lab impact-region scale (in Mauritius, about 447,000 and about 850,000 people for the two regions this zone straddles). They are not neighbourhood figures, and none is published for Mauritius. The El Niño projection covers *heat only*;

* Suggested formulation: check with a health worker before sharing.

drought, flood, fire, smoke, and crop failure are additional to it and are carried here by the historical record rather than by a published number.

HOW THIS BRIEFING WAS PRODUCED

METHODOLOGY

- **Scope.** The location was taken as the Central Water Authority's MAV Upper supply zone, one of six CWA-aligned briefings agreed for Mauritius on 13 October 2026. Climate Impact Lab impact regions: the zone straddles two of the three Mauritius regions decoded from the Impact Map boundary file: MUS.Rb4955ae83edc3e08 (label unconfirmed; Port Louis and Plaines Wilhems districts, about 447,000 people), which holds Curepipe and Vacoas-Phoenix, and MUS.R8e39d7d595d97ac3 (label unconfirmed; the rest of the main island plus Rodrigues, about 850,000 people), which holds Moka and St Pierre. Mortality figures exist only at that scale; sub-city detail is used for hazard exposure and action design, not for death counts.
- **Exposure.** Climate Impact Lab, *451,000 at Risk* (September 2026, pre-peer-review): ECMWF SEAS5 seasonal forecasts (51-member ensemble) applied to temperature–mortality relationships across 24,378 regions, against a 1996–2025 baseline, for June 2026 – February 2027. It covers heat only, and it publishes no figure for Mauritius. It is never added to the Impact Map's long-run projections or quoted from the map's GDP-denominated mortality. Because heat is not this zone's dominant hazard, the historical record carries the hazard instead of a borrowed number.
- **Expert panel.** Eight simulated expert lenses (emergency manager, public health scientist, frontline responder, skeptic, economist, historian, philanthropist, and food supply chain analyst) each researched this place independently and in parallel, from web sources, to a fixed brief. They worked from a national evidence pack built in the same run (water status, the MMS outlook, disease, exchange rate, institutions) and from two earlier Storm Research reports on Mauritius.
- **Reconciliation.** Duplicate actions were merged and backing lenses recorded. Convergence was tested for shared bias (whether the evidence behind an agreed action came from a setting like this one) before it counted in an action's favour. Contradictions were kept, not resolved by dropping a side. Actions were ranked by expected lives saved per unit of effort before the peak, each was given a named payer and trigger or marked unfunded, and the funding placements were reconciled against the ranked list.
- **Verification.** Six separate verifier agents checked every recommendation on three tests: evidence (the primary source and its effect size), transferability (whether that evidence came from somewhere like here), and feasibility (whether it can be done here before the peak). Financial actions were also checked for availability in this jurisdiction, a named payer, a trigger threshold, and whether they already exist. The funding envelope was checked for real recipients, published unit costs, and duplication, then re-summed.
- **Who does what.** The RACI chart is built from the owners named in the verified actions, with one accountable party per action. It is a proposal: no organisation named in it has been contacted or has agreed to a role.

* Suggested formulation: check with a health worker before sharing.

- **Verdicts.** *Confirmed*: evidence, transferability, and feasibility all hold. *Partially confirmed*: holds after the corrections shown. *Unverified*: could not be checked to a primary source. *Contraindicated*: would do harm or waste the window here.
- **Adaptation Inventory.** Consulted by reading the dataset embedded in the inventory page (96 entries). It holds no Mauritius entries and none on vector control, water rationing, or flash-flood warning; the nearest entries are heat warning systems and anticipatory cash transfers elsewhere. Every action is therefore tagged "no entry", which means no matching precedent was found, not that the action is unprecedented.
- **Health wording.** Passages where a wording error could hurt someone (larvicide in stored water, and dengue warning signs and fluids) are marked "* Suggested formulation: check with a health worker before sharing." They were checked against published sources, not by a health professional. They are suggestions, not medical advice, and anyone passing them on should confirm them with a doctor, pharmacist, nurse, or community health worker first. The marker was added on 2 November 2026.
- **Rules.** No cost is derived by dividing a published total, and no local figure is invented; where data is thin, the report says so and shows the containing geography's number with its arithmetic. Every source is listed below with its verification status.
- **Limits.** The panel and verifiers are AI research agents working from web-available sources, not human experts, and no one in this place was interviewed. Much of the 2026 water data reaches us through the Mauritian press (L'Express via AllAfrica, Defimedia), not from Water Resources Commission bulletins. The MMS summer outlook had not been published by 13 October. One cabinet-decisions page returned 403. The tank grant's terms come from press and retailer accounts, not the scheme rules. No zone-level dengue or chikungunya counts by town were found for 2026.
- **Revised 2026-10-14 after the set audit** (fixes applied: 1 impact regions, 3 covers at an assumed Rs 600 a household, 4 national items referenced as MU-01, MU-X01, MU-X02, and MU-X03, 5 all US$ figures restated at Rs 48.1061 (MRA week 41, 12 Oct), 6 dengue two-stage wording, 7 chikungunya 6,891 by 28 Aug and the unsupported "local transmission from March 2025" removed, 8 rationing from the 15 June communiqué, effective 17 June, 9 MMS bulletin wording, 10 the 1867 toll and population basis, 30 banner, 31 Camp-Levieux dropped, and 32 Moka in the subtitle, the 7 October scene and 9 October notice dated once, stale dialysis references removed, and the Dr Quenum (St Pierre) Area Health Centre confirmed). The ceiling's covers scale-up is now shown as its own placement; the envelope is unchanged in rupees. Fix 2 (trigger cash) does not touch this zone.

References · verification status in brackets
Water: CWA communiqué, 15 Jun 2026 (MAV at 45%; six hours a day, effective 17 Jun) cwa.govmu.org [confirmed in set, 14 Oct] · CWA press notice, 9 Oct 2026 (every other day, 3–8 a.m.) cwa.govmu.org [confirmed] · CWA water tankers notice, Oct 2026 cwa.govmu.org [confirmed] · Defimedia, MAV 35.5% on 9 Oct defimedia.info [confirmed] · L'Express via AllAfrica, MAV projected ~20% by end-November allafrica [confirmed] · L'Express,

* Suggested formulation: check with a health worker before sharing.

Curepipe and Wooton dry, June 2026 allafrica [confirmed] · Rio Times, Highlands and Allée-Brillant blockades and Saint-Paul tankers, 7 Oct 2026 riotimesonline.com [partial] · 5plus.mu, Cabinet measures 10 Oct 2026 5plus.mu [partial] · Mega business, tank grant terms, 11 Oct 2026 mega.mu [partial] · CWA grant e-service cwa.govmu.org [confirmed, no terms] · L'Express, CWA finances, 1 Jul 2026 allafrica [confirmed] · IPS, MAV at 29% in 2012 ipsnews.net [confirmed]

Climate: MMS climate statistics and Oct–Dec outlook, 7 Oct 2026 metservice.intnet.mu [partial] · L'Express on the MMS El Niño bulletin, 11 Aug 2026 allafrica [partial] · SWIOCOF-15 statement wmo.int [confirmed] · NOAA CPC ONI v6 cpc.ncep.noaa.gov [confirmed] · Staub et al. 2014, AAG slides rufford.org [partial, not peer-reviewed] · Chamber of Agriculture crop report, March 2024 mauritius-chamber-of-agriculture.org [confirmed]

Health: WHO AFRO, 2024 dengue outbreak afro.who.int [confirmed] · TravelHealthPro, dengue 2024 travelhealthpro.org.uk [partial] · TravelHealthPro, chikungunya 2026 travelhealthpro.org.uk [confirmed] · L'Express, vector control activity May 2026 allafrica [confirmed] · Bowman et al. 2016, PLoS NTD PMC4795802 [confirmed] · Andersson et al. 2015, BMJ (Camino Verde) PMC4495677 [confirmed] · Mendoza-Cano et al. 2017 (Colima cost) PMC5580594 [confirmed] · Tschampl et al. 2020, IJID (Camino Verde cost) doaj.org [confirmed] · Katzelnick et al. 2017, Science PMC5858873 [confirmed] · Ercumen et al. 2015, PLoS Med PMC4624240 [confirmed] · NY State Global Health Update, chikungunya 6,891 cases to 28 Aug 2026 health.ny.gov [confirmed in set] · ICTA free WiFi locations, lists the Dr Quenum St Pierre Area Health Centre (Moka) icta.mu [confirmed, name only] · Seetah, *Empire, environment and disease: an Indian Ocean case study* (1867 malaria, 41,000) tdar.org [confirmed in set] · Université de La Réunion paper (1867 malaria, about 40,000 of 333,000) hal.univ-reunion.fr [confirmed in set] · Réunion deltamethrin resistance (preprint) biorxiv.org [partial, preprint] · CDC EID, Ae. aegypti history cdc.gov [confirmed] · Beesoon et al. 2008, EID (chikungunya 2006) cdc.gov [confirmed] · UNICEF supply catalogue, dengue RDT unicef.org [partial]

Response and finance: NDRRM Act 2016 ifrc.org [confirmed] · Heavy Rainfall Protocol 2017 ndrrmc.govmu.org [confirmed] · Gulf Times, Cyclone Belal gulf-times.com [confirmed] · LDA, Land Drainage Master Plan lda.govmu.org [partial] · WRI, Cape Town and Chennai wri.org [confirmed] · Thames Water priority services thameswater.co.uk [confirmed] · Financial Protection Forum, parametric triggers financialprotectionforum.org [confirmed] · ARC member countries arc.int [confirmed] · IFRC anticipatory pillar ifrc.org [confirmed] · MRA, rate of exchange, week 41 of 2026 (Rs 48.1061) mra.mu [confirmed in set] · Trading Economics, Mauritius inflation Sept 2026 tradingeconomics.com [partial] · Storm Research, Mauritius briefing scope and map design (13 Oct 2026), internal

Exposure data · Climate Impact Lab, 451,000 at Risk · Impact Map · Adaptation Inventory

Generated 13 October 2026, revised 14 October 2026, for Upper Mare aux Vacoas, Mauritius. El Niño Ready is volunteer-run and is not affiliated with Climate Week NYC, The Climate Group, or Columbia University.

* Suggested formulation: check with a health worker before sharing.