EL NIÑO ACTION BRIEFING · 2 OCTOBER 2026 · VERIFIED RUN

Los Baños, Laguna, Philippines

El Niño brings Los Baños a long dry season to June 2027. The measured threat is dengue from stored water, and the historical failure is help arriving after the crisis. Get dengue triage and container control running, and set the water plan, the relief lists and the calamity trigger before January.

IMPACT REGION	EXCESS HEAT DEATHS	WINDOW	DOMINANT HAZARD
Not resolved. Los Baños municipality: 117,030 people (2024), 14 barangays	Southeast Asia (Philippines, Vietnam, Thailand, Cambodia) 19,400. Los Baños ~7 by population scaling, our arithmetic	Study period Jun 2026 – Feb 2027	Dry season to mid-2027: water shortage, dengue from stored water, heat index peaks Mar–May, crop and fish losses

16 recommendations: 3 confirmed, 9 corrected, 4 unverified, 0 contraindicated; five widely circulated practices are listed under "Do not do this". Exposure figure: Climate Impact Lab, *451,000 at Risk*, September 2026, pre-peer-review; it publishes no Philippine figure. **The ~7 is a flat population scaling (117,030 ÷ ~304 million, our approximate combined population of the four countries, × 19,400), our arithmetic, not an Impact Lab finding.** PAGASA confirmed on

* Suggested formulation: check with a health worker before sharing.

EXECUTIVE SUMMARY — AT A GLANCE



14.17°N 121.24°E, Philippines · Natural Earth

- **The risk.** Dengue from water stored through a dry season lasting to June 2027 is the measured threat (Laguna logged 21,837 cases in 2019), and past El Niño relief has repeatedly arrived after the crisis.
- **First action.** By 1 Nov 2026, the Municipal Health Office and Rural Health Units, with barangay health workers and DOH CALABARZON, run dengue triage and same-day referral at every barangay health station.
- **The money.** $40,000 floor, ~$138,000 target, ~$319,000 ceiling; the top placement is $25,000 to the Municipal Health Office for dengue tests, IV fluids, triage training, and container control.
- **Do not.** Do not rely on routine pyrethroid fogging: every Metro Manila Aedes population tested resisted permethrin and etofenprox, so fogging looks active but kills few mosquitoes.

What to do	**10** actions	p. 2
Who does what	RACI chart	p. 9
Where money does the most	funding	p. 9
Do not do this	**5** items	p. 11
What has happened here	the record	p. 12
How this was produced	methodology	p. 14
References	sources	p. 15

26 August 2026 that a moderate-to-strong El Niño is present and expected to persist into the first half of 2027. **Honest scale:** deaths here will be few. Using the national dengue fatality rate (0.55% of reported cases) on an estimated 140–400 cases a year gives roughly 1–2 dengue deaths; that caseload is our estimate from national reporting, not a local count.

WHAT THIS PLACE SHOULD DO RANKED

Ranked by expected lives saved per unit of effort before and through the dry season. Backing lenses are shown per action. The RACI chart below assigns each one.

1. Dengue warning-sign triage and same-day referral at every barangay health station, all year, stepped up in the June–November rains and whenever households are storing water

PARTIALLY CONFIRMED | PUBLIC HEALTH · PHILANTHROPIST | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
Los Baños Municipal Health Office and Rural Health Units, with barangay health workers; DOH Center for Health Development CALABARZON for training and supplies	Running by 1 Nov 2026	$25,000 placement (see funding)	Dengue cases becoming deaths through late recognition

Laguna recorded 21,837 dengue cases in 2019, among the most of any province. WHO says early detection and proper care greatly lower severe dengue fatality. Train health workers on warning signs, stock rapid tests and IV fluids, and agree same-day referral routes. Across 291 Southeast Asian locations, including 79 Philippine provinces, drought raised dengue risk 1.85-fold (95% CI 1.73–1.99), immediately and again about two months later (Ith et al. 2025).*

* Suggested formulation: check with a health worker before sharing.

Correction: don't tie this to El Niño alone. The only Philippine study of El Niño and dengue (2009–2013) found a small *reduction* during El Niño, though at high risk of bias, and the national peak is the July–September rains. The Southeast Asian drought estimate is pooled across eight countries. No Los Baños case count was reachable; ask the Laguna Provincial Health Office for one.

2. Weekly container control on stored water: fitted lids or mesh, scrub and empty, and no routine fogging

CONFIRMED | SKEPTIC · PUBLIC HEALTH · FRONTLINE · EMERGENCY | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
Barangay health workers and nutrition scholars with SK youth volunteers, under the Municipal Health Office	**Weekly from November through the rains**	**Inside the $25,000 placement**	**Drums and pails filled during shortages breeding Aedes mosquitoes**

"Taob, taktak, tuyo" (tip over, tap out, dry) on every purok, every week. Community mobilisation without chemicals cut dengue infection 29.5% and pupae 51.7% in the Camino Verde trial (Nicaragua and Mexico). Fogging fails here: in 51 Metro Manila barangays, every *Aedes aegypti* population tested was resistant to permethrin (52% mortality) and etofenprox (14%), with lambda-cyhalothrin resistance in 75%; malathion still killed 100% (Malijan et al. 2024). Choose any larvicide or adulticide from a local bioassay.

* Suggested formulation: check with a health worker before sharing.

The resistance data are from Metro Manila, next door, not Laguna, which is why a local bioassay comes first. The trial evidence is from Latin America.

3. Map wells and pressure points in upland and lakeshore barangays and pre-contract water tankers by 15 January 2027

PARTIALLY CONFIRMED | EMERGENCY · SKEPTIC · HISTORIAN | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
Los Baños MDRRMO with the local water provider (likely Los Baños Water District; confirm) and barangay captains	15 Jan 2027	~₱2m (lens estimate); $20,000 placement only if the disaster fund has a gap	A 2019-style cut-off with no plan B

In the weak 2018–19 El Niño, about 10,000 Metro Manila households lost supply from 6 March 2019 when La Mesa Dam fell below its critical level. Laguna de Bay is now a drought backstop for Manila too: Maynilad's Poblacion plant, opened in December 2023, draws 150 million litres a day from it. Fix leaks and ration fairly before drilling: west of the lake, in Santa Rosa and Dasmariñas, groundwater extraction drives subsidence approaching 100 mm a year.

Corrections: Laguna Water does not list Los Baños among its service areas, so it is the wrong partner; Los Baños Water District is an inference to confirm locally. The subsidence was measured west of the lake, not in Los Baños, so the warning against new wells is by analogy.

4. List drought-relief recipients, farmers and fisherfolk first, by December 2026

CONFIRMED | HISTORIAN · FRONTLINE · ECONOMIST | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
Municipal Social Welfare and Development Office and MDRRMO, with DSWD Region IV-A	31 Dec 2026, before the January–March dry peak	Staff time	Relief arriving after the crisis, the failure in every past El Niño

* Suggested formulation: check with a health worker before sharing.

At the peak of the 2015–16 El Niño, drought-hit farmers in Kidapawan blockaded a highway demanding 15,000 sacks of promised rice that had not been distributed despite a declared state of calamity. Police fired on the crowd: 3 died, 116 were injured and 77 were arrested. Pre-listing recipients is what lets aid move on the day it is needed.

5. A barangay heat-risk registry with checks and cooled halls on PAGASA "Danger" heat-index days, March–May

PARTIALLY CONFIRMED | EMERGENCY · FRONTLINE · PUBLIC HEALTH | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
Barangay captains, health workers and tanods; MDRRMO for cooling halls; Municipal Health Office	Registry by 31 Jan 2027	$15,000 placement (unverified)	Heat illness among older people living alone, the bedridden, people with heart disease and outdoor workers

Each purok lists older people living alone, the bedridden, people with heart disease, and outdoor workers, and a named tanod or youth volunteer checks on each one every Danger day: water, shade, signs of heat illness. In April 2024, heat indices reached 42–53 °C across the Philippines. Older people carry most temperature-attributable deaths in a 10-country study that includes the Philippines.

Present this as plausible, not proven. Ahmedabad's heat action plan averted about 1,190 deaths a year, but its effect above 40 °C was not statistically significant, and that evidence is from India. PAGASA's numeric Danger range could not be confirmed this run.

6. Schools: shorter or morning sessions, or distance learning, on Danger days rather than blanket closures

PARTIALLY CONFIRMED | SKEPTIC · EMERGENCY · PUBLIC HEALTH | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
DepEd Los Baños / Schools Division of Laguna; UPLB University Health Service	Protocol by 30 Nov 2026	Administrative	Heat stress in classrooms without sending children to hotter homes

* Suggested formulation: check with a health worker before sharing.

On 29–30 April 2024, in-person classes stopped nationwide in favour of distance learning, with only 34 heat-illness cases documented by 18 April. Closing schools moves children into homes that may be hotter than classrooms. A schedule shift keeps schools usable as cool places.

The DepEd order that governs this could not be confirmed; check the current issuance with the Schools Division before citing it. No outcome data exist for either approach.

7. Pass a calamity resolution now with a written trigger, and pay for preparedness from the 70% of the disaster fund that doesn't need a declaration

PARTIALLY CONFIRMED | ECONOMIST | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
Mayor and Sangguniang Bayan, on the MDRRMO's recommendation	October–November 2026	Free; fund ~₱23.8m, quick-response share ~₱7.2m (upper-bound estimates)	Money moving only after someone photographs the damage

Under RA 10121, the local disaster fund is at least 5% of regular revenue: 70% for preparedness and mitigation, 30% as a Quick Response Fund. Los Baños' 2024 revenue was ₱476.8m. A state of calamity is declared by the sanggunian on the disaster council's recommendation, based on damage and needs assessment. Write the assessment criteria down now (for example a PAGASA drought advisory for Laguna plus a rotational-supply notice from the water provider) so the declaration can follow quickly, and fund larvicide, tankers and cooling from the 70% today.

* Suggested formulation: check with a health worker before sharing.

Corrections: the statute does not itself require a declaration to use the quick-response fund, and the implementing circular could not be fetched, so a pre-agreed threshold must sit inside the legal assessment step. The fund figures use total revenue and are upper bounds.

8. Enrol uninsured farmers and fisherfolk in the farmer registry and free crop insurance before dry-season planting

CONFIRMED | ECONOMIST | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
Municipal Agriculture Office; Philippine Crop Insurance Corporation (PCIC)	Before the Nov–Dec planting cut-off	Free to farmers; premiums paid by the national subsidy	A failed crop wiping out a household with no cover

Farmers and fisherfolk on the RSBSA registry get premium-free PCIC cover; the 2026 subsidy is ₱6.5bn for about 2.93 million people, with rice and corn cover up to ₱25,000 per hectare. Enrolment is per season and pays after a loss is assessed, not on a weather trigger. The 2023–24 El Niño cost Philippine farms ₱57.78bn.

9. Lake dissolved-oxygen alerts with early-harvest advice for fish-cage operators

PARTIALLY CONFIRMED | HISTORIAN | ADAPTATION INVENTORY: NOT CONSULTED

OWNER	BY WHEN	COST	PREVENTS
Laguna Lake Development Authority (LLDA); Municipal Agriculture Office, with BFAR	Before the dry season	Within LLDA monitoring	Fish kills wiping out lakeshore livelihoods

LLDA already monitors the lake's water quality and zones fish pens and cages. Fish kills from oxygen depletion recur. Turn the monitoring into alerts that tell operators when to harvest early.

* Suggested formulation: check with a health worker before sharing.

No existing alert system was documented, BFAR's role was not verified, and no El Niño lake-level data were found.

Unverified: leads to check before acting

UNVERIFIED

A fire watch and firebreaks on Mount Makiling by February, run by UPLB's Makiling Center for Mountain Ecosystems with the fire service and upland barangays; plausible, but no fire history for the mountain was sourced. **Drought-tolerant seed and alternate wetting-and-drying advice** for the January–April crop from IRRI, PhilRice and UPLB through the Municipal Agriculturist; not checked. **Ask FAO whether its Philippine drought framework** ($400,000, 84,000 people) covers Laguna; the provinces are not published. **The $15,000 heat-registry placement** has no costing basis.

* Suggested formulation: check with a health worker before sharing.

WHO DOES WHAT

RACI CHART

R = Responsible (does the work) · **A** = Accountable (one per action; signs off and answers for it) · **C** = Consulted (asked before) · **I** = Informed (told after). Built from the owners named in the verified actions. No one here has been contacted or has agreed to a role; every row is a proposal.

Action	Mayor & Sangguniang Bayan	MDRRMO	Municipal Health Office / RHU	Barangay captains, BHWs, tanods	MSWDO	DSWD IV-A	DOH CHD CALABARZON	Water provider (likely LBWD)	DepEd Los Baños	Municipal Agriculture Office	PCIC	LLDA (with BFAR)	PAGASA	UPLB (DZLB radio, MCME)
1. Dengue triage and referral	I		A	R			C		I					I
2. Container control, no routine fogging	I		A	R			C	I	I					R
3. Water mapping and tankers	I	A	I	R				R				C	C	
4. Relief lists by December	A	R		R	R	C				C				I
5. Heat registry and cooled halls	I	R	A	R	C				I				C	R
6. School heat protocol	I		C	I					A/R				C	C
7. Calamity trigger and preparedness spending	A	R	C	I	C	I		C					C	
8. Registry and crop insurance enrolment				I						R	A			
9. Lake oxygen alerts		I		I						R		A		C

What the chart shows. **Barangay captains, health workers and tanods do the work on six of nine rows**, so a briefing for all 14 barangay captains is the single highest-leverage meeting. **The Municipal Health Office is accountable for the three health rows** and the Mayor and Sangguniang Bayan for the two that release money. **UPLB appears as a doer through DZLB radio**, which reaches farms and the lakeshore in Filipino.

WHERE MONEY DOES THE MOST

FUNDING

The Philanthropist lens, reconciled against the ranked actions and verified. Placements are ranked by marginal lives saved per dollar. The envelope is bounded by what this place can spend before the peak, not by what it needs. The town's disaster fund, DSWD, DOH and the farm insurer already exist; outside money should fill gaps they confirm, not duplicate them.

FLOOR

$40,000 (the life-saving placements)

TARGET

~$138,000

CEILING

~$319,000

LARGEST UNCERTAINTY

What the town's disaster fund, DOH and DSWD already cover; and the local dengue count

* Suggested formulation: check with a health worker before sharing.

Floor = $25,000 dengue + $15,000 heat registry. Target = floor + $20,000 water (only if the fund has a gap) + cash for 300 households (300 × $235 × 1.1 for delivery = $77,550). Ceiling = $60,000 + 1,000 households ($258,500). **Above the floor this money protects livelihoods, not lives.** Only about 1,980 households in Los Baños are below the poverty line (6.19%), so the ceiling would reach half of them and needs careful targeting; national cash transfers (4Ps) already reach many. Verification left the totals unchanged.

RECIPIENT	USE	AMOUNT	MECHANISM	BASIS	VERDICT
Los Baños Municipal Health Office / Rural Health Units	Actions 1 and 2: rapid tests, IV fluids, triage training, container control	$25,000	Grant, Nov–Apr	National dengue fatality 0.55%; $565 per hospitalised and $120 per ambulatory case (Edillo et al. 2015, 2012 USD); roughly $25,000–50,000 per death averted, worse value than global best buys	Partially confirmed; caseload is an estimate
Barangay health workers (via barangays)	Action 5: heat checks and a cooled hall	$15,000	Grant	No costing found	Unverified
MDRRMO	Action 3: safe storage and tankers	$20,000	Grant, only after the disaster fund's gap is confirmed	Likely duplicates the town's ~₱23.8m fund	Partially confirmed (conditional)
Lakeshore fisherfolk and farm households (delivery partner to confirm)	Cash before the March–May peak (livelihood)	$235 per household; 300 households at target	Unconditional cash by GCash	GiveDirectly paid 524 Cebu households ~$235 each by GCash 36 days after the Sept 2025 earthquake, entirely by phone	Partially confirmed; GiveDirectly has no standing Philippine operation

The funder's one thing: before releasing anything, phone the MDRRMO and the Municipal Health Office this month with three questions. What does the 2026–27 disaster fund already pay for? How many dengue cases did the town record in the 2023–24 El Niño? Can the Health Office spend a $25,000 dengue grant by November?

* Suggested formulation: check with a health worker before sharing.

DO NOT DO THIS — CONTRAINDICATED

Advice that circulates for this hazard and would cost lives here.

Routine pyrethroid fogging as the dengue response

CONTRAINDICATED

Every Metro Manila *Aedes* population tested was resistant to permethrin and etofenprox; fogging is visible but kills few mosquitoes.

Instead: weekly container control, and any chemical chosen by a local bioassay (action 2).

"Store water" advice without lids, and new wells as the drought fix

CONTRAINDICATED

Households storing water through drought have the highest dengue infection, and groundwater extraction drives subsidence approaching 100 mm a year west of the lake.

Instead: fitted lids or mesh, weekly scrubbing, leak repair and fair rationing of piped supply.

Cloud seeding as the answer to drought

CONTRAINDICATED AS A PLAN

The US National Research Council found science "unable to say with assurance which, if any, seeding techniques produce positive effects", and seeding needs clouds that drought months lack. No published evaluation of Philippine El Niño seeding was found.

* Suggested formulation: check with a health worker before sharing.

Instead: water mapping, tankers and pre-agreed rationing (action 3).

Blanket class suspensions on province-wide heat index

CONTRAINDICATED

Closures send children to homes that may be hotter than classrooms, with no outcome evaluation behind them.

Instead: shortened or morning sessions and schools kept open as cool places (action 6).

Deciding about fans on the heat index*

CONTRAINDICATED

The fan cut-off (Meade et al. 2024: advise against above 35 °C) is an *air* temperature. Los Baños' mean daily highs in March–May are 29–31 °C, so on most "Danger" days the threat is humidity and fans with skin-wetting still help.

Instead: use air temperature; above 35 °C, move older people and those who sweat less to cooled spaces.

WHAT HAS HAPPENED HERE BEFORE — THE RECORD

YEAR	EVENT	TOLL	WHAT CHANGED AFTER
2009	Typhoon Ondoy; Laguna flooded	Los Baños figures not found	Lake outlet spillway "revived" on paper; not built
2016 (El Niño, ONI +2.6)	Kidapawan protest over undelivered drought rice	3 dead, 116 injured, 77 arrested	The national lesson: relief after the crisis becomes a security crisis
2019 (weak El Niño)	Metro Manila water crisis; national dengue epidemic	~10,000 households cut off; Laguna 21,837 dengue cases	Laguna de Bay named as a supply source

* Suggested formulation: check with a health worker before sharing.

YEAR	EVENT	TOLL	WHAT CHANGED AFTER
Dec 2023	Maynilad's Poblacion plant opens	Draws 150 million litres a day from the lake	The lake is now Manila's drought backstop too
Apr 2024 (El Niño, ONI +2.0)	Heat index 42–53 °C nationally	In-person classes suspended 29–30 April	No outcome evaluation
Oct 2024	Tropical Storm Kristine (Trami)	162 deaths nationally, 74 in CALABARZON	Not documented for Los Baños
Aug 2026	PAGASA confirms a moderate-to-strong El Niño	—	Expected to last into H1 2027

The recurrence nobody has noticed: in every El Niño on record here, the failure was not the drought itself but relief and water arriving after the crisis. Kidapawan's rice, Manila's 2019 water, and the dengue that followed stored water all came too late or from the wrong place. The fix is a calendar: lists, water plans and triggers fixed in October–December, before the January–March dry peak.

WHERE THE EXPERTS DISAGREE

UNRESOLVED

- **Stock fans in every school** (Emergency manager) versus **fans fail above 35 °C** (Skeptic). Resolved for Los Baños: average highs are 29–31 °C, so fans with wetting help on most days; use air temperature to decide.
- **Drought raises dengue** (Southeast Asian pooled study) versus **the only Philippine study found slightly less dengue in El Niño** (high risk of bias). Resolved by running dengue triage all year rather than on an El Niño trigger.
- **Suspend classes on Danger days** (2024 practice) versus **shift the schedule and keep schools open** (Skeptic). Neither has outcome data; the report recommends the schedule shift.

WHAT NOBODY COVERED

BLIND SPOT

No local numbers were reachable: Los Baños' dengue cases, heat illness, or what the town's disaster fund already pays for. The municipal website failed and most Philippine news and government sites blocked the agents. A second gap is the town's **thousands of UPLB students in**

* Suggested formulation: check with a health worker before sharing.

boarding houses, who share water storage and may not be on any barangay list; the frontline lens suggested a boarding-house water roster in Batong Malake, which no one verified. One visit to the Municipal Health Office and the MDRRMO would fill most of this.

HOW TO READ THIS

METHOD

The panel is author-built. Seven simulated expert lenses were used to generate these recommendations. Where they agree, that is a strong hypothesis, not a consensus of the field. Every recommendation was then independently checked for evidence, transferability to this location, and feasibility before the peak; the verdict tags carry the result.

Mortality figures are resolved at Climate Impact Lab impact-region scale, roughly 300,000 people. They are not neighbourhood figures. The El Niño projection covers *heat only*; drought, flood, fire, smoke, and crop failure are additional to it and are carried here by the historical record rather than by a published number.

HOW THIS BRIEFING WAS PRODUCED

METHODOLOGY

- **Scope.** The location was taken as given: the municipality of Los Baños, Laguna (117,030 people), which is below the ~300,000-person resolution floor, so action design is at barangay and purok level. Climate Impact Lab impact region, as the report records it: not resolved. Mortality figures exist only at that scale (impact regions average roughly 300,000 people); sub-city detail is used for hazard exposure and action design, not for death counts.
- **Exposure.** Climate Impact Lab, *451,000 at Risk* (September 2026, pre-peer-review): ECMWF SEAS5 seasonal forecasts (51-member ensemble) applied to temperature–mortality relationships across 24,378 regions, against a 1996–2025 baseline, for June 2026 – February 2027. It covers heat only. It is never added to the Impact Map's long-run projections or quoted from the map's GDP-denominated mortality. Where heat is not the dominant hazard, the historical record carries the hazard instead of a borrowed number.
- **Expert panel.** Seven simulated expert lenses (emergency manager, public health scientist, frontline responder, skeptic, economist, historian, and philanthropist) each researched this place independently and in parallel, from web sources, to a fixed brief.
- **Reconciliation.** Duplicate actions were merged and backing lenses recorded. Convergence was tested for shared bias (whether the evidence behind an agreed action came from a setting like this one) before it counted in an action's favour. Contradictions were kept, not resolved by dropping a side. Actions were ranked by expected lives saved per unit of effort before the peak, each was given a named payer and trigger or

* Suggested formulation: check with a health worker before sharing.

marked unfunded, and the funding placements were reconciled against the ranked list. The RACI chart was built from the owners named in the verified actions.

- **Verification.** Five verifier agents checked the recommendations on three tests: evidence (the primary source and its effect size), transferability (whether that evidence came from somewhere like here), and feasibility (whether it can be done here before the peak). Financial actions were also checked for availability in this jurisdiction, a named payer, a trigger threshold, and whether they already exist. The funding envelope was checked for real recipients, published unit costs, and duplication, then re-summed.
- **Verdicts.** *Confirmed*: evidence, transferability, and feasibility all hold. *Partially confirmed*: holds after the corrections shown. *Unverified*: could not be checked to a primary source. *Contraindicated*: would do harm or waste the window here.
- **Adaptation Inventory.** Not consulted: web search was exhausted for this session, and its download sits behind a sign-up form.
- **Health wording.** Passages where a wording error could hurt someone (cooling older people and fans, and dengue danger signs) are marked "* Suggested formulation: check with a health worker before sharing." They were checked against published sources, not by a health professional. They are suggestions, not medical advice, and anyone passing them on should confirm them with a doctor, pharmacist, nurse, or community health worker first. The marker was added on 2 November 2026.
- **Rules.** No cost is derived by dividing a published total, and no local figure is invented; where data is thin, the report says so and shows the containing geography's number with its arithmetic. The dengue caseload is labelled as an estimate scaled from national reporting, shown as a range. Every source is listed below with its verification status.
- **Limits.** The panel and verifiers are AI research agents working from web-available sources, not human experts, and no one in this place was interviewed. Run-specific gaps: web search unavailable; losbanos.gov.ph had a certificate error and PNA, Rappler, Inquirer, DOH, DepEd, PCIC and UPLB returned 403; Los Baños' water provider, local dengue counts, PAGASA's Danger range, the governing DepEd order, the Makiling fire history and the PRC Laguna Chapter's address were not verified; one citation (a hypertension figure) was found to be the wrong paper and dropped.

References · Dengue: Laguna 2019 cases, Ith et al. 2025, Campbell review (El Niño and dengue), Malijan et al. 2024, Camino Verde, Edillo et al. 2015, national force of infection, dengue outbreaks (confirmed, corrected) · Heat: 2024 heat wave, 10-country temperature mortality study, Hess et al. 2018, Meade et al. 2024, Los Baños climate and profile · Water and hazards: 2019 water crisis, Laguna de Bay, LLDA, Laguna Water service areas, InSAR subsidence, Tropical Storm Trami, Kidapawan, PAGASA ENSO monitoring, Mount Makiling (confirmed, corrected) · Finance: RA 10121, PCIC 2026 subsidy, DA El Niño readiness, IFRC Philippines, Anticipation Hub Philippines, GiveDirectly Philippines (confirmed, corrected) · Community: DZLB, Barangay · ENSO: NOAA ONI

* Suggested formulation: check with a health worker before sharing.

Exposure data · Climate Impact Lab, 451,000 at Risk · Impact Map · Adaptation Inventory

Generated 2 October 2026 for Los Baños, Laguna, Philippines. El Niño Ready is volunteer-run and is not affiliated with Climate Week NYC, The Climate Group, or Columbia University.

* Suggested formulation: check with a health worker before sharing.