PhpStorm Default Keymap



PhpStorm Default Keymap



Refactoring



Editing	liting	
^ Space	Basic code completion (the name of any class, method or variable)	
₩☆↩	Complete statement	
₩P	Parameter info (within method call arguments)	

~ J or iviid. Duttori click	Quick documentation lookup
# + mouse over code	Brief Info
₩ F1	Show descriptions of error or warning at caret
%N, ∧ ₽, ∧ N	Generate code (Getters, Setters, Constructors)
^0	Override methods

^l	Implement methods
#\T	Surround with (ifelse, trycatch, for, etc.)
₩/	Comment/uncomment with line comment
% ₹/	Comment/uncomment with block comment
\tag{\tau}	Select successively increasing code blocks

<u> </u>	Select successively increasing code blocks
7.1	Decrease current selection to previous state
△ û Q	Context info
47	Show intention actions and quick-fixes
₩∖L	Reformat code

Auto-indent line(s)

→ı, û →ı	Indent/unindent selected lines
₩X	Cut current line or selected block to clipboard
₩ C	Copy current line or selected block to clipboard

жv	Paste from clipboard
₩ûV	Paste from recent buffers
 BD	Duplicate current line or selected block
% ⊗	Delete line at caret

^Û J	Join lines
#₽	Split line
⊕	Start new line
₩ûU	Toggle case for word at caret or selected block
9 ለ 1 9 ለ 1 ለ 9	Salact till code block and/start

Delete to word end

$\nabla \otimes$	Delete to word start
₩+,₩-	Expand/collapse code block
₩ ☆ +	Expand all
₩ û -	Collapse all
₩W	Close active editor tab

Search/Replace

 17°

₩F	Find
₩G	Find next
# û G	Find previous
∺ R	Replace
₩ û F	Find in path
₩ û R	Replace in path

Usage Search

o sage search	
∵ F7/#F7	Find usages / Find usages in file
ж ☆ F7	Highlight usages in file
ж ₹ F7	Show usages

Running

∧∵R	Select configuration and run
^∠D	Select configuration and debug
^R	Run
^ D	Debug
^ û R, ^ û D	Run context configuration from editor
₩ûX	Run command line

Debugging

F8	Step over
F7	Step into
☆ F7	Smart step into
☆ F8	Step out
∵ F 9	Run to cursor
₹ F 8	Evaluate expression
% ∖ R	Resume program
₩F8	Toggle breakpoint
₩ûF8	View breakpoints

Navigation

₩O	Go to class
光 ① O	Go to file
07#	Go to symbol
^←,^→	Go to next/previous editor tab
F12	Go back to previous tool window
0	Go to editor (from tool window)
合め	Hide active or last active window
ж û F4	Close active run/messages/find/ tab
₩L	Go to line
₩E	Recent files popup
$\# \times \leftarrow, \# \times \rightarrow$	Navigate back/forward
#☆⊠	Navigate to last edit location
₹ F1	Select current file or symbol in any view
₩ B or ₩ Click	Go to declaration
#∠B	Go to implementation(s)
∵ Space, # Y	Open quick definition lookup
_ û B	Go to type declaration
₩U	Go to super-method/super-class
^1, ^↓	Go to previous/next method
%], % [Move to code block end/start
₩ F12	File structure popup
ΛH	Type hierarchy
₩ûH	Method hierarchy
∧T H	Call hierarchy
F2, 企 F2	Next/previous highlighted error
F4/₩↓	Edit source / View source
∀ Home	Show navigation bar
F3	Toggle bookmark
₹ F3	Toggle bookmark with mnemonic
^0^9	Go to numbered bookmark
₩ F3	Show bookmarks

Сору
Move
Safe Delete
Rename
Inline Variable
Extract Method
Extract Variable
Extract Field
Extract Constant

PhpStorm Default Keymap

VCS/Local History

^v	'VCS' quick popup
₩ K	Commit project to VCS
жT	Update project from VCS
℃☆C	View recent changes

General

☆₩A	Find Action
₩0₩9	Open corresponding tool window
₩ û F12	Toggle maximizing editor
℃分F	Add to Favorites
1位プ	Inspect current file with current profile
^§or^`	Quick switch current scheme
₩,	Open Settings dialog
∧ →I	Switch between tabs and tool window

To find any action inside the IDE use Find Action (企業A)



 ■ Backspace Delete \boxtimes

→ı Tab ↑↓ Arrow Keys

Option / Alt Control ☆ Shift

Escape Enter / Return







