REQUEST FOR PROPOSAL

Field Enumeration and Verification App (FEVA)

IGSL-Owned Project Implementation Tool

RFP Number	IGS/FEVA/2025/001
Issue Date	Tuesday, 10 March 2026
Submission Deadline	Tuesday, 17 March 2026 by 17:00 WAT
Issuing Authority	Inspired Global Systems Ltd (IGSL)
On Behalf Of	State Government of Nigeria
Contract Nature	Fixed-Price, Milestone-Based
Email Submissions	info@inspiredgloballtd.com
Hard Copy Address	Suite A05, Tsukunda House, CBD, Abuja

INSPIRED GLOBAL SYSTEMS LTD
Suite A05, Tsukunda House, CBD, Abuja
info@inspiredgloballtd.com

CONFIDENTIAL – NOT FOR GENERAL DISTRIBUTION

SECTION A: LETTER OF INVITATION

10th March 2026

Inspired Delta Ltd,
A05, Tsukunda House,
CBD, Abuja.

Subject: Invitation for Proposal – Field Enumeration and Verification App (FEVA) Development

Dear Sir/Madam,

Inspired Global Systems Ltd ("IGSL" or "the Company") has been appointed by a State Government of Nigeria to implement a comprehensive State Addressing Infrastructure Project. The programme will establish a digital addressing system that assigns unique, verifiable addresses to every property across the State, enabling improved governance, service delivery, revenue generation, and private sector innovation.

As a critical first step in the programme, IGSL requires a purpose-built mobile data collection tool to support the systematic enumeration of all streets and buildings across the State's Local Government Areas (LGAs). The State Government currently holds geospatial data in Shapefile format and is developing a GIS platform; these assets will be made available to support the project. The Company therefore invites qualified and experienced software development firms to submit proposals for the development of a Field Enumeration and Verification App (FEVA).

The FEVA will be developed and owned by Inspired Global Systems Ltd as a project implementation tool. IGSL will establish and manage the GitHub organisation, repositories, and all DevOps and hosting infrastructure. All data collected through the FEVA shall remain the sole and exclusive property of the State Government. Upon completion of the project, IGSL will independently manage and execute the data handover process to the State Government.

A Pre-Proposal Conference will be held on 14th March 2026 at [VENUE / VIDEO LINK]. Proposals must be submitted as follows:

- By email to: info@inspiredgloballtd.com
- One (1) hard copy to: Suite A05, Tsukunda House, CBD, Abuja

All proposals must be received no later than 17:00 WAT on 17th March 2026.

Yours faithfully,

Rebecca Olaniyi
Administrative Officer
For: Inspired Global Systems Ltd

SECTION B: INFORMATION TO VENDORS

B.1 Background and Project Context

Inspired Global Systems Ltd has been appointed by a State Government of Nigeria to implement a statewide Addressing Infrastructure Programme. The programme will deliver:

- A complete enumeration of all streets and buildings across all LGAs in the State
- A permanent, government-owned address registry populated with verified location data
- QR-coded address plaques affixed to every enumerated property
- Integration with the NIPOST national digital postcode system
- Public-facing address services for citizens, businesses, and government agencies

The State Government holds existing geospatial reference data in Shapefile format, including administrative boundaries, LGA extents, and ward delineations. The Government is also developing a GIS platform that will serve as the State's authoritative spatial data environment. These assets are directly relevant to the FEVA and must be incorporated into the application to support accurate zone assignment, boundary validation, and spatial consistency across collected data.

The FEVA is the foundational data collection instrument for the programme. Its outputs – a certified, geospatially accurate dataset of all streets and buildings – will be received, verified, and processed by IGSL, and subsequently used to seed the address management infrastructure that serves as the authoritative location data source for the State.

B.2 Procurement Objectives

Through this RFP, IGSL seeks to procure a Vendor to:

- Design, develop, test, and deploy a robust offline-capable mobile application for field enumeration
- Ingest, render, and operate against the State Government's existing Shapefile boundary data and, when available, connect to the State GIS platform
- Enable collection of high-precision GPS-based address data spatially validated against government-supplied boundaries
- Implement real-time project management, QA/QC monitoring, and supervisory workflows
- Deliver clean, standardised datasets at monthly intervals and a complete certified dataset upon project completion
- Support IGSL with training, helpdesk support, and field oversight throughout enumeration

B.3 Ownership, IP, and Infrastructure

- The FEVA application and all associated source code shall be owned by Inspired Global Systems Ltd
- IGSL will establish and manage the GitHub organisation, repositories, and all DevOps and hosting infrastructure. The Vendor shall develop within and commit code exclusively to IGSL's designated repositories and infrastructure environment
- The Vendor shall not independently procure, configure, or manage any hosting, cloud, or DevOps infrastructure
- All data collected using the FEVA, as well as the State's Shapefile and GIS data used within the application, is and shall remain the exclusive property of the State Government
- At the conclusion of the project, IGSL will independently manage and execute all data handover activities to the State Government – this is not a Vendor responsibility

B.4 Key Deliverables and Timeline

Phase	Deliverable	Timeline
1	UI/UX mockups, workflow diagrams, data schema, and Shapefile integration design	Week 1
2	Functional prototype: core modules (street, building, GPS, photo) with Shapefile boundary layers loaded	Week 3
3	Beta version: full functionality, offline sync, supervisor dashboard, GIS integration capability	Week 4
4	Field pilot (minimum 2 LGAs), UAT report, and bug-fix release	Week 5
5	Production Release v1.0	Week 6
6	Enumerator training completed (minimum 50 enumerators)	Week 7
7	Monthly data exports (streets, buildings, photos, QA report)	Months 2–8
8	Final certified dataset and project closeout report delivered to IGSL	Month 8

B.5 Project Governance

The selected Vendor will report to the IGSL Project Manager. Weekly progress calls, formal monthly milestone reviews, and ad hoc field support engagements will apply throughout the contract period.

SECTION C: SCOPE OF WORK

C.1 Mobile Application Development

C.1.1 Street Enumeration Module

Field	Description	Input Type	Mandatory
Street Name	Full name of the street	Text entry	Yes
Street Type	Arterial / Collector / Local / Access Lane / Unnamed	Dropdown	Yes
Addressing Zone / Postcode	Auto-suggested from GPS matched against NIPOST boundary layer and State Shapefile zones; enumerator confirms	GPS + Confirm	Yes
Surface Type	Tarred / Untarred / Partial	Dropdown	Yes
Street Condition	Good / Fair / Poor	Dropdown	Yes
Administrative Zone	Auto-populated from State Shapefile LGA/ward boundaries based on GPS position	Auto	Yes
Street Photo	Geotagged photo (minimum 1 required)	Camera	Yes
Notes	Free text field observations	Text	No

C.1.2 Building Enumeration Module

Field	Description	Input Type	Mandatory
Building Reference ID	Auto-generated locally (format: BLD-[LGA]-[SEQ])	Auto	Auto
GPS Coordinates	Captured at building frontage; minimum 5 decimal precision; validated against State boundary Shapefiles	GPS	Yes
Building Type	Residential / Commercial / Mixed Use / Institutional / Industrial / Place of Worship / Vacant Plot	Dropdown	Yes
Number of Floors	Positive integer; minimum value 1	Number	Yes
Number of Units	Count of dwelling or business units within building	Number	Yes
Building Condition	Good / Fair / Poor	Dropdown	Yes
Frontage Photo	Geotagged photo of building front elevation	Camera	Yes
Additional Photos	Up to 3 supplementary photos	Camera	No
Addressing Zone	Inherited from parent street; confirmed against Shapefile zone boundaries	Auto	Auto
Parent Street Link	Reference to street record (must exist in local database)	Reference	Yes
Notes	Free text observations	Text	No

C.1.3 Technical Platform Requirements

Requirement	Specification

Platform	Android (mandatory); iOS (optional/value-add)
Minimum Android Version	Android 8.0 (Oreo) or higher
Development Framework	Kotlin (Android native) or Flutter (cross-platform)
Offline Functionality	Complete offline operation with local SQLite storage and sync queue; Shapefile layers preloaded for offline boundary queries
GPS Precision	Minimum 5 decimal places; real-time accuracy indicator displayed to enumerator
Photo Management	Automatic geotagging; compression for storage efficiency
Shapefile Support	Must ingest and render State Government Shapefile data (administrative boundaries, LGA/ward extents, postcode zones) for offline use
GIS Connectivity	Must support connection to the State GIS platform (WMS/WFS or REST API) when online, for live boundary and reference layer access
Security	Data encryption at rest; secure authentication (username/password minimum; 2FA recommended)
Concurrent Enumerators	Support 200+ simultaneous active enumerators
Offline Capacity	Minimum 5,000 records with photos per device
Battery Efficiency	8+ hours continuous operation
GPS Acquisition	Under 30 seconds in open-sky conditions
Sync Speed	Under 2 minutes for 100 records with photos on 3G connectivity

C.1.4 Phased Development

The application shall be delivered in three progressive phases:

Phase 1 – Core Application (Target: Week 4):

Minimum viable application to commence field enumeration. Must include enumerator authentication, street and building record capture, GPS capture, geotagged photography, offline storage, basic synchronisation, and preloaded State Shapefile boundary layers for offline zone and LGA assignment.

Phase 2 – Enhanced Application:

Additional capabilities: supervisory validation workflows, duplicate detection, NIPOST postcode boundary validation, configurable remote-update dropdowns, data quality monitoring dashboard, and live GIS platform connectivity (WMS/WFS or REST) for reference layer access when online.

Phase 3 – Verification Mode:

Field verification and QA of physical installations. Includes confirmation of street signage and house number plaque installation, QR code scanning and record linkage, physical-to-digital validation, and compliance reporting.

C.2 Geospatial Data Integration

The FEVA must operate in full alignment with the State Government's existing and planned geospatial infrastructure. The following integration capabilities are required:

C.2.1 Shapefile Ingestion

- The application backend shall include a Shapefile ingestion pipeline to import the State Government's boundary datasets (administrative zones, LGA extents, ward boundaries, postcode areas) into the application's spatial database
- Shapefiles shall be pre-processed and packaged as lightweight, offline-capable boundary layers for deployment to enumerator devices
- The ingestion pipeline shall support updates when revised Shapefiles are provided by the Government
- All coordinate data shall be transformed to and stored in WGS 84 (EPSG:4326) to ensure consistency

C.2.2 State GIS Platform Connectivity

- The application shall support live integration with the State's GIS platform via standard protocols: WMS (Web Map Service), WFS (Web Feature Service), or a documented REST API
- When connected, the application shall fetch current administrative boundary layers directly from the GIS platform rather than relying solely on the preloaded offline copy
- The Vendor shall document the integration interface required from the GIS platform and provide IGSL with the technical specification needed to configure the State GIS accordingly
- The integration must be designed so that as the State GIS platform matures, the FEVA's connectivity can be upgraded with minimal code changes

C.2.3 Spatial Validation Against Government Boundaries

- All GPS captures (streets and buildings) shall be validated in real time against the loaded boundary layers to confirm they fall within the expected LGA, ward, or zone
- Any coordinate that falls outside an expected boundary shall be flagged for enumerator and supervisor review before the record can be submitted
- Zone and LGA values populated in street and building records shall be derived from Shapefile or GIS boundary containment checks, not from free-text enumerator input

C.3 Project Management and QA/QC Features

- Enumerator authentication and role-based session management
- Daily and weekly progress dashboard by LGA and enumerator
- Supervisor spot-check and flagging module (minimum 5% daily sampling target)
- Configurable dropdown values (remotely updatable without app redeployment)
- Productivity analytics and enumerator performance reports
- Data quality metrics dashboard with coverage heatmap overlaid on State boundary Shapefiles
- Real-time duplicate GPS detection (flag any two buildings within 1 metre)
- Automated validation: GPS precision, mandatory fields, photo existence, street-building link integrity, and boundary containment

C.4 NIPOST Postcode Boundary Validation

The application shall operate with preloaded NIPOST postcode boundary layers. Postcode detection shall be performed by GPS-to-boundary containment check, reconciled against the State Shapefile zones where they overlap. Any discrepancy between NIPOST postcode boundaries and State administrative boundaries shall be flagged and reported.

C.5 Data Export Capability

All data exports shall conform to the GeoJSON format specification in Appendix A. Exports shall be spatially consistent with the State's Shapefile coordinate reference system (WGS 84 / EPSG:4326) and shall be directly importable into standard GIS environments. Monthly exports to IGSL shall include:

- Complete streets dataset (GeoJSON and Shapefile format)
- Complete buildings dataset (GeoJSON and Shapefile format)
- All geotagged photographs organised by LGA/street/building folder structure
- Coverage report by LGA and enumerator
- Monthly data quality metrics report

C.6 Deployment, Training, and Support

- Deploy application to a minimum of 50 enumerator devices (IGSL may provide devices; Vendor may supply as an optional item)
- Conduct field pilot in at least 2 LGAs prior to full rollout, with test report and remediation plan
- Deliver 3-day training programme for enumerators and supervisors, with printed and digital quick-reference guides
- Establish helpdesk support during enumeration phase (08:00–18:00, 6 days per week)
- Provide refresher training sessions as required

C.7 Monthly and Final Data Delivery to IGSL

C.7.1 Monthly Data Exports

At the end of each calendar month, the Vendor shall deliver to IGSL: the complete dataset (streets and buildings) in GeoJSON and Shapefile format; all geotagged photographs; an LGA coverage report; and a quality metrics report.

C.7.2 Final Certified Dataset

Upon completion of the enumeration phase (estimated Month 8), the Vendor shall deliver the following to IGSL within 30 days. IGSL will independently manage all subsequent data processing and handover activities.

- Complete final datasets: streets and buildings in GeoJSON, Shapefile, and CSV formats
- Complete photo library in the folder structure specified in Appendix A
- Data dictionary and full field definitions
- Data quality report: coverage statistics by LGA/ward, QA/QC findings, known caveats
- Technical documentation: data schema, enumeration methodology, QA/QC procedures, GIS integration specification, and transformation scripts
- Signed Certification of Complete Delivery to IGSL

SECTION D: TECHNICAL REQUIREMENTS

D.1 Technology Stack

Component	Requirement
Mobile Framework	Kotlin (Android native) or Flutter (cross-platform)
Local Database	SQLite with appropriate ORM; PostGIS-compatible geometry types for spatial queries
Spatial Library	GeoTools, GDAL/OGR bindings, or equivalent for Shapefile parsing and spatial operations
GPS Integration	Fused Location Provider or equivalent
Map Rendering	MapLibre, OpenLayers, or equivalent; supports offline tile and Shapefile layer rendering
GIS Connectivity	OGC WMS/WFS client or REST API client for State GIS platform integration
Export Format	GeoJSON (RFC 7946) and ESRI Shapefile (SHP/DBF/SHX/PRJ)
Backend	Node.js, Python (Django/FastAPI), or PHP; RESTful API with JSON

D.2 Geospatial Standards Compliance

- All coordinate data shall use WGS 84 geographic coordinate system (EPSG:4326)
- Shapefile imports shall support reprojection from other CRS (e.g. UTM Zone 32N / EPSG:32632) to WGS 84 during ingestion
- GeoJSON exports shall be RFC 7946 compliant
- Shapefile exports shall include .prj files declaring EPSG:4326
- The application shall validate that all GPS captures fall within the State's geographic bounding box before acceptance

D.3 Security Requirements

- Data encryption at rest on device storage
- Secure communications via TLS 1.2 or higher for all online features
- Role-based access control (enumerator, supervisor, administrator roles)
- Secure authentication (username/password minimum; 2FA recommended)
- Audit logging of all access, data submissions, and changes

D.4 Repository and Development Environment

IGSL will establish and own the GitHub organisation, repositories, CI/CD pipelines, and all DevOps infrastructure. The Vendor's responsibilities within this environment are:

Requirement	Specification
Repository Platform	IGSL-owned GitHub organisation (credentials provided by IGSL at contract commencement)
Vendor Development	All code commits and pull requests made to IGSL's designated repositories only
Branching Strategy	As defined by IGSL; development workflow documented per IGSL guidelines

Code Quality	All commits must pass automated linting and unit tests prior to merge
Repository Contents	Complete source code, Shapefile ingestion scripts, database migration scripts, build/deploy scripts, unit and integration tests, API and GIS integration documentation
Security	2FA enabled for all Vendor contributors; regular dependency scanning

Note: The Vendor shall not independently procure, configure, or operate any hosting, server, cloud, or DevOps infrastructure. All infrastructure is provided and managed by IGSL.

D.5 Data Storage During Project

All application data during the project lifecycle will be hosted on IGSL-provisioned infrastructure.

Component	Specification
Infrastructure	Provided and maintained by IGSL
Primary Data Storage	PostgreSQL with PostGIS extension on IGSL-provisioned server
Shapefile / Boundary Storage	Stored within the PostGIS database and as flat Shapefile backups on IGSL object storage
Photo Storage	Object storage on IGSL-provisioned environment
Backup	Managed by IGSL DevOps; Vendor to ensure application supports standard backup-compatible outputs
Security	Encryption at rest and in transit; role-based access control

SECTION E: DELIVERABLES AND TIMELINE

#	Deliverable	Timeline
1	UI/UX mockups, workflow diagrams, data schema, and Shapefile integration design document	Week 1
2	Functional prototype: core modules with GPS, photo capture, and State Shapefile boundary layers operational	Week 3
3	Beta version: full functionality, offline sync, supervisor dashboard, QA/QC workflows, and GIS connectivity module	Week 4
4	Field pilot (min. 2 LGAs), UAT report, and production-ready bug-fix release	Week 5
5	Production Release v1.0 deployed to IGSL infrastructure	Week 6
6	Enumerator training completed (minimum 50 enumerators and supervisors)	Week 7
7	Monthly data exports: GeoJSON and Shapefile datasets, photos, coverage report, quality metrics (delivered to IGSL)	Months 2–8
8	Final certified dataset, GIS integration documentation, and project closeout report delivered to IGSL	Month 8

SECTION F: PROPOSAL SUBMISSION REQUIREMENTS

F.1 Technical Proposal

The Technical Proposal shall include:

- F.1.1 Executive Summary: understanding of project objectives and overall approach
- F.1.2 Technical Architecture: proposed application stack, offline functionality strategy, GPS and data quality approach, GeoJSON and Shapefile export mechanisms
- F.1.3 Geospatial Integration Approach: methodology for ingesting and rendering State Shapefiles; strategy for live GIS platform connectivity (WMS/WFS/REST); boundary validation approach; CRS handling
- F.1.4 Project Management Features: dashboard and reporting capabilities, QA/QC workflow design, supervisor tools
- F.1.5 Data Management Strategy: approach to managing live project data and monthly export process
- F.1.6 Development Environment Plan: approach to working within IGSL's GitHub and DevOps environment, code quality standards
- F.1.7 Deployment and Training Approach: enumerator training methodology, field support and helpdesk structure, pilot testing approach
- F.1.8 Team Composition: CVs of Project Manager, Lead Developer, GIS Specialist, and Trainer
- F.1.9 Project Plan: detailed timeline, dependencies, risks, and resource allocation
- F.1.10 Quality Assurance Approach: testing methodology, spatial validation strategies, QA/QC processes
- F.1.11 Risk Management: key risks and mitigation strategies
- F.1.12 Relevant Experience: case studies of mobile data collection or GIS projects; minimum three client references

F.2 Commercial Proposal

#	Cost Item	Cost (₦)
1	Application Development (fixed price, including Shapefile and GIS integration modules)	
2	Configuration and Integration (within IGSL's infrastructure environment)	
3	Training Programme (including materials)	
4	Project Management and QA	
5	Helpdesk/Support (per month)	
6	Optional: Enumerator Devices (if proposed)	
7	Travel and Logistics	
8	Contingency (if applicable)	
	TOTAL	

F.2.1 Proposed Payment Schedule

Milestone	Payment (%)
Contract Signing	20%

Prototype with Shapefile integration (Week 3)	20%
Production Release v1.0 (Week 6)	30%
Final Certified Dataset Delivered to IGSL (Month 8)	30%

F.3 Compliance Documents

- Company registration documents (CAC certificate)
- Valid tax clearance certificate (current year)
- Evidence of similar project experience (mobile data collection, GIS, or spatial applications)
- References from at least three clients
- Signed conflict of interest declaration

F.4 How to Submit

- By email: info@inspiredgloballtd.com (Technical and Commercial Proposals as separate PDF attachments)
- Hard copy: One (1) printed copy to Suite A05, Tsukunda House, CBD, Abuja

All proposals must be received no later than 17:00 WAT on Tuesday, 17 March 2026. Late submissions will be rejected without review.

SECTION G: EVALUATION CRITERIA

Criteria	Weight	Max Score
TECHNICAL PROPOSAL (70%)		70
Technical Architecture, Offline Capability, GPS/Data Quality, and Shapefile/GIS Integration	25%	25
Relevant Experience (mobile data collection, GIS, or spatial data projects)	20%	20
Team Qualifications (Project Manager, Lead Developer, GIS Specialist, Trainer)	15%	15
Project Plan, Timeline, and Risk Management	10%	10
COMMERCIAL PROPOSAL (30%)		30
Cost Competitiveness	20%	20
Value for Money	10%	10
TOTAL	100%	100

Minimum Technical Score: Proposals must score at least 50 out of 70. Those scoring below this threshold will not proceed to commercial evaluation.

SECTION H: TERMS AND CONDITIONS

H.1 Contract Type

Fixed-price contract with milestone-based payments as defined in Section F.2.1.

H.2 Contract Duration

8 months from contract award, with option to extend by mutual agreement.

H.3 Intellectual Property

- The FEVA application and all associated source code shall be owned by Inspired Global Systems Ltd
- Upon final payment, the Vendor grants IGSL a perpetual, irrevocable, worldwide, royalty-free licence to use, modify, and distribute the code
- All third-party libraries shall carry compatible open-source licences
- All Shapefile ingestion pipelines, spatial processing scripts, and GIS integration modules developed under this contract shall form part of the delivered codebase and be included in the IGSL repository

H.4 Data Ownership

All data collected using the application, including the State Government's Shapefile and GIS data used within it, is and shall remain the exclusive property of the State Government. The Vendor is granted temporary access solely for project delivery. No rights to use, analyse, retain, or commercialise any data are granted.

H.5 Confidentiality

The Vendor shall treat all project information as strictly confidential and shall not disclose any information to any third party without prior written consent from IGSL.

H.6 Performance Security

The successful Vendor shall provide a performance bond of 10% of total contract value, valid for the contract duration plus 12 months.

H.7 Termination

IGSL reserves the right to terminate the contract for: material breach (30 days' notice); convenience (60 days' notice); or non-performance as determined by the Project Manager.

H.8 Force Majeure

Neither party shall be liable for delays caused by events beyond reasonable control, provided prompt written notice is given.

H.9 Dispute Resolution

Disputes shall first be referred to the IGSL Project Manager. If unresolved within 21 days, the matter shall proceed to arbitration under the Arbitration and Conciliation Act, Cap A18, Laws of the Federation of Nigeria, 2004.

SECTION I: SUBMISSION PROCESS & TIMETABLE

I.1 Procurement Timetable

Step	Date / Deadline	Action
1	Tuesday, 10 March 2026	RFP issued to shortlisted vendors. Acknowledgement of receipt required within 2 business days.
2	Thursday, 12 March 2026	Deadline for written clarification questions. All questions to be submitted by email to the procurement contact. No verbal clarifications will be binding.
3	Saturday, 14 March 2026 — 10:00 WAT	Virtual Clarification Meeting (FEVA). IGSL will host a structured Q&A session via video conference. Attendance by registered shortlisted vendors only. Meeting link to be circulated by 13 March 2026.
4	Monday, 16 March 2026 — 10:00 WAT	Written responses to all clarification questions issued simultaneously to all registered vendors (within 48 hours of the clarification meeting). Responses will be circulated by email.
5	Tuesday, 17 March 2026 — 17:00 WAT	Proposal submission deadline. Proposals submitted after this time will not be evaluated. Submissions by email only to the procurement contact. Hard copies not required.
6	18–28 March 2026	Proposal evaluation by IGSL evaluation panel against Section G criteria. Shortlisted vendors may be contacted for a one-hour virtual technical clarification interview. Reference checks conducted simultaneously.
7	By 1 April 2026 (within 15 days of submission deadline)	Vendor selection decision announced to all participating vendors. Preferred vendor notified in writing. All other vendors notified of the outcome simultaneously.
8	By 16 April 2026 (within 15 days of selection announcement)	Contract award and execution. Performance bond arrangements initiated. Contract documentation signed by both parties.
9	On contract execution	Project kick-off. Onboarding onto IGSL GitHub organisation. Week 1 activities begin.

I.2 Submission Requirements

- Proposals must be submitted as a single PDF document by email to the procurement contact stated on the cover of this RFP.
- Subject line format: FEVA-RFP — [Vendor Company Name] — Proposal Submission.
- Maximum file size: 25MB. If the proposal with appendices exceeds this, vendors must use a secure file transfer link (Google Drive, Dropbox, or equivalent) and include the link in the email.
- Vendors must submit both a Technical Proposal and a Commercial Proposal. The Commercial Proposal must be in a separate, clearly labelled PDF attachment.
- Proposals must be in English. Pricing in Nigerian Naira (₦) only.
- Any proposal received after 17:00 WAT on 17 March 2026 will not be evaluated, regardless of technical merit.

I.3 Clarification Meeting — Virtual

The virtual clarification meeting will be held on Saturday, 14 March 2026 at 10:00 WAT. The meeting is open to all registered shortlisted vendors who have acknowledged receipt of this RFP. Each vendor may send a maximum of three representatives. The meeting will be recorded. A consolidated written response to all questions raised — including those submitted in advance — will be circulated within 48 hours of the meeting close.

I.4 Deadline

All proposals must be received no later than 17:00 WAT on Tuesday, 17 March 2026. Late submissions will be rejected without review.

SECTION I — ADDITIONAL: PROPOSAL FORMAT

I.1 Submission Requirements

- Email: Technical and Commercial Proposals as separate PDF attachments to info@inspiredgloballtd.com
- Hard copy: One (1) printed copy (Technical and Commercial in separate sealed envelopes) delivered to Suite A05, Tsukunda House, CBD, Abuja

I.2 Proposal Format

- Maximum 50 pages for Technical Proposal (excluding appendices and CVs)
- Font: Arial 11pt; Spacing: 1.5 lines; Page size: A4
- Architecture diagrams, data models, and GIS integration illustrations must be included within the body of the proposal

APPENDIX A: DATA FORMAT SPECIFICATION

A.1 Overview

All data exports from the application shall conform to this specification. Exports shall be produced in both GeoJSON (RFC 7946) and ESRI Shapefile formats, using WGS 84 (EPSG:4326) as the coordinate reference system, ensuring direct compatibility with the State Government's GIS environment and standard spatial analysis tools.

A.2 Street Data Format

Streets shall be represented as LineString geometries. Required attribute fields:

Field	Type	Description	Allowed Values
street_id	String	Unique identifier	STR-[LGA]-[SEQ]
street_name	String	Full street name	Free text
street_type	String	Road classification	Arterial, Collector, Local, Access Lane, Unnamed
postcode	String	NIPOST 6-digit postcode	6-digit string
surface_type	String	Road surface	Tarred, Untarred, Partial
street_condition	String	Physical condition	Good, Fair, Poor
zone	String	Administrative zone (from Shapefile)	As per State boundary data
lga	String	LGA (from Shapefile boundary)	As per State boundary data
ward	String	Ward (from Shapefile boundary)	As per State boundary data
enumerator_id	String	Collecting enumerator	ENV[0-9]{3}
enumeration_date	Date	Date of capture	YYYY-MM-DD
verification_status	String	QA/QC status	Draft, Verified, Flagged, Rejected
photo_paths	String	Comma-separated relative photo paths	See folder structure A.4

A.3 Building Data Format

Buildings shall be represented as Point geometries located at the building frontage. Required attribute fields:

Field	Type	Description	Allowed Values
building_id	String	Unique identifier	BLD-[LGA]-[SEQ]
street_id	String	Foreign key to parent street	Must match valid street_id
postcode	String	NIPOST 6-digit postcode	6-digit string
zone	String	Administrative zone (from Shapefile)	As per State boundary data
lga	String	LGA (from Shapefile boundary)	As per State boundary data
ward	String	Ward (from Shapefile boundary)	As per State boundary data

gps_accuracy	Float	GPS accuracy in metres	Positive float; ideal ≤5m
building_type	String	Primary classification	Residential, Commercial, Mixed Use, Institutional, Industrial, Place of Worship, Vacant Plot
number_of_floors	Integer	Total floors	Positive integer
number_of_units	Integer	Dwelling/business units	Positive integer
building_condition	String	Physical condition	Good, Fair, Poor
enumerator_id	String	Collecting enumerator	ENV[0-9]{3}
enumeration_date	Date	Date of capture	YYYY-MM-DD
verification_status	String	QA/QC status	Draft, Verified, Flagged, Rejected
frontage_photo	String	Path to front elevation photo	Relative path
has_signage	Boolean	Visible business signage	true / false
business_names	String	Names of businesses	Optional

A.4 Export Folder Structure

```
state_export_YYYYMMDD/
├── README.txt
├── manifest.json
├── geojson/
│   ├── streets.geojson
│   └── buildings.geojson
├── shapefiles/
│   ├── streets.shp / .dbf / .shx / .prj
│   └── buildings.shp / .dbf / .shx / .prj
├── photos/
│   ├── streets/
│   └── buildings/
└── qa_reports/
    ├── coverage_by_lga.csv
    └── validation_issues.csv
```

APPENDIX B: QA/QC PROTOCOL

B.1 Automated Validation Rules

Rule	Description	Action on Failure
GPS Precision	Coordinates must have minimum 5 decimal places	Flag for review
GPS Accuracy	Accuracy value must be 10 metres or better	Flag for review
Boundary Containment	GPS point must fall within the enumerator's assigned Shapefile boundary zone	Flag for review
Mandatory Fields	All mandatory fields must be populated before submission	Prevent submission
Street-Building Link	Every building must reference a valid street record	Prevent submission
Photo Existence	All referenced photo paths must resolve to actual files	Flag for review
Duplicate GPS	No two buildings within 1 metre of each other	Flag for review
Value Range	Numeric fields within acceptable bounds	Flag for review

B.2 Quality Targets

Metric	Target
GPS Accuracy (median)	Under 5 metres
Boundary Containment Rate	100% after QA
Mandatory Field Completion	100%
Photo Quality (clear, well-lit)	Greater than 95%
Classification Accuracy (post-QA)	Greater than 98%
Coverage vs. Assigned Target	Greater than 95%

APPENDIX C: PROPOSAL SUBMISSION CHECKLIST

Item	Included?
Technical Proposal (PDF attachment and printed copy)	☐
Commercial Proposal (separate PDF and separate sealed printed envelope)	☐
Description of Shapefile/GIS integration approach	☐
Company registration documents (CAC certificate)	☐
Valid tax clearance certificate	☐
Evidence of relevant GIS or spatial project experience	☐
At least three client references	☐
CVs of all key personnel	☐
Signed conflict of interest declaration	☐