





EXPLORER

OPEN EDITORS 1 unsaved

Welcome

classwork.cpp ~/Documents/C++ All File/classwork.cpp

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in VS Code read our docs.

OUTLINE

TIMELINE

Welcome

classwork.cpp

Users > tiyassarkar > Documents > C++ All File > classwork.cpp > ...

2

3 #include <iostream>

4

5 using namespace std;

6

7

8

9 int main()

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Code

cd "/Users/tiyassarkar/Documents/C++ All File/" && g++ classwork.cpp -o classwork && "/Users/tiyassarkar/Documents/C++ All File/"classwork

(base) tiyassarkar@Tiyass-MacBook-Air-2 ~ % cd "/Users/tiyassarkar/Documents/C++ All File/" && g++ classwork.cpp -o classwork && "/Users/tiyassarkar/Documents/C++ All File/"classwork

classwork.cpp:1:2: error: invalid preprocessing directive

#tiyas sarkar 12312942 11

1 error generated.

(base) tiyassarkar@Tiyass-MacBook-Air-2 C++ All File % cd "/Users/tiyassarkar/Documents/C++ All File/" && g++ classwork.cpp -o classwork && "/Users/tiyassarkar/Documents/C++ All File/"classwork

1. Encryption

2. Decryption

Enter choice(1,2): 1

Message can only be alphabetic

Enter message: Tiyassarkar

Enter key (0-25): 5

Encrypted Message: Yndfxxfwfw

1. Encryption

2. Decryption

Enter choice(1,2): 2

Message can only be alphabetic

Enter encrypted text: Yndfxxfwfw

Enter key (0-25): 5

Decrypted Message: Tiyassarkar

(base) tiyassarkar@Tiyass-MacBook-Air-2 C++ All File %

Ln 2, Col 1 Spaces: 4 UTF-8 LF C++ Go Live Mac







