[Your title: what you asked and what you found]

Tyler Bannon
Data Analytics, Topic: Location
[Team members, if any]

November 9, 2026

Abstract

[**Your words:** About 100 words. The outcome (where cafes are and how busy they are), the sample size, the analyses you cover, and the two or three main results with effect sizes in km or ratings. Nothing that is not in the text below.]

1. Introduction

[**Your words:** Two or three sentences on why a cafe's popularity might depend on where it is, and how this topic is one chapter of the wider story about the Prague cafe market. State the research questions in plain words. Do not describe methods here.]

2. Data and methods

2.1 Data

[**Your words:** Where the data come from and how they were collected. Then list every cleaning choice and how many cafes it affected. The facts are: 299 rows in the raw file; 99 empty rows removed, leaving 200; 11 cafes entered twice, keeping the row entered first, leaving 189; about 15 spellings of 9 districts harmonised; 5 cafes moved to the district their address shows (sheet rows 37, 39, 43, 44, 144); one blank cafe type set to missing (row 136); Paul (row 113) recoded as an international chain; thousands commas removed from the number of ratings; Cafe Fiesta (row 85) kept with 0 ratings; latitude and longitude taken from the coordinates cell because the two disagree in row 39. Say which variables have missing values (see Table 15) and explain why you made each choice. Add a sentence on how a different choice could change the results.]

2.2 Statistical methods

[**Your words:** One short paragraph. State the significance level (.05); which test you used for each question and why (use Table 17: the shape of the distribution and the size of the smallest group); that a one-tailed alternative is used only where the question names a direction (A2, A3, A5); the robust HC3 standard errors in A7 to A9 and why; the bootstrap settings (5,000 resamples, seed 123, percentile intervals); the Holm adjustment in A4; and the software (see Appendix E).]

3. Results

[**Your words:** One or two sentences that lead the reader through the story, then refer to Table 1.]

Table 1. Main results of all ten analyses. CI is the 95% confidence interval, two-sided even for one-tailed tests. The statistic is t for A1, A3 and A7 to A9, W for A2, H for A4, S for A6 and z for A10; Fisher's test in A5 has no test statistic. pp = percentage points.

Analysis	Test	Estimate	Unit	CI lower	CI upper	Effect size	Effect type	Statistic	p	n
A1 Mean distance vs. 2 km	One-sample t	1.94	km	1.75	2.13	-0.04	d	-0.59	.557	189
A2 Roastery minus other	Wilcoxon rank-sum (one-tailed)	0.50	km	-0.04	1.04			2274.00	.035	189
A3 East-west minus north-south	Paired t (one-tailed)	0.42	km	0.28	0.56	0.43	dz	5.97	<.001	189
A4 Distance by cafe type	Kruskal-Wallis							4.81	.090	188
A5 International chain minus other, in Prague 1	Fisher exact (one-tailed)	34.26	pp	2.71	65.82	0.15	V		.043	188
A6 Ratings and distance	Spearman	-0.33	rho	-0.46	-0.19	0.11	rho squared	1453526.34	<.001	187
A7 Ratings per km	Regression	-327.14	ratings per km	-548.43	-105.84	0.04	R squared	-2.90	.004	187
A8 Ratings per km, given seats	Multiple regression	-229.29	ratings per km	-408.67	-49.91	0.33	R squared	-2.51	.013	187
A9 East minus west slope	Interaction	477.34	ratings per km	-231.32	1186.00	0.06	R squared	1.32	.188	187
A10 Probability of above-median ratings	Logistic regression	-13.15	pp per km	-18.02	-8.29			-5.30	<.001	187

3.1 A1: Average distance from the Orloj

Is the average distance of cafés from the Orloj different from 2 km?

H_0: the mean distance of cafés from the Orloj equals 2 km. H_1: the mean distance of cafés from the Orloj is different from 2 km (two-tailed, fixed in advance).

Table 2. One-sample t-test of the distance from the Orloj against 2 km. CI is the 95% confidence interval of the mean.

n	Missing	Mean (km)	CI lower (km)	CI upper (km)	Median (km)	IQR (km)	t	df	p	Cohen's d
189	0	1.94	1.75	2.13	1.73	1.66	-0.59	188	.557	-0.04




Figure 1. Distance from the Orloj in km. Grey points are individual cafés, the blue point and bars are the mean and its 95% confidence interval, and the dashed line is the 2 km benchmark. The sample size is in Table 2.

[**Your words:** Estimate with its interval and sample size, Cohen's d, then $t(df)$ and the exact p.

One sentence in km: what the result means, and whether a gap of this size matters in practice. Why is a median worth giving next to the mean here?]

3.2 A2: Roasteries and other cafés

Are roasteries farther from the Orloj than other cafés?
H_0: the mean distance from the Orloj is the same for roasteries and other cafés. H_1: the mean distance from the Orloj is greater for roasteries than for other cafés (one-tailed, fixed in advance). Because the descriptive analysis calls for a rank test, these are read as statements about the typical distance.

Table 3. Wilcoxon rank-sum test of the distance from the Orloj, roasteries minus other cafés. The difference is the Hodges–Lehmann estimate with its two-sided 95% confidence interval, and the *p*-value is one-tailed and was fixed in advance.

n roastery	n other	Median roastery (km)	Median other (km)	Difference (km)	CI lower (km)	CI upper (km)	W	p (one-tailed)	Levene p
22	167	2.17	1.64	0.50	-0.04	1.04	2274.00	.035	.488




Figure 2. Distance from the Orloj in km for roasteries and other cafés. Grey points are individual cafés, and the blue points and bars are the medians with bootstrapped 95% confidence intervals (5,000 resamples, seed 123). Group sizes are in Table 3.

[Your words: State the direction of the subtraction in words. Give the difference with its interval, then *W* and the one-tailed *p*. Explain what it means that the *p*-value is one-tailed while the interval is two-sided, and what the two together let you claim. Mention the Levene check and the dependence of cafés in the same district.]

3.3 A3: East–west and north–south spread

Are cafés spread farther east–west than north–south from the Orloj?
H_0: the mean of the absolute east–west km minus the absolute north–south km equals 0. H_1: this mean is greater than 0 (one-tailed, fixed in advance).

Table 4. Paired t-test of the absolute east–west distance minus the absolute north–south distance from the Orloj, in km. The interval is two-sided, and the p-value is one-tailed and was fixed in advance.

n	Mean difference (km)	CI lower (km)	CI upper (km)	t	df	p (one-tailed)	Cohen's dz
189	0.42	0.28	0.56	5.97	188	<.001	0.43




Figure 3. Within-café differences between the absolute east–west and north–south distance from the Orloj, in km. Grey points are individual cafés, the blue point and bars are the mean difference and its 95% confidence interval, and the dashed line marks no difference. The sample size is in Table 4.

[**Your words:** State the direction of the subtraction in words. Mean difference with its interval, d_z, then $t(df)$ and the one-tailed p. One sentence in km.]

3.4 A4: Distance by café type

Does the distance from the Orloj differ by café type (independent, local chain, international chain), and if so, how?

H_0: the mean distance from the Orloj is the same for all three café types. H_1: the mean distance of at least one café type differs from another (no direction, fixed in advance). Because the descriptive analysis calls for a rank test, these are read as statements about the typical distance.

Table 5. Kruskal–Wallis test of the distance from the Orloj across the three café types. Group medians and pairwise comparisons are in Tables 24 and 25.

n	Missing	H	df	p	Levene p
188	1	4.81	2	.090	.652

[**Your words:** $H(df)$ and the exact p. Say whether the pairwise comparisons should be read at all, given this result (they are in Appendix D). Comment on how much can be said about international chains with so few of them.]




Figure 4. Distance from the Orloj in km by café type. Grey points are individual cafés, and the blue points and bars are the medians with bootstrapped 95% confidence intervals (5,000 resamples, seed 123). Group sizes are in Table 24.

3.5 A5: International chains and Prague 1

Is an international chain more likely to be in Prague 1 than other café types, and if so, by how many percentage points?
H_0: the share of cafés in Prague 1 is the same for international chains and other café types.
H_1: the share of cafés in Prague 1 is higher for international chains than for other café types (one-tailed, fixed in advance).

Table 6. Counts and row percentages of cafés in Prague 1 by café type.

Cafe type	In Prague 1	Elsewhere	Total	Percent in Prague 1
International chain	6	3	9	66.67
Other cafe type	58	121	179	32.40

Table 7. Fisher's exact test of international chains and Prague 1. The difference is in percentage points (international chains minus the rest). The intervals are two-sided, and the p-value is one-tailed and was fixed in advance.

N	Missing	Difference (pp)	CI lower (pp)	CI upper (pp)	Odds ratio	OR lower	OR upper	p (one-tailed)	Smallest expected	Cramer's V
188	1	34.26	2.71	65.82	4.14	0.85	26.47	.043	3.06	0.15

[**Your words:** Counts and percentages, the difference in percentage points with its interval, the smallest expected count and why it leads to Fisher's test, Cramér's V, then the odds ratio with its interval and the one-tailed p. The percentage-point interval and the odds-ratio interval may tell different stories: explain which you trust and why, given how few international chains there are.]




Figure 5. Percent of cafés located in Prague 1 for international chains and other café types, with 95% confidence intervals and the underlying counts.

3.6 A6: Number of ratings and distance

Is the number of Google ratings correlated with the distance from the Orloj, and if so, in which direction and how strongly?
H_0: the population correlation between the number of ratings and distance equals 0. H_1: it is not 0 (two-tailed, fixed in advance).

Table 8. Spearman correlation between the number of Google ratings and the distance from the Orloj, with a bootstrapped 95% confidence interval (5,000 resamples, seed 123).

n	Missing	Spearman rho	CI lower	CI upper	rho squared	S	p
187	2	-0.33	-0.46	-0.19	0.11	1453526.34	<.001

[**Your words:** ρ with its interval and n, the share of shared variance, the exact p. Direction and strength in plain words. Do not suggest a cause.]

3.7 A7: Ratings per km

By how many ratings does the number of Google ratings change per km from the Orloj?
H_0: the slope of the number of ratings on distance equals 0 ratings per km. H_1: the slope is not 0 (two-tailed, fixed in advance).

Table 9. Linear regression of the number of Google ratings on the distance from the Orloj in km, with robust (HC3) standard errors and 95% confidence intervals.

Model	Term	Estimate	Robust SE	CI lower	CI upper	t	p	n	R squared	Breusch-Pagan p
Simple	(Intercept)	1624.59	359.02	920.93	2328.26	4.53	<.001	187	0.04	.189
Simple	distance_km	-327.14	112.91	-548.43	-105.84	-2.90	.004	187	0.04	.189




Figure 6. Number of Google ratings plus one (log scale) against the distance from the Orloj in km. Each point is one café. The title gives Spearman's ρ and its bootstrapped 95% confidence interval. The sample size is in Table 8.

[Your words: The slope in ratings per km with its robust interval, R^2, the exact p. What the residual plots show (Figure 15). Name the influential cafés (Table 18) and say how the slope changes without them (Table 19). Is a straight line in raw ratings a good description of these data?]

3.8 A8: Accounting for seats inside

Does the link between distance from the Orloj and the number of ratings hold once you account for the number of seats inside, and if so, how much of it remains?
H_0: holding seats inside constant, the slope of the number of ratings on distance equals 0. H_1: holding seats inside constant, the slope is not 0 (two-tailed, fixed in advance).

Table 10. Regressions of the number of Google ratings with and without seats inside, on the same cafés, with robust (HC3) standard errors and 95% confidence intervals.

Model	Term	Estimate	Robust SE	CI lower	CI upper	t	p	n	R squared	Breusch-Pagan p
Without seats	(Intercept)	1624.59	359.02	920.93	2328.26	4.53	<.001	187	0.04	.189
Without seats	distance_km	-327.14	112.91	-548.43	-105.84	-2.90	.004	187	0.04	.189
With seats	(Intercept)	354.90	738.69	-1092.92	1802.71	0.48	.631	187	0.33	<.001
With seats	distance_km	-229.29	91.52	-408.67	-49.91	-2.51	.013	187	0.33	<.001
With seats	seats_inside	38.34	28.04	-16.61	93.29	1.37	.173	187	0.33	<.001

Table 11. Slope of distance in ratings per km before and after adding seats inside, the percent of the slope that remains, the nested F-test for adding seats, and the variance inflation factor of distance.

Slope without seats	Slope with seats	Percent remaining	F	df1	df2	p	VIF
-327.14	-229.29	70.09	78.11	1	184	<.001	1.01




Figure 7. Number of Google ratings against the distance from the Orloj in km. Each point is one café, and the blue line is the regression line with its 95% confidence band. The sample size is in Table 9.

[**Your words:** The slope before and after, how much remains, and whether it is still different from zero. The nested *F*-test and the variance inflation factor. Compare what the *F*-test and the robust *t*-test say about seats, and explain why they could differ (Table 21 and Figure 16 will help).]

3.9 A9: East and west of the Orloj

Does the relationship between distance from the Orloj and the number of ratings differ between cafés east and west of the Orloj, and if so, how?
H_0: the slope of the number of ratings on distance is the same east and west of the Orloj (the interaction is 0). H_1: the slope differs between east and west (two-tailed, fixed in advance).

Table 12. Regression of the number of Google ratings on distance, side of the Orloj (1 = east) and their interaction, with robust (HC3) standard errors and 95% confidence intervals.

Model	Term	Estimate	Robust SE	CI lower	CI upper	t	p	n	R squared	Breusch-Pagan p
Interaction	(Intercept)	2240.54	850.39	573.81	3907.27	2.63	.009	187	0.06	.129
Interaction	distance_km	-683.92	357.82	-1385.24	17.40	-1.91	.058	187	0.06	.129
Interaction	is_east	-983.21	867.55	-2683.58	717.17	-1.13	.259	187	0.06	.129
Interaction	distance_km:is_east	477.34	361.57	-231.32	1186.00	1.32	.188	187	0.06	.129

Table 13. Slope of distance in ratings per km on each side of the Orloj, calculated from the coefficients in Table 12.

Side	Slope (ratings per km)
West of the Orloj	-683.92
East of the Orloj	-206.58

[**Your words:** The interaction coefficient with its interval and exact *p*, and the slope on each




Figure 8. Slope of distance in ratings per km, without and with seats inside in the model, with robust 95% confidence intervals. The dashed line marks no association. The cafés behind each slope are shown in Figure 17.

side. Explain in words what the interaction term means. If it is not significant, write that there is no evidence of a difference, not that there is no difference.]

3.10 A10: Probability of an above-median number of ratings

Does the probability that a café has an above-median number of ratings change with each additional km away from the Orloj, and if so, by how many percentage points?
H_0: the probability of an above-median number of ratings does not change with distance (the coefficient is 0). H_1: the probability changes with distance (the coefficient is not 0; two-tailed, fixed in advance).

Table 14. Logistic regression of having an above-median number of Google ratings on the distance from the Orloj. The marginal effect is the average change in probability per km, in percentage points, with its 95% confidence interval.

n	Missing	Log-odds per km	Odds ratio per km	Marginal effect (pp per km)	CI lower (pp)	CI upper (pp)	z	p
187	2	-0.59	0.55	-13.15	-18.02	-8.29	-5.30	<.001

[**Your words:** How the outcome was defined (the median computed in code, a café exactly on the median counts as not above it). The average marginal effect in percentage points per km with its interval as the headline, the odds ratio only as a check, and *n*.]

4. Discussion

[**Your words:** What the results together say about where Prague cafes are and how busy they are, in this sample. Discuss at least: a convenience sample collected by students, observational data so no causal claims, cafés in the same district are not independent and how that affects




Figure 9. Number of Google ratings against the distance from the Orloj in km, by side of the Orloj. Each point is one café, and the lines are regression lines with 95% confidence bands. The sample size is in Table 12.

every test that assumes independence, and the influence of a few very popular cafés. Say what a reader should and should not conclude.]

5. Conclusion

[**Your words:** A short conclusion that answers the question of this chapter of the story.]




Figure 10. Probability of an above-median number of Google ratings against the distance from the Orloj in km. Grey points are individual cafés at 1 (above the median) or 0, moved slightly apart vertically so that they can be seen. The blue curve is the fitted logistic curve with its 95% confidence band. The sample size is in Table 14.

A. Descriptive statistics

Table 15. Descriptive statistics of the numeric variables used, overall and for each group compared. CI is the 95% confidence interval of the mean. Distances are in km.

Variable - group	n	Missing	Mean	CI lower	CI upper	SD	Median	IQR	Min	Max
Distance (km) - All cafes	189	0	1.94	1.75	2.13	1.32	1.73	1.66	0.09	8.08
Distance (km) - Not a roastery	167	0	1.89	1.69	2.10	1.34	1.64	1.71	0.09	8.08
Distance (km) - Roastery	22	0	2.34	1.84	2.83	1.12	2.17	1.22	0.88	4.43
Distance (km) - Local Chain	48	0	2.21	1.77	2.65	1.51	2.02	1.73	0.12	8.08
Distance (km) - International Chain	9	0	1.29	0.30	2.29	1.29	0.58	1.84	0.39	4.01
Distance (km) - Independent	131	0	1.89	1.68	2.11	1.24	1.64	1.58	0.09	5.43
Distance (km) - East	127	0	2.31	2.07	2.55	1.36	2.12	1.33	0.09	8.08
Distance (km) - West	62	0	1.20	0.98	1.41	0.85	1.06	0.67	0.17	4.02
Number of ratings - All cafes	187	2	986.16	685.21	1287.11	2086.08	446.00	830.00	0.00	23951.00
Number of ratings - East	127	0	780.64	620.18	941.10	913.76	387.00	947.00	0.00	5146.00
Number of ratings - West	60	2	1421.18	539.36	2303.01	3413.58	475.50	781.50	45.00	23951.00
Seats inside - All cafes	188	1	27.99	23.78	32.20	29.25	22.00	17.00	0.00	260.00
East-west minus north-south - All cafes	189	0	0.42	0.28	0.56	0.97	0.28	1.47	-1.32	3.07

Table 16. Counts and percentages of the categorical variables used. NA marks missing values.

Variable	Category	n	Percent
Cafe type	Independent	131	69.31
Cafe type	International Chain	9	4.76
Cafe type	Local Chain	48	25.40
Cafe type		1	0.53
District	Prague 1	64	33.86
District	Prague 10	4	2.12
District	Prague 11	1	0.53
District	Prague 2	18	9.52
District	Prague 3	12	6.35
District	Prague 5	19	10.05
District	Prague 7	31	16.40
District	Prague 8	35	18.52
District	Prague 9	5	2.65
Roastery (1 = yes)	0	167	88.36
Roastery (1 = yes)	1	22	11.64
Prague 1 (1 = yes)	0	125	66.14
Prague 1 (1 = yes)	1	64	33.86
International chain (1 = yes)	0	179	94.71
International chain (1 = yes)	1	9	4.76
International chain (1 = yes)		1	0.53
East of the Orloj (1 = yes)	0	62	32.80
East of the Orloj (1 = yes)	1	127	67.20
Above-median ratings (1 = yes)	0	94	49.74
Above-median ratings (1 = yes)	1	93	49.21
Above-median ratings (1 = yes)		2	1.06

B. Distributions and normality

[**Your words:** What the plots and checks showed: skewness, outliers and the shape within each group. Confirm from the histograms and Q–Q plots that the conclusions in Table 17 hold, in particular for roasteries, whose skewness is very close to the limit. State which test follows for each question.]

Table 17. Decision table. A variable or group counts as roughly normal if its absolute skewness is below 0.5. The central limit theorem counts as applying if there are at least 30 cafés and the absolute skewness of 5,000 bootstrapped means (seed 123) is below 0.5. A parametric test is justified if either holds.

Variable - group	n	Skewness	Skewness of bootstrapped means	Looks normal	CLT applies	Conclusion
Distance (km) - All cafes	189	1.13	0.08	No	Yes	Parametric
Distance (km) - Not a roastery	167	1.22	0.09	No	Yes	Parametric
Distance (km) - Roastery	22	0.53	0.07	No	No	Non-parametric
Distance (km) - Local Chain	48	1.44	0.19	No	Yes	Parametric
Distance (km) - International Chain	9	0.98	0.41	No	No	Non-parametric
Distance (km) - Independent	131	0.83	0.05	No	Yes	Parametric
Distance (km) - East	127	0.94	0.07	No	Yes	Parametric
Distance (km) - West	62	1.41	0.20	No	Yes	Parametric
Number of ratings - All cafes	187	7.83	0.62	No	No	Non-parametric
Number of ratings - East	127	2.12	0.21	No	Yes	Parametric
Number of ratings - West	60	5.14	0.59	No	No	Non-parametric
Seats inside - All cafes	188	4.39	0.40	No	Yes	Parametric
East-west minus north-south - All cafes	189	0.41	0.06	Yes	Yes	Parametric




Figure 11. Histograms of each numeric variable, overall and for each group compared.




Figure 12. Boxplots of each numeric variable, with the groups compared side by side.




Figure 13. Normal Q–Q plots of each numeric variable, overall and for each group compared. Points on the red line match a normal distribution.




Figure 14. Distribution of 5,000 bootstrapped means (seed 123) of each numeric variable, overall and for each group compared.

C. Regression diagnostics

[**Your words:** What the residual and Q–Q plots show for A7 to A9, which cafés are influential, and whether each conclusion survives without them.]

Table 18. The five cafés with the largest Cook's distance in A7.

Sheet row	Cafe	Number of ratings	Distance (km)	Cook's distance
10	Cafe Louvre	23951	0.58	0.69
11	Cafe Slavia	9395	0.79	0.07
48	Cafe Savoy	8249	1.18	0.04
118	Kavárna Creperié	241	8.08	0.03
103	cafe cafe	4520	0.28	0.02

Table 19. Slope of distance in A7 with all cafés and without those whose Cook's distance is above $4/n$.

Sample	Slope (ratings per km)	n
All cafes	-327.14	187
Without influential cafes	-196.65	183




Figure 15. Diagnostic plots of the regression in A7: residuals against fitted values, normal Q–Q plot, scale–location and residuals against leverage.

Table 20. The five cafés with the largest Cook's distance in A8.

Sheet row	Cafe	Number of ratings	Distance (km)	Cook's distance
10	Cafe Louvre	23951	0.58	8.53
26	VNITROBLOCK	1987	2.63	5.73
11	Cafe Slavia	9395	0.79	0.17
3	Starbucks Reserve	1738	0.50	0.08
48	Cafe Savoy	8249	1.18	0.04

Table 21. Slope of distance in A8 with all cafés and without those whose Cook's distance is above $4/n$.

Sample	Slope of distance (ratings per km)	n
All cafes	-229.29	187
Without influential cafes	-159.40	182




Figure 16. Diagnostic plots of the regression in A8: residuals against fitted values, normal Q–Q plot, scale–location and residuals against leverage.




Figure 17. Added-variable plots for A8: the number of ratings against each predictor, holding the other predictor constant. Each point is one café.

Table 22. The five cafés with the largest Cook's distance in A9.

Sheet row	Cafe	Number of ratings	Distance (km)	Cook's distance
10	Cafe Louvre	23951	0.58	0.78
11	Cafe Slavia	9395	0.79	0.08
48	Cafe Savoy	8249	1.18	0.05
103	cafe cafe	4520	0.28	0.02
115	Bistro Quido	46	0.25	0.01

Table 23. Interaction in A9 with all cafés and without those whose Cook's distance is above $4/n$.

Sample	Interaction (ratings per km)	n
All cafes	477.34	187
Without influential cafes	69.49	184




Figure 18. Diagnostic plots of the regression in A9: residuals against fitted values, normal Q–Q plot, scale–location and residuals against leverage.

D. Post hoc tables

Table 24. Median distance from the Orloj by café type, with bootstrapped 95% confidence intervals (5,000 resamples, seed 123).

Cafe type	n	Median (km)	CI lower (km)	CI upper (km)
Independent	131	1.64	1.36	1.91
Local Chain	48	2.02	1.64	2.44
International Chain	9	0.58	0.42	2.36

Table 25. Pairwise comparisons of café types. The difference is in medians with a bootstrapped 95% confidence interval, and z and the adjusted p-value come from Dunn's test with Holm's adjustment.

Comparison	Median difference (km)	CI lower (km)	CI upper (km)	z	Holm-adjusted p
Local Chain minus Independent	0.37	-0.15	0.89	1.24	.213
International Chain minus Independent	-1.06	-1.41	0.77	-1.63	.208
International Chain minus Local Chain	-1.44	-1.94	0.56	-2.12	.102

E. Reproducibility

Run in this order from the repository root: `analysis/01_cleaning.R`, `analysis/02_descriptive.R`, `analysis/03_analysis.R`. Software: R 4.6.1 with the packages dplyr, ggplot2, xtable, rstatix, car, lmtest, sandwich and marginaleffects. All bootstrap procedures use 5,000 resamples and seed 123. The random sideways spread of the points in the figures uses seed 1100.
Repository: [link to your GitHub repository]