



REV	REVISION DESCRIPTION	BY	DATE	ECO •
	INITIAL RELEASE, REPLACES 777073-668; MODEL REVISED TO REDUCE WEIGHT; 8X C-SINK HOLES WERE 4X; REMOVED 4X C-BORE HOLES FOR SHLD SCREWS; REMOVED 2X .125 WIDE SLOTS THRU; 2X TAP DRILL THRU WAS 4X TAP DRILL THRU; VIEW B-B DIM 2.56 WAS 2.608; 3.12 WAS 3.078; 3.56 WAS 3.608; 4.12 WAS 4,078; 2X 6.44 WAS 2X 6.403; 2X .49 WAS 2X 528; REMOVED POWDER COAT FINISH AND MASKING INSTRUCTIONS	КМК	96′ ₍₉ ′ _{©∂}	्र १०२३। ०३
A	ADDED 2X .19 WIDE SLOTS; ADDED NOTES 3,4 & 5; SHEET #3 DIM. 2X .050 +.010 WAS +.005 VIEW 8-8 DIMENSIONS 1.54 WAS 1.59; 1.621 WAS 1.686; 5.066 WAS 5.056; 5.17 WAS 5.16; RELEASE AT ALPHA REV	КМК	10- _{27/03}	ESTESO138



CHAM .06 X 45" ALL AROUND


.55

.06 —



CaridianBCT Ida RADIOMETER SIDE #2, WIDE APERTURE HSG. ----0.0020 | 25RM5 UNIGRAPHICS DI: 1 See DE OW: KLIMEK OF 777073-683 A 7/3

AB SEE SHT. 3




REV REVISION DESCRIPTION BY DATE ECO .

11-17-08

408

TOTAL STATE TO STATE THE STATE OF THE STATE



-.000 -.000

SECTION C-C

