



- 1. BREAK ALL SHARP EDGES AND CORNERS.
- 2. INDICATES FEATURE/DIMENSION TO BE CHECKED AT INCOMING INSPECTION.
- 9. PART TO BE POWDER COAT FINISHED WITH CARDINAL INDUSTRIAL FINISH: SEMI GLOSS BLACK *TOOZ-BKOB. PRETREAT PART PER CARDINAL TECHNICAL DATA SHEET FOR ALUMINUM.

NOTED FEATURES TO BE MASKED FROM POWDER COAT.

INCOMPLETE POWDER COAT COVERAGE IS ALLOWED FOR NOTED FEATURES.




REV	REVISION DESCRIPTION	BY	DATE	ECO +
1	INITIAL RELEASE, REPLACES 777073-667; MODEL REVISED TO REDUCE WEIGHT; 9X C-5INK HOLES WERE 4X; REMOVED 4X #8-32 HOLES FOR SHLD SCREWS; REMOVED 2X .125 WIDE SLOTS THRU; SECTION F-F DIM .90 WAS .98; VIEW A-A DIM 2.56 WAS 2.608; 3.12 WAS 3.078; 3.56 WAS 3.608; 4.12 WAS 4.078; 2X 6.44 WAS 2X 6.403; 2X .49 WAS 2X .528; REMOVED POWDB COAT FINISH AND MASKING INSTRUCTIONS		OBY (B) OB	ВСТОZЭ103
٨	ADDED .08 HIGH SOUARE BOSS: ADDED 2X .19 WIDE SLOTS; ADDED NOTES 3.4 & 5: SHEET #3 SECTION C-C DIM. 2X .050 +.010 WAS +.000 VIEW A-A DIMENSIONS .984 WAS I.024; 1.359 VIEW A-A DIMENSIONS .984 WAS I.024; 1.359 S.066 WAS 5.056; 5.17 WAS 5.16; RELEASE AT ALPHA REV	кмк	10 ² 27/ ₀₈	801023723



11-17-08

	THESE DANDINGS AND SPECIFICATIONS AND DALL HOT DE REPORTAGES, I SALE OF REPORTAGE STITLES WELL	ME THE PROPERTY OF CONTRIBUTION CO. CONTRIBUTION OF CONTRIBUTION CO. THE PROPERTY OF CONTRIBUTION (NC.		1081) Gettina Amerika Lahamand, Enterpris 20215-4440
	TOLERANCES MO STUDIO DEL PER MOST TIA DEL DESP DIRECTORIO SPECIFICIO ME	DISEMBLE SECTION	CaridianBCT	NET.
i	.xx 0.004 MAGLES .xx 0.010 ±1 * .xx 10.005 SAFY, FINISH .xx xx 0.0000 125RMS		RADIOMETER WIDE APER	R SIDE #1, TURE HSG.
UNIGRAPHICS	D 1: 1 SALE OF	DRAFE KLIMEK DOPATE	777073-6	82 🏗 17/5



R. FULL

3.47

