

NOTES

1. V INDICATES FEATURE/DIMENSION TO BE CHECKED AT INCOMING INSPECTION.

2. FINISH: NICOTEF PLATING BY NIMET INDUSTRY, NIZODO, 0.0127 mm THICK.

Ф Ø0.05@ A B@


SECTION A-A


1 INSPECTION FOR PERPENDICULARITY NOT NEEDED.

| 1 | REV | REVISION DESCRIPTION | ĐΥ | DATE | ECO # |
|---|-----|---------------------------------------------------------------------------|------|-----------------------|-----------|
| | Α | INITIAL RELEASE | ALD. | OR (mg/ _{OR} | BCT016724 |
| ı | В | ADD 0.10 RADIUS TO 2.972 DIA INSIDE CORNER REMOVE GDAT ON CROSS HOLE, | ראאם | 11/22/06 | BCT018335 |
| 1 | С | | | | BCT019863 |
| | D | COPRECTED TYPO. 5.800 TOLERANCE WAS +.030/+.050 . CHANGED TO +.030/050 | BSE | 2741/08 | BCT022960 |

ALLOW

FOR PLATING





DETAIL B

9-9-08 408

| | | | Manager Control of Con | CaridianBCT |
|--------------------------------------------|------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| 10.04 10.04 .20.04 .20.00 .224 | CI.O exa.x | EFF. PINISH | STAINLESS STEEL | SHAFT, SPRING RF VALVE |
| UNIGRAPHICS | NONE | 95, E347# | DANJ COLTE | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ |

