Introduction

Reporting.REST API

Version: v1

Host: localhost:9000

Scheme: http

Table of contents

1. Definitions

- **1.1.** IPagedList[CredentialSet]
- 1.2. CredentialSet

2. Security

2.2. oauth2 (oauth2)

3. Paths

- **3.1.** get /api/v1/reports/design/{reportId}/credentialsets
- 3.2. get /api/v1/languages
- 3.3. get /api/v1/reports/released/public
- **3.4.** get /api/v1/reports/released/system
- 3.5. get /api/v1/reports/released/private
- **3.6.** get /api/v1/reports/released/{areaType}/{reportId}/outputFormats
- **3.7.** get /api/v1/reports/released/{areaType}/{reportId}/stylesheets
- **3.8.** get /api/v1/reports/released/{areaType}/{reportId}/credentialsets
- **3.9.** get /api/v1/reports/released/{areaType}/{reportId}/parameters
- **3.10.** get /api/v1/reports/released/privateareas
- **3.11.** get /api/v1/reports/released/privateareas/{userName}
- **3.12.** get /api/v1/reports/released/private/{userName}
- 3.13. get /api/testing
- 3.14. get /api/values

1. Definitions

1.1. IPagedList[CredentialSet]

Name	Туре	Description	Required
pageNumber	integer	Gets the page number	Yes
pageSize	integer	Gets the size of the page	Yes
totalItemCount	integer	Gets the total item count	Yes
totalPages	integer	Gets the total page count	Yes
hasPreviousPage	boolean	Gets a value indicating whether this instance has previous page	Yes
hasNextPage	boolean	Gets a value indicating whether this instance has next page	Yes
items	array	See CredentialSet in the Definitions section.	Yes

1.2. CredentialSet

Name	Туре	Description	Required
code	string	Gets or sets the code of the Credential Set	Yes
name	string	Gets or sets the name of the Credential Set	Yes
id	integer	Gets or sets the identifier. The property value is missing/null in Private Credential Sets	No

2. Security

2.2. oauth2 (oauth2)

Description client credentials grant flow

Flow application

Scopes Reporting.REST API Try out Reporting.REST API

3. Paths

3.3 get /api/v1/reports/design/{reportId}/credentialsets										
Summary	Gets the appl	Gets the applicable Credential Sets for the given report id								
Description										
Operation Id	DesignReports	DesignReports_CredentialSets								
Produces	application/js	on text	/json							
Consumes										
Parameters	Name	In	Description	Required	Туре	Format	Collection Format	Default	Min	Max
	reportId	path	The report identifier.	Yes	integer	int32				
	pageNumber	query	The page number.	No	integer	int32				
	pageSize	query	Size of the	No	integer	int32				

Tags DesignReports

Security oauth2 ()

Responses code description

200 OK

See ${\bf IPagedList[CredentialSet]}$ in the ${\bf Definitions}$ section.

Name	Туре	Required
pageNumber	integer	Yes
pageSize	integer	Yes
totalItemCount	integer	Yes
totalPages	integer	Yes
hasPreviousPage	boolean	Yes
hasNextPage	boolean	Yes
items	array	Yes

3.4 get /api/v1/languages

Summary	
---------	--

Description	
Operation Id	Languages_Languages
Produces	application/json text/json

Consumes

Parameters	Name	In	Description	Required	Туре	Format	Collection Format	Default	Min	Max
	pageNumber	auerv		No	integer	int32				

pageSize query No integer int32

Languages

Security oauth2 ()

Responses code description

200 OK

Schema type object

Other schema item:[object Object]

3.5 get /api/v1/reports/released/public

Summary

Tags

Description

 Operation Id
 ReleasedReports_Public

 Produces
 application/json text/json

Consumes

Parameters

Name In Description Required Type Format

Collection Format

Default Min Max

pageNumber query No integer int32
pageSize query No integer int32

Tags ReleasedReports

Security oauth2 ()

Responses code description

200 OK

Schema type object

Other schema item:[object Object]

3.6 get /api/v1/reports/released/system

Summary

Description

 Operation Id
 ReleasedReports_System

 Produces
 application/json text/json

Consumes

pageNumber query No integer int32
pageSize query No integer int32

pagesize query no integer inte

Tags ReleasedReports

Security oauth2 ()

Responses

code description

200 OK

Schema type object

Other schema item:[object Object]

3.7 get /api/v1/reports/released/private

Description

Operation Id

ReleasedReports_Private

Produces

application/json text/json

Consumes

Parameters

Name	In	Description	Required	Туре	Format	Collection Format	Default	Min	Max
pageNumber	query		No	integer	int32				
pageSize	auerv		No	integer	int32				

Tags ReleasedReports

Security

oauth2 ()

Responses

code description

200 OK

Schema type object

Other schema item:[object Object]

3.8 get /api/v1/reports/released/{areaType}/{reportId}/outputFormats

Summary

Description	
Operation Id	ReleasedReports_ReportOutputFormats
Produces	application/json text/json

Consumes

Parameters

Name	In	Description	Required	Туре	Format	Collection Format	Default	Min	Max
areaType	path		Yes	string					
reportId	path		Yes	integer	int64				
pageNumber	query		No	integer	int32				
pageSize	query		No	integer	int32				

Tags ReleasedReports

Security oauth2 ()

Responses code description

200 OK

Schema type object

Other schema item:[object Object]

Sı	um	m	ary
----	----	---	-----

Description

Operation Id ReleasedReports_Stylesheets

Produces application/json text/json

Consumes

Parameters

Name	In	Description	Required	Туре	Format	Collection Format	Default	Min	Max
areaType	path		Yes	string					
reportId	path		Yes	integer	int64				
pageNumber	query		No	integer	int32				
pageSize	query		No	integer	int32				

Tags Released Reports

Security oauth2 ()

Responses description code

> OK 200

> > Schema type object

Other schema item:[object Object]

CII	m	m	21	~
эu	Ш	m	aı	У

Description	
Operation Id	ReleasedReports_CredentialSets
Produces	application/ison text/ison

Consumes

Parameters	Name	In	Description	Required	Туре	Format	Collection Format	Default	Min	Max
	areaType	path		Yes	string					
	reportId	path		Yes	integer	int32				
	pageNumber	query		No	integer	int32				
	pageSize	query		No	integer	int32				

Tags Released Reports

Security oauth2 ()

Responses code description

> 200 OK

Schema type object

Other schema item:[object Object]

3.11 get /api/v1/reports/released/{areaType}/{reportId}/parameters

Su	mm	ary
----	----	-----

 Description

 Operation Id
 ReleasedReports_GetTemplateParameters

 Produces
 application/json text/json

Consumes

Parameters

Name	In	Description	Required	Туре	Format	Collection Format	Default	Min	Max
areaType	path		Yes	string					
reportId	path		Yes	integer	int64				
pageNumber	query		No	integer	int32				
pageSize	query		No	integer	int32				

Tags ReleasedReports

Security oauth2 ()

Responses code description

200 OK

Schema type object

Other schema item:[object Object]

3.12 get /api/v1/reports/released/privateareas

Summa	arv

Description	
Operation Id	ReleasedReports_GetPrivateAreas
Produces	application/json text/json

Consumes

Parameters	Name	In	Description	Required	Туре	Format	Collection Format	Default	Min	Max
	pageNumber	query		No	integer	int32				
	pageSize	query		No	integer	int32				

Tags ReleasedReports

Security oauth2 ()

Responses code description

200 OK

Schema type object

Other schema item:[object Object]

3.13 get /api/v1/reports/released/privateareas/{userName}

ς	п	m	m	าล	rv	,
_	u			Iu	ıу	

 Description

 Operation Id
 ReleasedReports_GetPrivateAreasOfUser

Produces application/json text/json

Consumes

Parameters Collection Name Default Min Max In Description Required Type **Format Format** userName path Yes string pageNumber query No integer int32 integer int32 pageSize No query

Tags ReleasedReports

Security oauth2 ()

Responses code description

200 OK

Schema type object

Other schema item:[object Object]

3.14 get /api/v1/reports/released/private/{userName}

Summary

Description

Operation Id ReleasedReports_PrivateOfUser

Produces application/json text/json

Consumes

Parameters

Name In Description Required Type Format

Collection Format

Default Min Max

 userName
 path
 Yes
 string

 pageNumber
 query
 No
 integer int32

 pageSize
 query
 No
 integer int32

Tags ReleasedReports

Security oauth2 ()

Responses code description

200 OK

Schema type object

Other schema item:[object Object]

Summary							
Description							
Operation Id	Test_Get						
Produces	application/json	text/json					
Consumes							
Parameters	Name In D	escription Requ	uired Type	Format	Collection Format	Default	Min Max
	key query	Yes	string	uuid			
Tags	Test						
Security	oauth2 ()						
Responses	code	description					
	200	OK					
		Schema type	object				

3.16 get /api/values

Summary

Description

Operation Id Values_Get

Produces application/json text/json

Consumes

Parameters no parameters

Tags Values

Responses

code description

200 OK

Schema type object

Other schema item:[object Object]

Other schema item:[object Object]