

Product Definition & Design Goals

This is an implementation blueprint, not a marketing deck.

CORE PROBLEM

People want to manage spending, tasks, and plans, but abandon tracking because opening menus and filling forms creates too much friction.

PRODUCT ANSWER

Open the app, speak naturally, and let the system classify, validate, and store expenses, income, tasks, events, notes, and completions.

PRODUCT PROMISE

Never make the user organize life for the app. The app organizes life for the user.

01	02	03	04	05
Capture in 3-5 seconds	Automation + Undo	Ask only when ambiguous	Same Android + iPhone experience	Local-first + selective AI

Core User Experience

The user speaks naturally; the app structures, validates, and executes.



Do not ask again for known information

Minimize conversational friction

Auto-save only when required fields are valid

Do not trust an AI confidence number alone

Show the result immediately


User must know what was stored

Every automation must be reversible


Undo is part of the core experience

Information Architecture & Screen Map

Keep the screen count low and make primary actions always reachable.



PRIMARY NAVIGATION



Settings and Search stay available from Home and global actions; they do not need permanent bottom-tab positions.

GLOBAL ACTIONS



Home Screen Specification

Home is a capture surface first, dashboard second.



LAYOUT RULES

Mic is the visual priority

Primary capture action

Today is secondary

Do not turn Home into analytics


Result appears inline

Avoid navigation after capture

Manual entry always available


Voice is primary, not exclusive

HOME STATES



First Run & Settings

Ask only what is needed in the first minute; defer everything else.



DEFAULTS

Save mode	Voice	Assistant	Audio retention
Fast auto-save + Undo	Tap mic to start	Medium intervention	Off

DO NOT ASK ON FIRST RUN

Forced account creation · Category taxonomy · Cloud sync setup · Long tutorial · Every permission at once

Voice Input Pipeline

Speech-to-text is only the beginning; the critical layer is validated action generation.



VALIDATOR CHECKS

01	Required fields present	02	Date/time resolvable	03	Intent matches schema	04	Duplicate risk
05	Dangerous action scope	06	Permission available	07	Offline capability		

RULE

The AI never writes directly to the database. It proposes actions; the application validates and executes them.

AI Behavior Rules

Act when clear, ask only when ambiguous, confirm destructive changes.

AUTO

Clear required fields; low-risk action

“오늘 점심 7천원”

Expense: 7,000 / Food / Today

ASK

Missing field blocks execution

“내일 저녁 민수 만나. 한 시간 전에 알려줘.”

Ask: What exact time?

CONFIRM

Destructive or broad change

“지난달 일정 전부 삭제해줘.”

Confirm scope before execution

FOLLOW-UP CORRECTION

“아니 9천원이야”

Edit most recent matching transaction

“방금 거 지워줘”

Undo/delete most recent action

“장소는 강남역”

Attach location to recent event

Multi-intent & Conversation Context

One sentence may create multiple actions; follow-ups attach to recent context.

I spent 8,000 on lunch, meet Minsu at 7, remind me an hour before.

Expense

-8,000

Event

Minsu · 19:00

Reminder

18:00

CONVERSATION CONTEXT

User Meet Minsu tomorrow at 7.

App Created event: tomorrow 19:00.

User Remind me an hour before.

App Linked 18:00 reminder to the recent event.

Domain Model

Task, Event, Note, and Transaction stay simple in the UI but distinct internally.

TASK	EVENT	NOTE	TRANSACTION
No fixed time	Specific time	Thought/reference	Expense/income
No fixed time	Specific time	Thought/reference	Expense/income

TASK VS EVENT

	TASK	EVENT
Time	Optional	Usually required
Reminder	Optional	Time-based
Calendar	Not shown by default	Shown by default
Completion	Manual check	Time + status
Overdue	Task remains open	Event becomes past

Data Model & Fields

Use a minimal but extensible schema so future features do not require a database rewrite.

Transaction

id
type
amount
category
memo
occurred_at
input_method
raw_input
created_at
updated_at
deleted_at

Task

id
title
due_date?
status
completed_at?
source_action_id
created_at
updated_at

Event

id
title
start_at
end_at?
location?
status
created_at
updated_at

Note

id
content
tags?
created_at
updated_at

Reminder

id
target_type
target_id
fire_at
status
delivery_mode

ActionLog


id
raw_input
proposal_json
validation_result
execution_result
created_at

MIGRATION RULES

Use soft delete where recovery matters; every entity includes created/updated timestamps; schema changes must use migrations.

Reminders & Time Handling

Treat time ambiguity, permissions, time zones, and exact delivery as explicit states.



TIME INTERPRETATION

“7시”	Need AM/PM context or locale
“저녁”	Store fuzzy part of day
“한 시간 전”	Relative to linked Event
“다음 주 금요일”	Resolve by locale/time zone

PLATFORM RULE

Notification capability must be checked at creation time; if delivery cannot be guaranteed, tell the user immediately.

Failure Recovery & Offline

Never lose user input and never hide a failed action.

Mic permission denied	Switch to manual input
STT fails	Keep raw/draft and retry
AI parser fails	Ask clarification
Offline	Queue locally
DB write fails	Do not show success
Reminder permission off	Guide to settings

NON-NEGOTIABLE

Never say “completed” when the action actually failed. Surface failure, preserve the input, and provide a recovery path.

Privacy, Security & Data Ownership

Collect the minimum and let users export and delete their data.

- 01

Minimize

Collect only necessary data
- 02

Local first

Store core records locally
- 03

Contextual permission

Ask when feature is used
- 04

Audio off by default

Do not retain raw voice
- 05

Export/Delete

User controls data lifecycle

DATA EXPORT

CSV/JSON export for transactions, tasks, events, notes and action logs; user-triggered full deletion must remove synced copies too.

Personal Assistant & Personalization

Be helpful only when useful; learn from repeated corrections.

Minimal	Standard	Proactive
Only on request	Default; important changes	More suggestions

PERSONALIZATION SIGNALS

Category correction	Convenience store → Food
Repeated completion	Gym → Workout complete
Reminder preference	Usually 30 min before
Dismissed suggestions	Reduce similar prompts

GUARDRAIL

Personalization may suggest defaults, but must never silently perform destructive actions based only on learned behavior.

Search, Analysis & Reports

Stored data becomes valuable when the user can retrieve and understand it.

How much did I spend on food this month?	Aggregate current-month Food transactions.
What did I leave unfinished this week?	Open tasks due in the current week.
When did I meet Minsu last week?	Search events and notes by entity and date range.
What category did I spend the most on?	Aggregate and rank transaction categories.

REPORTS

Daily summary · Weekly review · Spending trend · Missed task pattern · Upcoming load

RULE

Analysis should explain useful patterns without shaming or nagging the user.

Screen-level Acceptance Criteria

Define measurable completion criteria for each core screen.

Home	Mic reachable in one tap; manual add visible; today summary loads
Voice	Live transcript shown; stop/cancel; no silent failure
Result	Shows exactly what was saved; edit and undo available
Money	Add/edit/delete income & expense; category optional fallback
Task/Event	Manual and voice completion; reminder linkage
History	Chronological timeline; search/filter; soft-deleted hidden

QA & Edge Cases

Test ambiguity, duplication, permissions, and failure more than happy paths.

- 01

Speech recognized incorrectly
- 02

Duplicate utterance within seconds
- 03

Same reminder created twice
- 04

Ambiguous relative date
- 05

Past time entered for today
- 06

Task completion matches multiple candidates
- 07

App killed before reminder fires
- 08

Permission revoked after setup
- 09

Timezone changes while traveling
- 10

Offline then reconnect
- 11

DB migration from old version
- 12

AI returns malformed JSON

RELEASE BLOCKERS

Data loss · false success · missed critical reminders without warning · destructive action without confirmation

MVP & Expansion Roadmap

Ship only what reduces friction, then expand after validation.


MVP	Phase 2	Phase 3
• Voice/manual capture • Transactions • Task/Event • Reminder • Completion • History • Edit/Undo • Offline core	• Recurring tasks • Habits • Calendar integration • Cloud backup • Cross-device sync	• Personalization • Natural-language search • Weekly AI report • Smart reminder suggestions

BUILD ORDER




Android + iPhone Architecture

Share one codebase while isolating platform-specific behavior behind adapters.



LAYERING



WHY

Platform-specific behavior changes more often than domain rules. Keep it isolated so iOS or Android changes do not force a product-wide rewrite.

Release, Cost & Operations

Design for AI cost, store-policy changes, and reliable long-term operation.

AI cost	Use local rules for simple commands; call AI only when language is complex
Store policy	Re-check requirements before every release
Analytics	Track capture success, correction rate, reminder reliability
Crash & logs	Redact personal content in diagnostics
Monetization	Keep core capture free if possible; charge for costly AI/cloud features

NORTH STAR

Can a user capture what happened or what they need to do, correctly, in a few seconds, without learning the app?