

ODRE PQC

Release-Nachweise

ODRE PQC 0.3.1 RC1 · Release 63

Verifizierter Umfang, Authority, Vertrauensgrenze, Plattformen, FULL AUM und gemessene Leistung.

September 2026 · Technische Basis Release 63

Final verdict

Authority	Verified state
Final Customer Delivery	Release 63 · g269 · 6/6 OS PASS
Active Production	Current 60 · Previous 59 · COMMITTED · Health PASS
Policy	Generation 1080 · Consumer Pin SYNCED
FULL AUM	g270 · A-R isolated PASS · destructive Production test NOT RUN BY POLICY
Field	Value
CUSTOMER_DELIVERY_TECHNICAL_PASS	YES
OFFICIAL_SUPPORTED_OS_6_OF_6	PASS
NEGATIVE_GATE	18/18 PASS
RELEASE_GENERATION	63
EVIDENCE_LOST	false

Artifact identification

Artifact	SHA-256
Release 63 Product	1DCBE23F217B3C4ABC6878E5FE9942BB1F9F33D4D8267E3A12F61DEA3FA8FE C6
Final Delivery ZIP	766616EC9B85D0D16C971CF5D24C3CDB14F5FD135CBBCB8CC2AC54740A2325 10
g269 Evidence	D2DC7D01C767D013054CEF762E3CDDCFF917D32E58B14E65D97DA0E9F3A024 B7
g270 Evidence	92E0879EA1A256CAE23CD7A41AD09DBD8639E3AC581FF3E55B97D7BA5AB10A 2E

Release lineage

Release	State
59	Previous Production
60	Current Production · floor 60 · policy 1080
61	Immutable successor
62	Immutable successor
63	Final Customer Delivery

Package completeness

Gate	Result
Required Core / Commercial artifacts	PASS
Filename/version/SHA	PASS
Installer binding	PASS
Clean install and actual import/load	PASS
install(app) and protected request	PASS
Missing/tampered artifact reject	PASS
Final ZIP seal	PASS

Official six-OS receipt

OS	Result	Receipt SHA-256
Windows Server 2022	PASS	5E390E2062034FDE03BFA304D6A64EEAA191F79CB292E0EA913086CF5CB30489
Ubuntu 22.04	PASS	2E19C70F2992A1FA520E757DFC64A2FDB78DDEDBAB4E6AA4F943954D7B6E627D
Ubuntu 24.04	PASS	4AFBB78E6AB65D7D9389FA2B337C7E7350828AD69D827011CA399BAB226BC1B4
Debian 12	PASS	2597605241A07F53282EE0CEE6E5EF101919E178AAD00CBC06FF7FEBB2060293
Rocky Linux 9.8	PASS	701244BC819DA109AA190621F83EC91C36C5EDC0129041D80509F9AA952070AE
AlmaLinux 9.8	PASS	EBDBA21B870BD33032C26420669FC3F313890F45548B3369EB974C9E8FEB8563

Negative Gate 18/18

Category	Expected result
ZIP/SHA tamper	REJECTED_PRE_APPLY
CMS/signature failure	Production change 0
Manifest/inventory mismatch	reject
Policy/pin mismatch	fail-closed; partial apply 0
Native/Core/protected failure	COMMIT forbidden
Duplicate/lower/incomplete candidate	apply 0
Insufficient capacity	PRE-SWITCH reject

Preserved FAIL history

Erhaltener Erstfehler	Ursache und minimale Korrektur	Retest
Windows 25s TCG timeout	Approved 120s startup harness	PASS
Ubuntu22 source-sidecar authority	Official Delivery preparation path	PASS
Linux evidence dict serialization	Harness-only correction	PASS
Debian QEMU seed interface	Harness-only correction	PASS

FULL AUM A–L

Gate	Result
A	normal successor → COMMITTED
B–D	tamper/signature/inventory → pre-apply reject
E–F	policy mismatch/staging failure → current retained
G–H	health/protected failure → rollback or no commit
I	restart → journal recovery
J–K	duplicate/lower generation → apply 0/reject
L	Admin status matches lifecycle

FULL AUM M–R

Gate	Result
M	single writer; duplicate apply 0
N	partial copy; Production change 0
O	deterministic multiple-candidate ordering
P	partial status 0; journal recovery
Q	capacity failure; PRE-SWITCH reject
R	post-commit restart restores identical authority

Live Production

Field	Observed
Current / Previous	60 / 59
Product	0.3.1
Floor / Policy	60 / 1080
Consumer Pin	SYNCED
AUM / Health	COMMITTED / PASS
Native / Updater	Running / Auto
Health 8000 / 18443	HTTP 200 / HTTP 200
Admin	authenticated · dynamic · read-only PASS

Gemessene Performance

Historische g108-Messung auf Windows Server 2022, Loopback und Candidate-Build. Nicht auf Final Release 63 wiederholt; keine Generalisierung auf WAN oder Kundenhardware.

Test	Measured value
Environment	Windows Server 2022 build 20348 · AMD EPYC 9454P · 4 cores · 16 GiB · loopback
Protected 1W max stable mean	1,176.9337 RPS (range 1,163.8582–1,190.0091)
Baseline 1W max stable mean	3,442.9391 RPS (range 3,413.4320–3,472.4462)
Same concurrency 2	Baseline 3,442.9391 / Protected 1,104.7263 RPS · reduction 67.9133%
Latency c2 baseline → protected	p50 0.5468→1.7223 ms · p95 0.7238→2.2881 ms · p99 0.9382→2.6597 ms
Protected security	200,128 success / 200,128 handler · invariant failure 0 · plaintext HTTP 426 · fallback NONE
Protected 2W / 4W	NOT_MEASURED · single_worker_lease_unavailable fail-closed
Baseline scaling reference	2W 5,035.1443 RPS c8 · 4W 5,475.0515 RPS c32 · zero error

- Same business_handler, POST /secure/echo and serialization were used for Baseline and Protected.
- The 2W/4W protected values were not estimated or multiplied.
- These figures do not support a claim that PQC overhead is negligible.

Publication and preservation

Evidence	Result
g269 Drive	5 files upload/readback PASS
g270 Drive	5 files upload/readback PASS
Notion Master + RC1	append/readback PASS
Drive re-download SHA	NOT RUN BY POLICY
Preservation	Result
Production changed	NO
Release 63 changed	NO
Sealed Core changed	NO
g269 Evidence changed	NO
Evidence lost	NO

FINAL: CUSTOMER DELIVERY YES · 6/6 PASS · NEGATIVE 18/18 PASS · FULL AUM PASS WITH PRODUCTION DESTRUCTIVE TEST NOT RUN BY POLICY