Database Assignment Name: Tamanna Jahan Jerin Id: B_437

Create The University Table:

```
CREATE TABLE University (
StudentName VARCHAR(255) PRIMARY KEY,
UniversityName VARCHAR(255),
Department VARCHAR(255)
);
```

Insert The University Table:

$\leftarrow T$	→		\triangledown	StudentName	UniversityName	Department
	Edit	≩- Сору	Delete	Aushi	University of Tokyo	Electrical Engineering
	Ø Edit	≩ сору	Delete	Faria	North South University	Pharmacy
		≩ i Copy	Delete	Prema	MIST	Computer Science
		≩- Сору	Delete	Shreyash	Dhaka University	Computer Science
		≩ і Сору	Delete	Sifat	East West University	Mathematics
		≩ Copy	Delete	Tamanna	Brac University	Computer Science
	Ø Edit	≩ і Сору	Delete	Wania	United International University	Physics

Create BugResistance Table:

```
CREATE TABLE BugResistance (
StudentID INT PRIMARY KEY,
StudentName VARCHAR(150),
City VARCHAR(150),
ContactNo VARCHAR(13),
Email VARCHAR(50),
FOREIGN KEY (StudentName) REFERENCES University(StudentName)
);
```

<u>Insert Into BugResistance Table:</u>

INSERT INTO Bugresistance (StudentID, StudentName, City, ContactNo, Email) VALUES

```
(001, 'Aushi', 'Tokyo', '001-000-100', 'aushi001@example.com'), (002, 'Faria', 'Dhaka', '523-002-489', 'faria@gmail.com'), (003, 'Prema', 'Dhaka', '345-678-9012', 'prema0@example.com'), (004, 'Shreyash', 'Dhaka', '456-789-0123', 'diana.prince@example.com'), (005, 'Sifat', 'Gulshan', '567-890-1234', "), (006, 'Tamanna', 'Uttara', '678-901-2345', 'fiona.glenanne@example.com'), (007, 'Wania', 'Mirpur', '890-123-4567', ");
```

Table:

←T	_→		$\overline{}$	StudentID	StudentName	City	ContactNo	Email
		≩- Сору	Delete	1	Aushi	Tokyo	001-000-100	aushi001@example.com
		≩ сору	Delete	2	Faria	Dhaka	523-002-489	faria@gmail.com
		≩ сору	Delete	3	Prema	Dhaka	345-678-9012	prema0@example.com
		≩- Сору	Delete	4	Shreyash	Dhaka	456-789-0123	diana.prince@example.com
		≩- Сору	Delete	5	Sifat	Gulshan	567-890-1234	
		≩ Copy	Delete	6	Tamanna	Uttara	678-901-2345	fiona.glenanne@example.com
		≩ і Сору	Delete	7	Wania	Mirpur	890-123-4567	

INNER JOIN:

SELECT BugResistance.StudentID, University.StudentName, BugResistance.City FROM BugResistance INNER JOIN University
ON BugResistance.StudentName = University.StudentName;

Table:

StudentID	StudentName	City
1	Aushi	Tokyo
2	Faria	Dhaka
3	Prema	Dhaka
4	Shreyash	Dhaka
5	Sifat	Gulshan
6	Tamanna	Uttara
7	Wania	Mirpur

LEFT JOIN:

SELECT BugResistance.StudentID, University.StudentName, BugResistance.City FROM BugResistance LEFT JOIN University
ON BugResistance.StudentName = University.StudentName;

Table:

StudentID	StudentName	City
1	Aushi	Tokyo
2	Faria	Dhaka
3	Prema	Dhaka
4	Shreyash	Dhaka
5	Sifat	Gulshan
6	Tamanna	Uttara
7	Wania	Mirpur

RIGHT JOIN:

SELECT BugResistance.StudentID, University.StudentName, BugResistance.City FROM BugResistance RIGHT JOIN University
ON BugResistance.StudentName = University.StudentName;

Table:

StudentID	StudentName	City
1	Aushi	Tokyo
2	Faria	Dhaka
3	Prema	Dhaka
4	Shreyash	Dhaka
5	Sifat	Gulshan
6	Tamanna	Uttara
7	Wania	Mirpur

FULL OUTER JOIN:

SELECT BugResistance.StudentID, University.StudentName, BugResistance.City FROM BugResistance LEFT JOIN University

ON BugResistance.StudentName = University.StudentName UNION

SELECT BugResistance.StudentID, University.StudentName, BugResistance.City FROM BugResistance RIGHT JOIN University

ON BugResistance.StudentName = University.StudentName;

Table:

StudentID	StudentName	City
1	Aushi	Tokyo
2	Faria	Dhaka
3	Prema	Dhaka
4	Shreyash	Dhaka
5	Sifat	Gulshan
6	Tamanna	Uttara
7	Wania	Mirpur