

C01 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 256.2 | clogp: 3.969 | sa_score: 2.984 | qed: 0.6871



CSV row 100 | label 1 | atom 6:?




CSV row 101 | label 0 | atom 6:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C02 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.


MolWt: 300.7 | clogp: 2.201 | sa_score: 3.132 | qed: 0.9085



CSV row 379 | label 0 | atom 1:?



CSV row 380 | label 0 | atom 1:R




CSV row 381 | label 1 | atom 1:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C03 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 339.4 | clogp: 2.552 | sa_score: 3.344 | qed: 0.9171



CSV row 877 | label 0 | atom 5:S, atom 7:R




CSV row 878 | label 1 | atom 5:R, atom 7:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C04 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 344.5 | clogp: 4.529 | sa_score: 2.066 | qed: 0.676



CSV row 968 | label 0 | atom 3:s, atom 6:s




CSV row 969 | label 1 | atom 3:r, atom 6:r

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C05 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 377.5 | clogp: 3.947 | sa_score: 2.545 | qed: 0.6105



CSV row 1710 | label 0 | atom 1:R




CSV row 1716 | label 1 | atom 1:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C06 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.


MolWt: 378.5 | clogp: 4.205 | sa_score: 3.391 | qed: 0.8667



CSV row 1750 | label 1 | atom 13:R



CSV row 1751 | label 0 | atom 13:S




CSV row 1753 | label 1 | atom 13:?

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C07 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 384.5 | clogp: 2.727 | sa_score: 2.998 | qed: 0.758



CSV row 1912 | label 1 | atom 1:R




CSV row 1913 | label 0 | atom 1:?

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C08 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 393.4 | clogp: 2.26 | sa_score: 3.103 | qed: 0.4939



CSV row 2175 | label 1 | atom 14:r, atom 17:r




CSV row 2176 | label 0 | atom 14:s, atom 17:s

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C09 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 398.5 | clogp: 3.957 | sa_score: 2.633 | qed: 0.7009



CSV row 2335 | label 1 | atom 4:R




CSV row 2337 | label 0 | atom 4:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C10 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 399.5 | clogp: 2.799 | sa_score: 5.587 | qed: 0.6285



CSV row 2367 | label 0 | atom 2:S




CSV row 2368 | label 1 | atom 2:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C11 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 419 | clogp: 3.872 | sa_score: 3.042 | qed: 0.7371



CSV row 2949 | label 1 | atom 20:s, atom 24:s




CSV row 2950 | label 0 | atom 20:r, atom 24:r

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C12 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 439.5 | clogp: 3.677 | sa_score: 5.754 | qed: 0.5778



CSV row 3702 | label 1 | atom 2:R, atom 6:R




CSV row 3704 | label 0 | atom 2:S, atom 6:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C13 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 448.6 | clogp: 2.964 | sa_score: 3.98 | qed: 0.637



CSV row 3986 | label 0 | atom 5:R, atom 6:R, atom 10:S, atom 18:S, atom 21:R, atom 23:R




CSV row 3987 | label 1 | atom 5:S, atom 6:R, atom 10:S, atom 18:S, atom 21:R, atom 23:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C14 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 503.5 | clogp: 3.408 | sa_score: 3.022 | qed: 0.4602



CSV row 4264 | label 1 | atom 1:R




CSV row 4271 | label 0 | atom 1:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C15 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 503.5 | clogp: 3.408 | sa_score: 2.98 | qed: 0.4602



CSV row 4266 | label 1 | atom 1:R




CSV row 4272 | label 0 | atom 1:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C16 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 457.5 | clogp: 5.033 | sa_score: 3.004 | qed: 0.4161



CSV row 4273 | label 1 | atom 1:R




CSV row 4275 | label 0 | atom 1:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C17 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 463.5 | clogp: 3.526 | sa_score: 5.46 | qed: 0.4301



CSV row 4454 | label 0 | atom 28:S




CSV row 4456 | label 1 | atom 28:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C18 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 467.4 | clogp: 4.846 | sa_score: 3.497 | qed: 0.4375



CSV row 4602 | label 0 | atom 3:?




CSV row 4604 | label 1 | atom 3:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C19 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 475 | clogp: 4.858 | sa_score: 3.055 | qed: 0.3515



CSV row 4866 | label 0 | atom 3:R, atom 4:S




CSV row 4867 | label 1 | atom 3:S, atom 4:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C20 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 491.5 | clogp: 5.245 | sa_score: 2.817 | qed: 0.5473



CSV row 5389 | label 1 | atom 3:R




CSV row 5390 | label 0 | atom 3:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C21 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.


MolWt: 497.6 | clogp: 1.809 | sa_score: 4.357 | qed: 0.3822




CSV row 5573 | label 1 | atom 10:S, atom 12:R, atom 14:R, atom 17:S



CSV row 5574 | label 0 | atom 10:R, atom 12:S, atom 14:S, atom 17:R



CSV row 5575 | label 0 | atom 10:R, atom 12:S, atom 14:R, atom 17:S




CSV row 5577 | label 1 | atom 10:S, atom 12:R, atom 14:S, atom 17:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C22 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 507 | clogp: 3.193 | sa_score: 3.191 | qed: 0.4096



CSV row 5824 | label 0 | atom 33:R




CSV row 5827 | label 1 | atom 33:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C23 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 508 | clogp: 3.226 | sa_score: 3.2 | qed: 0.4093



CSV row 5861 | label 1 | atom 33:S




CSV row 5862 | label 0 | atom 33:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C24 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 545.6 | clogp: 8.212 | sa_score: 2.785 | qed: 0.2648



CSV row 6532 | label 1 | atom 22:s, atom 25:s




CSV row 6533 | label 0 | atom 22:r, atom 25:r

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C25 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 551.5 | clogp: 2.951 | sa_score: 5.176 | qed: 0.4366



CSV row 6621 | label 0 | atom 11:R, atom 16:S, atom 17:?, atom 20:?




CSV row 6622 | label 1 | atom 11:S, atom 16:R, atom 17:?, atom 20:?

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C26 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.


MolWt: 564.6 | clogp: 2.404 | sa_score: 5.19 | qed: 0.3546



CSV row 6762 | label 1 | atom 1:R, atom 4:S, atom 18:?, atom 21:?



CSV row 6763 | label 0 | atom 1:S, atom 4:S, atom 18:?, atom 21:?




CSV row 6764 | label 0 | atom 1:R, atom 4:R, atom 18:?, atom 21:?

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C27 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.


MolWt: 564.6 | clogp: 2.404 | sa_score: 5.214 | qed: 0.3733



CSV row 6765 | label 0 | atom 1:R, atom 5:S, atom 18:?, atom 21:?



CSV row 6766 | label 1 | atom 1:?, atom 5:?, atom 18:?, atom 21:?




CSV row 6767 | label 1 | atom 1:S, atom 5:R, atom 18:?, atom 21:?

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C28 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.


MolWt: 641.6 | clogp: 7.206 | sa_score: 3.546 | qed: 0.1882



CSV row 7189 | label 0 | atom 22:R



CSV row 7190 | label 0 | atom 22:?




CSV row 7191 | label 1 | atom 22:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C29 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 463.5 | clogp: 0.5983 | sa_score: 3.965 | qed: 0.5465



CSV row 7501 | label 0 | atom 10:S, atom 17:S




CSV row 7503 | label 1 | atom 10:R, atom 17:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C30 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 480.6 | clogp: 4.714 | sa_score: 4.26 | qed: 0.3605



CSV row 7576 | label 1 | atom 10:S, atom 12:S




CSV row 7577 | label 0 | atom 10:S, atom 12:R

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C31 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 366.5 | clogp: 3.615 | sa_score: 3.429 | qed: 0.6588



CSV row 7845 | label 1 | atom 1:S, atom 6:S




CSV row 7846 | label 0 | atom 1:R, atom 6:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C32 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 391.4 | clogp: 4.374 | sa_score: 3.224 | qed: 0.5282



CSV row 7925 | label 0 | atom 1:R




CSV row 7926 | label 1 | atom 1:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.


C33 | identical numeric inputs; preserved stereochemistry

CIP: R/S and r/s are distinct states; ? = unspecified. Label 1 = toxic, 0 = nontoxic.

MolWt: 460.5 | clogp: 4.494 | sa_score: 3.788 | qed: 0.5961



CSV row 8130 | label 0 | atom 4:?



CSV row 8131 | label 1 | atom 4:S

Atom indices are local to each input SMILES. These are 2D depictions, not calculated 3D conformers.