

National Coverage Determination (NCD)

Chemical Aversion Therapy for Treatment of Alcoholism

130.3

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Tracking Information

Publication Number

100-3

Manual Section Number

130.3

Manual Section Title

Chemical Aversion Therapy for Treatment of Alcoholism

Version Number

1

Effective Date of this Version

This is a longstanding national coverage determination. The effective date of this version has not been posted.

Description Information

Benefit Category

Outpatient Hospital Services Incident to a Physician's Service

Please Note: This may not be an exhaustive list of all applicable Medicare benefit categories for this item or service.

Item/Service Description

Chemical aversion therapy is a behavior modification technique that is used in the treatment of alcoholism. Chemical aversion therapy facilitates alcohol abstinence through the development of conditioned aversions to the taste, smell, and sight of alcohol beverages.

This is accomplished by repeatedly pairing alcohol with unpleasant symptoms (e.g., nausea)

which have been induced by one of several chemical agents. While a number of drugs have been employed in chemical aversion therapy, the three most commonly used are emetine, apomorphine, and lithium. None of the drugs being used, however, have yet been approved by the Food and Drug Administration specifically for use in chemical aversion therapy for alcoholism. Accordingly, when these drugs are being employed in conjunction with this therapy, patients undergoing this treatment need to be kept under medical observation.

Indications and Limitations of Coverage

Available evidence indicates that chemical aversion therapy may be an effective component of certain alcoholism treatment programs, particularly as part of multi-modality treatment programs which include other behavioral techniques and therapies, such as psychotherapy. Based on this evidence, the Centers for Medicare & Medicaid Services' medical consultants have recommended that chemical aversion therapy be covered under Medicare. However, since chemical aversion therapy is a demanding therapy which may not be appropriate for all Medicare beneficiaries needing treatment for alcoholism, a physician should certify to the appropriateness of chemical aversion therapy in the individual case. Therefore, if chemical aversion therapy for treatment of alcoholism is determined to be reasonable and necessary for an individual patient, it is covered under Medicare.

When it is medically necessary for a patient to receive chemical aversion therapy as a hospital inpatient, coverage for care in that setting is available. (See §130.1 regarding coverage of multi-modality treatment programs.) Follow-up treatments for chemical aversion therapy can generally be provided on an outpatient basis. Thus, where a patient is admitted as an inpatient for receipt of chemical aversion therapy, there must be documentation by the physician of the need in the individual case for the inpatient hospital admission.

Decisions regarding reasonableness and necessity of treatment and the need for an inpatient hospital level of care should be made by A/MACs based on accepted medical practice with the advice of their medical consultant. (In hospitals under Quality Improvement Organization (QIO) review, QIO determinations of medical necessity of services and appropriateness of the level of care at which services are provided are binding on A/MACs for purposes of adjudicating claims for payment.)

Additional Information

Other Versions

Title	Version	Effective Between	
Chemical Aversion Therapy for Treatment of Alcoholism	1	01/01/1966 - N/A	You are here