

National Coverage Determination (NCD)

Ultrasound Diagnostic Procedures

220.5

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Tracking Information

Publication Number

100-3

Manual Section Number

220.5

Manual Section Title

Ultrasound Diagnostic Procedures

Version Number

3

Effective Date of this Version

05/22/2007

Implementation Date

09/28/2007

Description Information

Benefit Category

Diagnostic Tests (other)
Inpatient Hospital Services
Physicians' Services

Please Note: This may not be an exhaustive list of all applicable Medicare benefit categories for this item or service.

Item/Service Description

A. General

Ultrasound diagnostic procedures utilizing low energy sound waves are being widely employed to determine the composition and contours of nearly all body tissues except bone and air-filled spaces. This technique permits noninvasive visualization of even the deepest structures in the body. The use of the ultrasound technique is sufficiently developed that it can be considered essential to good patient care in diagnosing a wide variety of conditions.

Ultrasound diagnostic procedures are listed below and are divided into two categories. Medicare coverage is extended to the procedures listed in Category I. Periodic claims review by the A/Medicare Administrative Contractor (A/MAC) medical consultants should be conducted to ensure that the techniques are medically appropriate and the general indications specified in these categories are met. Techniques in Category II are considered experimental and should not be covered at this time.

Indications and Limitations of Coverage

B. Nationally Covered Indications

Category I - (Clinically effective, usually part of initial patient evaluation, may be an adjunct to radiologic and nuclear medicine diagnostic technique)

- Echoencephalography, (Diencephalic Midline) (A-Mode).
- Echoencephalography, Complete (Diencephalic Midline and Ventricular Size).
- Ocular and Orbital Echography (A-Mode).
- Covered procedures include efforts to determine the suitability of aphakic patients for implantation of an artificial lens (pseudophakoi) following cataract surgery.
- Ocular and Orbital Sonography (B-Mode).
- Echocardiography, Pericardial Effusion (M-Mode).
- Pericardiocentesis, by Ultrasonic Guidance.
- Echocardiography, Cardiac Valve(s) (M-Mode).
- Echocardiography, Complete (M-Mode).
- Echocardiography, limited (e.g., follow-up or limited study) (M-Mode).
- Pleural Effusion Echography.
- Thoracentesis, by Ultrasonic Guidance.
- Abdominal Sonography, complete survey study (B-Scan).
- Abdominal Sonography, limited (e.g., follow-up or limited study) (B-Scan).
- Abdominal Sonography is not synonymous with ultrasound examination of individual organs.
- Renal Cyst Aspiration, by Ultrasonic Guidance.
- Renal Biopsy, by Ultrasonic Guidance.
- Pancreas Sonography (B-Scan).
- Pancreatic Sonography has proven effective in diagnosing pseudocysts.
- Spleen Sonography (B-Scan).

- Abdominal Aorta Echography (A-Mode).
- Abdominal Aorta Sonography (B-Scan).
- Retroperitoneal Sonography (B-Scan).
- Retroperitoneal Sonography does not include planning of fields for radiation therapy.
- Urinary Bladder Sonography (B-Scan).
- Urinary bladder Sonography does not include staging of bladder tumors.
- Pregnancy Diagnosis Sonography (B-Scan).
- Fetal Age Determination (Biparietal Diameter) Sonography (B-Scan).
- Fetal Growth Rate Sonography (B-Scan).
- Placenta Localization Sonography (B-Scan).
- Pregnancy Sonography, Complete (B-Scan).
- Molar Pregnancy Diagnosis Sonography (B-Scan).
- Ectopic Pregnancy Diagnosis Sonography (B-Scan).
- Passive Testing (Antepartum Monitoring of Fetal Heart Rate In the Resting Fetus).
- Intrauterine Contraceptive Device Sonography (B-Scan).
- Pelvic Mass Diagnosis Sonography (B-Scan).
- Amniocentesis, by Ultrasonic Guidance.
- Arterial Flow Study, Peripheral (Doppler).
- Venous Flow Study, Peripheral (Doppler).
- Arterial Aneurysm, Peripheral (B-Scan).
- Radiation Therapy Planning Sonography (B-Scan).
- Thyroid Echography (A-Mode).
- Thyroid Sonography (B-Scan).
- Breast Echography (A-Mode).
- Breast Sonography (B-Scan).
- Hepatic Sonography (B-Scan).
- Gallbladder Sonography.
- Renal Sonography.
- Two-Dimensional Echocardiography (B-Mode).
- Monitoring of cardiac output (Esophageal Doppler) for ventilated patients in the ICU and operative patients with a need for intra-operative fluid optimization

C. Nationally Non-Covered Indications

Category II - (Clinical reliability and efficacy not proven):

- B-Scan for atherosclerotic narrowing of peripheral arteries.

D. Other

Uses for ultrasound diagnostic procedures not listed in Category I or II above are left to local MAC discretion. In view of the rapid changes in the field of ultrasound diagnosis, uses for

ultrasound diagnostic procedures other than those listed under Categories I and II should be carefully reviewed before payment. Medical justification may be required.

(This NCD last reviewed June 2007.)

Cross Reference

Cross reference: [§20.17](#)

Claims Processing Instructions

[TN 2472 \(Medicare Claims Processing\)](#)

[TN 2743 \(Medicare Claims Processing\)](#)

Transmittal Information

Transmittal Number

76

Coverage Transmittal Link

<https://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/Downloads/R76NCD.pdf>

National Coverage Analyses (NCAs)

This NCD has been or is currently being reviewed under the National Coverage Determination process. The following are existing associations with NCAs, from the National Coverage Analyses database.

- [First reconsideration for Ultrasound Diagnostic Procedures \(CAG-00309R\)](#)

Additional Information

Other Versions

Title	Version	Effective Between	
Ultrasound Diagnostic Procedures	3	05/22/2007 - N/A	You are here

Title	Version	Effective Between	
Ultrasound Diagnostic Procedures	2	05/17/2007 - 05/22/2007	View
Ultrasound Diagnostic Procedures	1	01/01/1966 - 05/17/2007	View