

National Coverage Determination (NCD)

Infusion Pumps

280.14

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Tracking Information

Publication Number

100-3

Manual Section Number

280.14

Manual Section Title

Infusion Pumps

Version Number

1

Effective Date of this Version

01/01/2002

Ending Effective Date of this Version

12/17/2004

Implementation Date

01/01/2002

Description Information

Benefit Category

Durable Medical Equipment

Please Note: This may not be an exhaustive list of all applicable Medicare benefit categories for this item or service.

Indications and Limitations of Coverage

The following indications for treatment using infusion pumps are covered under Medicare:

A - External Infusion Pumps

1. Iron Poisoning - Effective for Services Performed On or After 9/26/84.

When used in the administration of deferoxamine for the treatment of acute iron poisoning and iron overload, only external infusion pumps are covered.

2. Thromboembolic Disease - Effective for Services Performed On or After 9/26/84.

When used in the administration of heparin for the treatment of thromboembolic disease and/or pulmonary embolism, only external infusion pumps used in an institutional setting are covered.

3. Chemotherapy for Liver Cancer - Effective for Services Performed On or After 1/29/85.

The external chemotherapy infusion pump is covered when used in the treatment of primary hepatocellular carcinoma or colorectal cancer where this disease is unresectable or where the patient refuses surgical excision of the tumor.

4. Morphine for Intractable Cancer Pain - Effective for Services Performed On or After 4/22/85.

Morphine infusion via an external infusion pump is covered when used in the treatment of intractable pain caused by cancer (in either an inpatient or outpatient setting, including a hospice).

5. Continuous Subcutaneous Insulin Infusion Pumps (CSII) - Effective for Services Performed On or After 4/1/2000.

An external infusion pump and related drugs/supplies are covered as medically necessary in the home setting in the following situation: Treatment of diabetes
In order to be covered, patients must meet criterion a or b:

Criterion a

The patient has completed a comprehensive diabetes education program, and has been on a program of multiple daily injections of insulin (i.e. at least 3 injections per day), with frequent self-adjustments of insulin dose for at least 6 months prior to initiation of the insulin pump, and has documented frequency of glucose self-testing an average of at least 4 times per day during the 2 months prior to initiation of the insulin pump, and meets one or more of the following criteria while on the multiple daily injection regimen:

1. Glycosylated hemoglobin level (HbA1c) >7.0 percent
2. History of recurring hypoglycemia
3. Wide fluctuations in blood glucose before mealtime
4. Dawn phenomenon with fasting blood sugars frequently exceeding 200 mg/dl
5. History of severe glycemic excursions

Criterion b

1. The patient with diabetes has been on a pump prior to enrollment in Medicare and has documented frequency of glucose self-testing an average of at least 4 times

per day during the month prior to Medicare enrollment.

Diabetes needs to be documented by a fasting C-peptide level that is less than or equal to 110 percent of the lower limit of normal of the laboratory's measurement method. Effective for Services Performed on or after January 1, 2002.

Continued coverage of the insulin pump would require that the patient has been seen and evaluated the treating physician at least every 3 months.

The pump must be ordered by and follow-up care of the patient must be managed by a physician who manages multiple patients with CSII and who works closely with a team including nurses, diabetes educators, and dietitians who are knowledgeable in the use of CSII.

6. Other Uses

Other uses of external infusion pumps are covered if the contractor's medical staff verifies the appropriateness of the therapy and of the prescribed pump for the individual patient.

NOTE: Payment may also be made for drugs necessary for the effective use of an external infusion pump as long as the drug being used with the pump is itself reasonable and necessary for the patient's treatment.

B - Implantable Infusion Pumps

1. Chemotherapy for Liver Cancer - Effective for Services Performed On or After 9/26/84.

The implantable infusion pump is covered for intra-arterial infusion of 5-FUdR for the treatment of liver cancer for patients with primary hepatocellular carcinoma or Duke's Class D colorectal cancer, in whom the metastases are limited to the liver, and where (1) the disease is unresectable or (2) where the patient refuses surgical excision of the tumor.

2. Anti-Spasmodic Drugs for Severe Spasticity

An implantable infusion pump is covered when used to administer anti-spasmodic drugs intrathecally (e.g., baclofen) to treat chronic intractable spasticity in patients who have proven unresponsive to less invasive medical therapy as determined by the following criteria:

- As indicated by at least a 6-week trial, the patient cannot be maintained on noninvasive methods of spasm control, such as oral anti-spasmodic drugs, either because these methods fail to control adequately the spasticity or produce intolerable side effects, and
- Prior to pump implantation, the patient must have responded favorably to a trial intrathecal dose of the anti-spasmodic drug.

3. Opioid Drugs for Treatment of Chronic Intractable Pain

An implantable infusion pump is covered when used to administer opioid drugs (e.g.,

morphine) intrathecally or epidurally for treatment of severe chronic intractable pain of malignant or nonmalignant origin in patients who have a life expectancy of at least 3 months and who have proven unresponsive to less invasive medical therapy as determined by the following criteria:

- The patient's history must indicate that he/she would not respond adequately to non-invasive methods of pain control, such as systemic opioids (including attempts to eliminate physical and behavioral abnormalities which may cause an exaggerated reaction to pain); and
- A preliminary trial of intraspinal opioid drug administration must be undertaken with a temporary intrathecal/epidural catheter to substantiate adequately acceptable pain relief and degree of side effects (including effects on the activities of daily living) and patient acceptance.

4. Coverage of Other Uses of Implanted Infusion Pumps

Determinations may be made on coverage of other uses of implanted infusion pumps if the contractor's medical staff verifies that:

- The drug is reasonable and necessary for the treatment of the individual patient;
- It is medically necessary that the drug be administered by an implanted infusion pump; and
- The FDA approved labelling for the pump must specify that the drug being administered and the purpose for which it is administered is an indicated use for the pump.

5. Implantation of Infusion Pump Is Contraindicated

The implantation of an infusion pump is contraindicated in the following patients:

- Patients with a known allergy or hypersensitivity to the drug being used (e.g., oral baclofen, morphine, etc.);
- Patients who have an infection;
- Patients whose body size is insufficient to support the weight and bulk of the device; and
- Patients with other implanted programmable devices since crosstalk between devices may inadvertently change the prescription.

NOTE: Payment may also be made for drugs necessary for the effective use of an implantable infusion pump as long as the drug being used with the pump is itself reasonable and necessary for the patient's treatment.

The following indications for treatment using infusion pumps are not covered under Medicare:

A - External Infusion Pumps

1. Vancomycin - Effective for Services Beginning On or After September 1, 1996.

Medicare coverage of vancomycin as a durable medical equipment infusion pump

benefit is not covered. There is insufficient evidence to support the necessity of using an external infusion pump, instead of a disposable elastomeric pump or the gravity drip method, to administer vancomycin in a safe and appropriate manner.

B - Implantable Infusion Pump

1. Thromboembolic Disease - Effective for Services Performed On or After 9/26/84.

According to the Public Health Service, there is insufficient published clinical data to support the safety and effectiveness of the heparin implantable pump. Therefore, the use of an implantable infusion pump for infusion of heparin in the treatment of recurrent thromboembolic disease is not covered.

2. Diabetes

Implanted infusion pumps for the infusion of insulin to treat diabetes is not covered. The data do not demonstrate that the pump provides effective administration of insulin.

Claims Processing Instructions

[TN 242 \(One Time Notification\)](#) 

Transmittal Information

Transmittal Number

143

Coverage Transmittal Link

<http://www.cms.gov/transmittals/downloads/R143CIM.pdf> 

Revision History

09/2001 - Revised C-peptide requirement to less than or equal to 110 percent of lower limit of normal of laboratory's measurement method. This change expanded value of laboratory test to be considered in determining coverage of insulin infusion pump for all diabetic patients. (Type II diabetics no longer excluded.) Effective and implementation dates 01/01/2002. ([TN 143](#) ) (CR 1814)

12/1999 - Revised noncovered policy to limited coverage for continuous subcutaneous insulin infusion pumps. Effective and implementation dates 04/01/2000. (TN 120) (CR 1010)

03/1997 - Specified that implantable infusion pumps for delivery of insulin to treat diabetes is not covered. Effective date 04/15/1997. (TN 93)

06/1996 - Excluded coverage of vancomycin used with an external infusion pump. Effective date 09/01/1996. (TN 86)

02/1994 - Provided coverage of implantable infusion pumps for use in treatment of spasticity and chronic intractable pain of malignant or nonmalignant origin, if specified patient selection criteria met. Effective date 03/04/1994. (TN 67)

03/1992 - Added pages as they were inadvertently omitted when manual was reprinted. Effective date NA. (TN 57)

National Coverage Analyses (NCAs)

This NCD has been or is currently being reviewed under the National Coverage Determination process. The following are existing associations with NCAs, from the National Coverage Analyses database.

- [Original Consideration for Insulin Infusion Pump \(CAG-00041N\)](#)
- [Original Consideration for Insulin Pump: C-Peptide Levels as a Criterion for Use \(CAG-00092N\)](#)
- [First reconsideration for Insulin Pump: C-Peptide Levels as a Criterion for Use \(CAG-00092R\)](#)

Additional Information

Other Versions

Title	Version	Effective Between	
Infusion Pumps	2	12/17/2004 - N/A	View
Infusion Pumps	1	01/01/2002 - 12/17/2004	You are here