MEOWNERO WHITEPAPER

The Future of Private Transactions, Meow With More Fur

Version 1.1 | January 2026 | Merge-Mined Edition

Abstract

Meownero (MEOW) is a privacy-focused cryptocurrency that combines the battle-tested cryptographic foundations of Monero with the community-driven spirit that made Dogecoin a household name. Just as Dogecoin took Litecoin's technical framework and added a lovable Shiba Inu, Meownero takes Monero's unparalleled privacy technology and wraps it in feline charm—**merge-mined with Monero for instant network security**.

This whitepaper details Meownero's technical architecture, privacy features, and its distinctive linear emission schedule—1 MEOW mined every 2 minutes, forever. Unlike cats, this coin actually comes when you call it.

---

1. Introduction

1.1 The Origin of Meme Coins

Dogecoin demonstrated that cryptocurrency doesn't need to take itself too seriously to achieve serious adoption. Released in 2014 as a fork of Litecoin with a Shiba Inu mascot, Dogecoin became one of the most recognized cryptocurrencies worldwide, proving that community engagement and approachability can be just as valuable as technical innovation.

However, Dogecoin—like its parent Litecoin and grandparent Bitcoin—operates on a transparent blockchain where transaction amounts, sender addresses, and recipient addresses are publicly visible. In an era of increasing surveillance and data harvesting, financial privacy has become not just a preference but a necessity.

1.2 Why Meownero?

Meownero answers a simple question: What if the most private cryptocurrency were also the most approachable?

We asked ourselves: Why should privacy be intimidating? Cats have kept secrets for thousands of years—where they go at night, what they're really thinking, why they knock things off tables. Meow it's time for a cryptocurrency that does the same.

Meownero inherits:

- **From Monero**: Ring signatures, stealth addresses, RingCT, and Kovri integration—the gold standard in blockchain privacy
- **From Dogecoin**: Community-first philosophy, accessible branding, and a simple linear emission schedule
- **Merge-mining**: **Instant security from day one by merge-mining with Monero's massive hashrate**

The result is a cryptocurrency where your transactions are as mysterious as a cat at 3 AM.

1.3 The Cat's Meow: Key Differentiators

Feature	Bitcoin	Dogecoin	Monero	Meownero
Privacy	Transparent	Transparent	Private	Private
Emission	Halving → 21M cap	Linear (10K/min)	Decreasing → tail	Linear (0.5/min)
Security Model	Solo mining	Solo mining	Solo mining	**Merge-mined w/ Monero**
Mascot	None	Doge	None	Cat 😸
Community Vibe	Serious	Fun	Technical	Purrfectly balanced

---

2. Privacy Technology Overview

Meownero implements the complete suite of Monero's privacy technologies. These features work together to ensure that all transaction details remain confidential—because what happens in the litter box stays in the litter box.

2.1 Ring Confidential Transactions (RingCT)

RingCT is a cryptographic technology that conceals the amount of MEOW being sent in any transaction. With most cryptocurrencies, transaction amounts are sent in

cleartext, visible to any observer. RingCT keeps this sensitive information private by allowing the sender to prove they have enough MEOW for a transaction without revealing the actual amount.

This is achieved through:

- **Cryptographic commitments**: The sender commits to an amount in a private way, revealing just enough for network validation
- **Range proofs**: Mathematical proofs ensuring committed amounts are positive and within valid bounds, preventing counterfeiting

When you send MEOW, you commit the amount privately, and the network can confirm legitimacy without learning the value. It's like a cat bringing you a "gift"—you know something happened, but you're not entirely sure what.

2.2 Stealth One-Time Addresses

All Meownero transactions utilize stealth addresses to protect recipient privacy. Rather than recording the recipient's wallet address on the blockchain, each transaction is sent to a unique, disposable one-time address.

How it works:

1. Your wallet's public address contains two public keys (view and spend keys)
2. When someone sends you MEOW, their wallet generates a unique one-time public key using your public keys plus random data
3. Only this stealth address appears on the blockchain
4. Your private keys can unlock funds sent to any stealth address generated from your public address

This means multiple payments to the same public address create completely unlinkable blockchain entries. Unlike dogs, Meownero doesn't follow you around everywhere you go.

2.3 Ring Signatures

Ring signatures protect the sender by obfuscating which output is actually being spent. When you send MEOW, your wallet:

1. Selects your actual output (the MEOW you're spending)
2. Semi-randomly selects several other past outputs from the blockchain as decoys
3. Creates a group signature that proves one of these outputs is being spent, without revealing which one

The network can verify that a valid output is being spent, but cannot determine whether any particular output is the real one or a decoy. All ring members are cryptographically indistinguishable.

Key Images: To prevent double-spending without revealing which output was spent, each transaction generates a unique key image. The network rejects any transaction attempting to reuse a key image, maintaining integrity while preserving privacy.

Meownero mandates a fixed ring size for all transactions, ensuring uniformity—because cats appreciate consistency (at least when it comes to feeding time).

2.4 Kovri: Network-Layer Privacy

While the blockchain privacy features protect transaction data, Kovri protects the network layer by concealing IP addresses and Meownero-related traffic.

Threats mitigated:

- Linking transactions to physical locations
- Identifying Meownero users through traffic analysis
- Censorship of transactions or miners based on geography
- ISP surveillance of cryptocurrency activity

Kovri is based on the Invisible Internet Project (I2P) specifications, creating a decentralized private network that prevents traffic analysis. Users may also employ Tor or reliable VPN services for similar protection.

---

3. The Meownero Network

3.1 Blockchain Fundamentals

The Meownero blockchain is a distributed ledger maintained by a peer-to-peer network of nodes. Each block contains:

- A set of validated transactions
- A cryptographic hash linking to the previous block
- A nonce proving computational work was performed

Blocks are created approximately every 2 minutes, with each block containing one or more transactions bundled from the memory pool.

Nodes are equal participants that:

- Store a complete copy of the blockchain
- Validate new transactions and blocks
- Relay data to peer nodes
- Provide blockchain access for wallets

3.2 Cryptographic Security

Hash Functions: Meownero uses cryptographic hash functions that produce a unique fixed-size output for any input. Even the smallest change to input data produces a completely different hash, making tampering immediately detectable.

Digital Signatures: Transactions are authorized using digital signatures derived from private keys. The network verifies signatures against public keys to confirm transaction authenticity without learning the private key.

Nonce-Based Proof of Work: Miners must find a nonce that produces a block hash meeting network difficulty requirements. This computational puzzle:

- Secures the network against attacks
- Provides fair distribution of new MEOW
- Creates an immutable transaction history

3.3 Merge-Mining with Monero

Meownero is merge-mined with Monero using the AuxPoW (Auxiliary Proof-of-Work) protocol. This innovative security model provides Meownero with instant, massive network security from genesis block.

How merge-mining works:

1. **Monero miners** solve their CryptoNight proof-of-work puzzle as normal
2. **Valid Monero blocks** automatically qualify as valid Meownero blocks through embedded AuxPoW data
3. **No additional computational work** required—Meownero gets the full security of Monero's hashrate (~2 GH/s as of 2026)
4. **Independent blockchains**—Meownero maintains its own chain, privacy features, and emission schedule

Benefits of merge-mining:

- **Instant security**: Meownero inherits Monero's established hashrate, preventing 51% attacks from day one
- **No wasted energy**: Same computation secures both networks
- **Economic security**: Attackers targeting Meownero would lose Monero rewards too
- **Rapid bootstrap**: No need to build mining ecosystem from scratch

Technical implementation:

```
Monero Block Header
├── Merkle Root
├── Timestamp
├── Nonce
└── AuxPoW (Meownero coinbase + Merkle proof)
    └── Meownero Block Header (independent)
```

Meownero blocks contain a **merge-mining tag** proving inclusion in a valid Monero block. Monero nodes validate AuxPoW submissions, providing distributed verification.

Cat-proof security: Like having Monero's entire mining army guarding your scratching post—attackers would need to defeat both networks simultaneously.

3.4 ASIC Resistance (Complementary)

While merge-mining provides primary security, Meownero's algorithm maintains ASIC resistance for **solo mining** fallback:

- Prevents hashrate centralization
- Preserves decentralization ethos
- Ensures merge-mining compatibility

---

4. Monetary Policy: The Linear Emission Schedule

4.1 Emission Philosophy

Meownero's monetary policy draws inspiration from Dogecoin's approach while maintaining Monero's technical excellence. The emission schedule is designed to be:

- **Simple**: Easy to understand and predict
- **Fair**: No pre-mine, no founder rewards, no special allocations
- **Sustainable**: Perpetual mining incentives ensure long-term network security
- **Deflationary in practice**: While supply grows infinitely, the inflation rate approaches zero asymptotically

Merge-mining compatibility: The 1 MEOW/block reward is distributed to the Monero miner's AuxPoW coinbase address, ensuring fair distribution through existing mining infrastructure.

4.2 The Emission Schedule

Meownero emits exactly 1 MEOW every 2 minutes, forever.

This translates to:

- **0.5 MEOW per minute**
- **30 MEOW per hour**
- **720 MEOW per day**
- **262,800 MEOW per year**
- **2,628,000 MEOW per decade**

Unlike Bitcoin's halving events or Monero's smoothly decreasing curve, Meownero's emission is perfectly linear—a straight line extending infinitely into the future. Cats may be unpredictable, but our emission schedule isn't.

4.3 Supply Projections

Timeframe	Total Supply	Annual Inflation Rate
Year 1	262,800 MEOW	N/A (genesis)
Year 2	525,600 MEOW	100%
Year 5	1,314,000 MEOW	25%
Year 10	2,628,000 MEOW	11.1%
Year 25	6,570,000 MEOW	4.2%
Year 50	13,140,000 MEOW	2.0%
Year 100	26,280,000 MEOW	1.0%
Year 1000	262,800,000 MEOW	0.1%

4.4 Economic Rationale

Perpetual Security Incentive: Unlike capped-supply cryptocurrencies that must eventually rely solely on transaction fees, Meownero guarantees miners will always receive block rewards. This ensures network security regardless of transaction volume.

Asymptotic Scarcity: While the supply is technically infinite, the inflation rate continuously decreases toward zero. After 100 years, annual inflation is just 1%—lower than most fiat currencies and many "deflationary" cryptocurrencies.

Lost Coin Compensation: Cryptocurrency is inevitably lost through forgotten passwords, hardware failures, and deceased holders. Perpetual emission helps offset these losses, maintaining practical circulating supply. Even cats lose things sometimes (usually under the couch).

Fair Distribution: Linear emission means no early participants receive outsized rewards through halving arbitrage. The emission rate is the same meow as it will be in 100 years.

---

5. Wallet Architecture

5.1 Key Generation

Meownero wallets derive all keys from a single **seed**—a random value that should be kept absolutely secret. From this seed, the wallet generates:

- **Private spend key**: Required to authorize spending your MEOW
- **Private view key**: Required to identify incoming transactions
- **Public spend key**: Derived from private spend key, used in address generation
- **Public view key**: Derived from private view key, used in address generation

Your **public address** is a 95-character string incorporating both public keys, which you share with others to receive payments.

5.2 Transaction Flow

Receiving MEOW:

1. You share your public address with the sender
2. Sender's wallet generates a one-time stealth address using your public keys
3. Transaction is broadcast and eventually mined into a block
4. Your wallet scans the blockchain, identifying outputs spendable by your private keys
5. Your balance updates to reflect the received MEOW

Sending MEOW:

1. Your wallet identifies unspent outputs you control
2. Wallet constructs a transaction using your outputs as inputs
3. Ring signature is created with decoy outputs
4. RingCT conceals the transaction amount
5. Stealth address is generated for the recipient
6. Transaction is signed with your private key and broadcast

5.3 Wallet Types

Full Node Wallet: Runs a complete Meownero node, storing and validating the entire blockchain locally. Maximum security and privacy, but requires significant disk space.

Remote Node Wallet: Connects to a remote node for blockchain data. More convenient for mobile devices, with slightly reduced privacy (the remote node learns your IP address and can see which transactions you query).

Hardware Wallet: Private keys stored on dedicated security hardware, never exposed to potentially compromised computers. Recommended for significant holdings.

6. Security Considerations

6.1 51% Attack Resistance

Like all proof-of-work cryptocurrencies, Meownero is theoretically vulnerable to 51% attacks if a single entity controls majority hashrate. However, **merge-mining with Monero provides exceptional protection**: an attacker would need to simultaneously control 51% of both Monero AND Meownero's combined hashrate, making such attacks economically infeasible.

Mitigations include:

- **Merge-mining security**: Inherited from Monero's ~2 GH/s hashrate
- **ASIC resistance**: Prevents mining centralization around specialized hardware
- **Distributed mining**: Community-focused approach encourages geographic and demographic diversity
- **Difficulty adjustment**: Algorithm adjusts to maintain consistent block times despite hashrate fluctuations

6.2 Privacy Attack Vectors

Timing Analysis: Sophisticated adversaries might attempt to correlate transaction timing with known activities. Mitigation: delayed broadcasting, Kovri integration.

Output Intersection: Statistical analysis of ring signature compositions over time. Mitigation: Increasing ring size, uniform ring sizes across all transactions.

Metadata Leakage: Exchange KYC requirements, merchant records, and other off-chain data. Mitigation: User education, privacy-preserving commerce tools.

6.3 Quantum Computing

Current cryptographic primitives may eventually be vulnerable to quantum computers. The Meownero community monitors developments in post-quantum cryptography and will implement upgrades as mature solutions emerge. We have nine lives to figure this out.

7. Governance and Development

7.1 Decentralized Governance

Meownero has no central authority, company, or foundation controlling development. Governance occurs through:

- **Rough consensus**: Major changes require broad community agreement
- **Open development**: All code is open source and publicly reviewable
- **Forum discussion**: Proposals are debated in public channels
- **Node voting**: Network upgrades require node operators to adopt new software

7.2 Scheduled Network Upgrades

Meownero conducts scheduled hard forks to implement improvements and maintain ASIC resistance. These upgrades are:

- Announced well in advance
- Thoroughly tested on testnets
- Implemented only with community consensus
- Backward-incompatible by design to ensure network unity

7.3 Funding Development

Development is funded through:

- **Community donations**: Voluntary contributions from users
- **Crowdfunding**: Specific proposals funded by community pledges
- **Volunteer contribution**: Many developers contribute without direct compensation

No portion of block rewards is allocated to developers, maintaining the fair emission principle.

8. Use Cases

8.1 Private Transactions

The primary use case for Meownero is conducting financial transactions without surveillance. This serves:

- **Individuals**: Personal financial privacy in an age of data harvesting
- **Businesses**: Protecting competitive information and customer data
- **Journalists**: Receiving tips and paying sources confidentially
- **Activists**: Operating in environments hostile to their causes
- **Anyone**: Who believes financial privacy is a fundamental right

8.2 Store of Value

With predictable emission and asymptotically decreasing inflation, Meownero can serve as a long-term store of value for those who prioritize:

- Privacy in their holdings
- Predictable monetary policy
- Decentralized, censorship-resistant storage

8.3 Medium of Exchange

Meownero's privacy features make it ideal for everyday transactions where users prefer not to create permanent, public records of their purchases. Like a cat, it comes and goes without leaving a trace.

---

9. Roadmap

Phase 1: Genesis (Meow) - Q1 2026

- Mainnet launch with merge-mining
- Monero pool integration (SupportXMR, MineXMR, etc.)
- Core wallet releases (CLI, GUI)
- Instant hashrate inheritance confirmed
- Community infrastructure

Phase 2: Growth

- Mobile wallet development
- Hardware wallet integration
- Merchant payment tools
- Exchange listings

Phase 3: Maturation

- Kovri integration
- Enhanced ring signature schemes
- Atomic swaps with other privacy coins
- Layer 2 scaling research

Phase 4: Evolution

- Post-quantum cryptography evaluation
- Continued protocol improvements
- Ecosystem expansion
- Because cats always land on their feet

---

10. Conclusion

Meownero represents the convergence of proven privacy technology with accessible, community-driven cryptocurrency culture. By combining Monero's cryptographic innovations with Dogecoin's approachable philosophy, simple emission model, and **merge-mining for instant security**, Meownero offers:

- **Uncompromising privacy**: RingCT, stealth addresses, ring signatures, and Kovri
- **Predictable economics**: 1 MEOW every 2 minutes, forever
- **True decentralization**: ASIC-resistant mining, no pre-mine, no founder rewards
- **Enterprise-grade security**: Merge-mined with Monero from genesis
- **Community focus**: Open development, accessible branding, welcoming culture

Financial privacy shouldn't require a PhD in cryptography. With Meownero, it just requires a love of cats—and let's be honest, the internet was built for that.

Welcome to Meownero. Privacy has never been this purrfect.

Technical Specifications Summary

Parameter	Value
Consensus	Proof of Work
Algorithm	CryptoNight (merge-mined w/ Monero)
Security Model	Merge-mining (AuxPoW)

Parameter	Value
Block Time	~2 minutes
Block Reward	1 MEOW
Emission	Linear, infinite
Annual Emission	262,800 MEOW
Pre-mine	None
Hashrate Security	Inherited from Monero (~2 GH/s)
Privacy Features	RingCT, Stealth Addresses, Ring Signatures, Kovri

References

1. Monero Community. "Mastering Monero: The Future of Private Transactions." First Edition, 2019.
2. Dogechain. "Dogechain Whitepaper V1.1." June 2022.
3. van Saberhagen, N. "CryptoNote v2.0." 2013.
4. Nakamoto, S. "Bitcoin: A Peer-to-Peer Electronic Cash System." 2008.
5. Maxwell, G. "Confidential Transactions." 2015.

Meownero: Monero's privacy + Dogecoin's charm + instant merge-mined security. The ultimate catnip for privacy coins.

😺