Assumption Reversal

Document five foundational assumptions underpinning the technical problem. Write their direct inversions. Select the most counter-intuitive inversion and draft two operational conditions under which it functions effectively.



SCHEMATIC

Reflection at position 1 of 16

IDE-01

Assumption Reversal

COGNITIVE MECHANISM

Reverses directional cognitive sets and disrupts normative schema reliance, forcing working memory to construct causal pathways from counterfactual preconditions.


SEED QUESTIONS

- What core assumption, if inverted, turns our primary operational bottleneck into our primary throughput mechanism?
- How would this system operate if clients were paid to consume system resources rather than paying for service access?
- What architectural opportunities emerge if output data is computed prior to the arrival of the input request?

The source names no originator.

Six Thinking Hats: White Hat (Empirical Telemetry)

Strip all qualitative adjectives, interpretations, and conjectures from the incident report. Isolate only raw numerical telemetry, hardware metrics, and deterministic error codes.



SCHEMATIC

Separation at position 2 of 16

IDE-02

Six Thinking Hats: White Hat (Empirical Telemetry)

COGNITIVE MECHANISM

Decouples sensory observation from emotional and interpretive cognition, inhibiting confirmation bias and anchoring heuristics.


SEED QUESTIONS

- What verified system telemetry exists versus what subjective hypotheses are being treated as empirical facts?
- If all diagnostic interpretations were discarded, what do the raw system event logs prove occurred?
- What missing instrumentation metric would immediately resolve the current architectural debate?

Source: Edward de Bono (1985). *Six Thinking Hats.* Little, Brown.

Six Thinking Hats: Red Hat (Unjustified Intuition)

Set a 60-second timer. Participants record their intuitive reaction regarding where the technical proposal will fail, prohibiting rationalization or analytical defense.



SCHEMATIC

Perspective at position 3 of 16

IDE-03

Six Thinking Hats: Red Hat (Unjustified Intuition)

COGNITIVE MECHANISM

Engages pre-attentive pattern matching and tacit expert knowledge without the operational friction of immediate analytical justification.


SEED QUESTIONS

- Instinctively, which architectural component feels brittle or unstable?
- What hidden operational friction in this workflow will drive an end user to abandon the process within three seconds?
- If forced to wager personal capital on this deployment failing, where does immediate intuition point?

Source: Edward de Bono (1985). *Six Thinking Hats.* Little, Brown.

Six Thinking Hats: Black Hat (Systematic Fault Injection)

Assume the platform has suffered an unrecoverable failure in production. Spend five minutes drafting the post-mortem root cause analysis, detailing the overlooked operational vulnerability.



SCHEMATIC

Perspective at position 4 of 16

IDE-04

Six Thinking Hats: Black Hat (Systematic Fault Injection)

COGNITIVE MECHANISM

Deploys defensive pessimism and systematic negative search, counteracting overconfidence heuristics and shared groupthink.


SEED QUESTIONS

- What catastrophic structural vulnerability is being dismissed to meet delivery deadlines?
- Under what simultaneous network and hardware degradation states does this architecture enter permanent deadlock?
- How could an adversary exploit our fallback recovery mechanisms to compromise data integrity?

Source: Edward de Bono (1985). *Six Thinking Hats.* Little, Brown.

Six Thinking Hats: Yellow Hat (Speculative Optimization)

Assume infrastructure, storage, and networking costs are zero. Identify three dormant value streams within the current architecture that could yield exponential returns.



SCHEMATIC

Perspective at position 5 of 16

IDE-05

Six Thinking Hats: Yellow Hat (Speculative Optimization)

COGNITIVE MECHANISM

Activates reward pathways and value-seeking networks, mitigating loss aversion and status-quo bias through systematic exploration of best-case dynamics.


SEED QUESTIONS

- What is the compounding systemic benefit if this feature scales by three orders of magnitude?
- How does an internal error-handling mechanism contain the foundation for an external platform?
- What latent, underutilized resource within our existing infrastructure can be converted into an operational asset?

Source: Edward de Bono (1985). *Six Thinking Hats.* Little, Brown.

Six Thinking Hats: Green Hat (Provocative Novelty)

Generate ten architectural variations that violate established engineering patterns within the problem domain. Practical feasibility is ignored; novelty is mandatory.



SCHEMATIC

Perspective at position 6 of 16

IDE-06

Six Thinking Hats: Green Hat (Provocative Novelty)

COGNITIVE MECHANISM

Promotes lateral divergence and conceptual jumping by suspending logical consistency checks and operational constraints.


SEED QUESTIONS

- What architectural pattern would emerge if conventional design best practices were treated as operational errors?
- If an alien biological mechanism were translated into this software subsystem, how would it process events?
- How can we resolve this architectural constraint by introducing an intentional, controlled imperfection?

Source: Edward de Bono (1985). *Six Thinking Hats.* Little, Brown.

Six Thinking Hats: Blue Hat (Metacognitive Orchestration)

Step back from technical problem solving. Chart the cognitive modalities deployed during the current meeting, identify analytical loops, and mandate the next thinking protocol.



SCHEMATIC

Perspective at position 7 of 16

IDE-07

Six Thinking Hats: Blue Hat (Metacognitive Orchestration)

COGNITIVE MECHANISM

Activates executive control and metacognitive monitoring, regulating cognitive switching between exploratory divergent and evaluative convergent modes.


SEED QUESTIONS

- Are we debating the engineering details of a problem whose underlying premise is invalid?
- Which cognitive perspective has been omitted during this architectural evaluation?
- What quantitative stopping criterion will terminate debate and initiate empirical testing?

Source: Edward de Bono (1985). *Six Thinking Hats.* Little, Brown.

Lateral Thinking Provocations: Escape Principle (Po)

Identify an indispensable system component. Declare: "Po: [Component] does not exist." Conceive two functional configurations that achieve the system's objective without that component.



SCHEMATIC

Reflection at position 8 of 16

IDE-08

Lateral Thinking Provocations: Escape Principle (Po)

COGNITIVE MECHANISM

Negates an axiomatic system property ("Po: Component X does not exist"), forcing working memory to construct alternative functional pathways.


SEED QUESTIONS

- Po: The web platform maintains no centralized database; where does authoritative state live?
- Po: The client hardware transmits zero data packets to the backend; how does coordination occur?
- Po: The software contains zero conditional branch statements; how is logic evaluated?

Source: Edward de Bono (1970). *Lateral Thinking: Creativity Step by Step.* Harper & Row.

Lateral Thinking Provocations: Stepping Stone (Po)

Articulate an absurd technical premise ("Po: The application must terminate every process after ten requests"). Derive two hardened architectural patterns from that premise.



SCHEMATIC

Provocation at position 9 of 16

IDE-09

Lateral Thinking Provocations: Stepping Stone (Po)

COGNITIVE MECHANISM

Employs an intentionally illogical or technically absurd intermediate construct as an unstable mental platform to access non-obvious, viable configurations.


SEED QUESTIONS

- What operational benefits occur if this absurd condition is made mandatory?
- If this extreme premise were non-negotiable, what defensive infrastructure would we engineer?
- What systemic fragility does this stepping-stone assertion make visible?

Source: Edward de Bono (1970). *Lateral Thinking: Creativity Step by Step.* Harper & Row.

SCAMPER: Substitute (S)

Select a core component of the software stack (e.g., protocol, serialization layer, authentication provider). Replace it with three mechanisms borrowed from distinct engineering domains.



SCHEMATIC

Substitution at position 10 of 16

IDE-10

SCAMPER: Substitute (S)

COGNITIVE MECHANISM

Breaks component-binding fixations by isolating functional interfaces and substituting alternative materials, actors, or protocols.


SEED QUESTIONS

- What protocol, runtime, or hardware layer can be substituted to eliminate this latency bottleneck?
- What happens if we substitute manual administrative approval with cryptographic validation?
- Can we substitute continuous operational polling with hardware interrupt mechanisms?

Source: Bob Eberle (1971). *SCAMPER: Games for Imagination Development.* D.O.K. Publishers.

SCAMPER: Combine (C)

Select two disconnected tools, services, or workflow phases. Merge their functional boundaries so that executing the first intrinsically finishes the second.



SCHEMATIC

Recombination at position 11 of 16

IDE-11

SCAMPER: Combine (C)

COGNITIVE MECHANISM

Drives cognitive bisociation by merging separate functional operational boundaries into an integrated structural entity.


SEED QUESTIONS

- Which two asynchronous data pipelines can be combined into a single atomic pass?
- How can system observability be merged directly into the core execution runtime?
- What independent data structures can be unified to eliminate serialization conversion costs?

Source: Bob Eberle (1971). *SCAMPER: Games for Imagination Development.* D.O.K. Publishers.

SCAMPER: Adapt (A)

Identify an external industry that manages identical dynamic forces (e.g., fluid dynamics, air-traffic logistics, forestry management). Adapt its primary structural mechanism to the problem.



SCHEMATIC

Mapping at position 12 of 16

IDE-12

SCAMPER: Adapt (A)

COGNITIVE MECHANISM

Leverages analogical mapping, transferring relational mechanisms from a foreign domain while ignoring superficial surface differences.


SEED QUESTIONS

- What non-software engineering discipline resolved this throughput balance decades ago?
- How does biological cellular mechanics handle this exact transport or routing constraint?
- How can an obsolete historical protocol be adapted to solve a modern distributed system problem?

Source: Bob Eberle (1971). *SCAMPER: Games for Imagination Development.* D.O.K. Publishers.

SCAMPER: Modify / Magnify / Minify (M)

Select a primary system parameter (payload volume, sync frequency, timeout limit). Scale it by a factor of 1,000x, then compress it to 1/1,000th. Design an architecture capable of operating at both boundaries.



SCHEMATIC

Scale shift at position 13 of 16

IDE-13

SCAMPER: Modify / Magnify / Minify (M)

COGNITIVE MECHANISM

Adjusts scale and parametric boundaries, provoking non-linear cognitive shifts by breaking baseline assumptions regarding size and throughput.


SEED QUESTIONS

- What happens if the data payload size is magnified to 100 gigabytes per event?
- What happens if operational turnaround must be compressed from 50 milliseconds to 50 nanoseconds?
- How must the system be architected if user lifespans are compressed to ten seconds or magnified to fifty years?

Source: Bob Eberle (1971). *SCAMPER: Games for Imagination Development.* D.O.K. Publishers.

SCAMPER: Put to Another Use (P)

Identify the primary waste byproduct, error log stream, or unused telemetry of your application. Devise two external use cases that treat this byproduct as their most valuable input.



SCHEMATIC

Separation at position 14 of 16

IDE-14

SCAMPER: Put to Another Use (P)

COGNITIVE MECHANISM

Overcomes functional fixedness by uncoupling a technical side effect or discarded artifact from its original context and identifying its latent utility.

SEED QUESTIONS

- What discarded operational metadata contains latent commercial or technical value?
- Who outside our core market would pay to access our real-time system performance telemetry?
- How can an internal regression-testing harness be repurposed as a customer-facing product feature?

Source: Bob Eberle (1971). *SCAMPER: Games for Imagination Development.* D.O.K. Publishers.

SCAMPER: Eliminate (E)

Delete 50% of your system's interaction steps, UI components, or architectural dependencies. Re-architect the remaining components to fulfill the core operational goal.



SCHEMATIC

Removal at position 15 of 16

IDE-15

SCAMPER: Eliminate (E)

COGNITIVE MECHANISM

Employs cognitive pruning, stripping secondary features, layers, and safeguards to expose fundamental system mechanics.

SEED QUESTIONS

- What subsystem, if deleted entirely, would improve system reliability and throughput?
- What user input fields are collected speculatively and can be eliminated to eliminate compliance liabilities?
- Can we eliminate the human interface layer entirely and deliver utility autonomously?

Source: Bob Eberle (1971). *SCAMPER: Games for Imagination Development.* D.O.K. Publishers.

SCAMPER: Reverse / Rearrange (R)

Write down the sequential execution stages of your product or computing pipeline. Invert the chronological order from last to first, and evaluate the architectural implications.



SCHEMATIC

Reflection at position 16 of 16

IDE-16

SCAMPER: Reverse / Rearrange (R)

COGNITIVE MECHANISM

Reverses temporal and causal sequences, disrupting standard workflow schemas and exposing structural dependencies.


SEED QUESTIONS

- What if user payment and resource consumption precede product discovery and configuration?
- What happens if downstream database indexing formats dictate upstream application logic?
- Can the client act as the authoritative storage tier while the central server acts merely as an ephemeral cache?

Source: Bob Eberle (1971). *SCAMPER: Games for Imagination Development.* D.O.K. Publishers.

Morphological Analysis (Fritz Zwicky)

Define three fundamental parameters along the vertical axis. Populate each with four orthogonal implementation variants. Randomly select one variant from each parameter to evaluate the resulting combination.



SCHEMATIC

Recombination at position 1 of 16

IDE-17

Morphological Analysis (Fritz Zwicky)

COGNITIVE MECHANISM

Exhaustive combinatorial parameter mapping. Overcomes cognitive availability limits by constructing an N-dimensional parameter space (Zwicky Box) to identify unexamined structural topologies.


SEED QUESTIONS

- What unpopulated cell intersection in our morphological parameter matrix represents a viable product?
- Which two parameters have we treated as coupled that are mathematically orthogonal?
- What architectural permutation was dismissed years ago because supporting infrastructure was unavailable?

Source: Fritz Zwicky (1969). *Discovery, Invention, Research Through the Morphological Approach.* Macmillan.

TRIZ Principle 1: Segmentation

Identify the largest monolithic component in your architecture. Deconstruct it into twenty autonomous units. Specify the messaging protocol that governs their coordination.



SCHEMATIC

Separation at position 2 of 16

IDE-18

TRIZ Principle 1: Segmentation

COGNITIVE MECHANISM

Structural discretization. Counters functional continuity bias by decomposing an integrated monolithic entity into independent, modular segments.

SEED QUESTIONS

- How can this single point of contention be segmented into parallel processing streams?
- What occurs if we segment this macro-payload into microscopic self-routing chunks?
- How can a continuous, long-running database transaction be divided into idempotent sub-steps?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 2: Extraction / Taking Out

Isolate the component that causes 90% of maintenance overhead, latency, or operational instability. Separate it completely from the core execution domain.



SCHEMATIC

Removal at position 3 of 16

IDE-19

TRIZ Principle 2: Extraction / Taking Out

COGNITIVE MECHANISM

Structural segregation. Isolates and extracts an interfering property or non-essential component from an object, preserving only its core functional elements.

SEED QUESTIONS

- What element of this architecture creates operational noise, and how can it be extracted?
- What core utility is the user consuming, and can every auxiliary layer be extracted?
- How can security and authorization checks be extracted outside the application execution loop?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 4: Asymmetry

Identify a balanced, symmetric interaction (such as synchronous request-response communication). Make one side 100x larger, faster, or structurally distinct relative to the other.



SCHEMATIC

Reflection at position 4 of 16

IDE-20

TRIZ Principle 4: Asymmetry

COGNITIVE MECHANISM

Symmetry-breaking reframing. Counters spatial and architectural uniformity biases by introducing deliberate asymmetry to satisfy conflicting operational demands.


SEED QUESTIONS

- Where does uniform architectural symmetry introduce operational inefficiency?
- Why are read and write operations routed through identical schemas when their traffic ratios are asymmetric?
- How can asymmetric data placement accelerate critical-path execution?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 10: Preliminary Action (Prior Action)

List three sequential operations required to serve an incoming client request. Re-architect two of them to execute during idle background cycles before the user triggers the workflow.



SCHEMATIC

Timing at position 5 of 16

IDE-21

TRIZ Principle 10: Preliminary Action (Prior Action)

COGNITIVE MECHANISM

Temporal proactive dispatch. Minimizes critical-path latency by performing resource-intensive operations in advance of requirement triggers.


SEED QUESTIONS

- What compute operations are running synchronously that could be executed hours in advance?
- How can client environments be pre-warmed with executable assets prior to user interaction?
- What data structures can be pre-compiled into immutable binary representations at build time?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 13: The Other Way Round (Inversion)

If a process moves an object through an environment, make the environment move around a stationary object. If processing pulls data from storage, push instructions to the data.



SCHEMATIC

Reflection at position 6 of 16

IDE-22

TRIZ Principle 13: The Other Way Round (Inversion)

COGNITIVE MECHANISM

Directional kinematic and operational inversion. Reverses the direction of movement, environmental forces, or control flows to uncover latent solutions.


SEED QUESTIONS

- Instead of transporting massive datasets to a central compute cluster, how can compute be brought to the storage nodes?
- Instead of training users to understand the software interface, how can the interface adapt to user behavior?
- How can the problem condition itself serve as the verification metric for the solution?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 15: Dynamicity / Dynamization

Identify an immutable configuration setting, static schema, or fixed hardware limit. Make it continuously variable, adjusting in real time to dynamic environmental loads.



SCHEMATIC

Scale shift at position 7 of 16

IDE-23

TRIZ Principle 15: Dynamicity / Dynamization

COGNITIVE MECHANISM

Structural fluidification. Overcomes mechanical rigidity bias by enabling static attributes to become adaptive and mutable in response to changing environments.


SEED QUESTIONS

- What static parameter in our infrastructure would unlock significant efficiency if made dynamically adaptive?
- How can this data schema restructure itself based on the queries executed against it?
- Can we decompose a static cluster footprint into transient, self-assembling compute nodes?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 16: Partial or Excessive Action

When achieving an exact outcome requires prohibitive compute or capital costs, design a system that delivers either 120% (excessive) or 95% (probabilistic) of the outcome.



SCHEMATIC

Scale shift at position 8 of 16

IDE-24

TRIZ Principle 16: Partial or Excessive Action

COGNITIVE MECHANISM

Precision boundary violation. Relieves cognitive traps that insist on 100% precision by overshooting or undershooting operational targets to simplify system complexity.


SEED QUESTIONS

- Where is the pursuit of 100% precision driving non-linear architectural complexity?
- If a 1% error margin is acceptable, how much compute overhead can be eliminated?
- Can we broadcast redundant work and terminate execution upon the first successful response?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 19: Periodic Action

Identify an operation that runs continuously. Redesign it to execute in short, intense bursts followed by extended low-energy hibernation states.



SCHEMATIC

Timing at position 9 of 16

IDE-25

TRIZ Principle 19: Periodic Action

COGNITIVE MECHANISM

Temporal pulse modulation. Counters the cognitive assumption of continuous operations by replacing steady-state processes with pulsed, periodic, or interleaved interventions.


SEED QUESTIONS

- Why drain energy via continuous polling when periodic pulsed synchronization achieves equivalent functional fidelity?
- What happens if operational frequency is modulated based on the volatility of the observed metric?
- How can periodic micro-pulses be used to reset cumulative memory fragmentation or thermal buildup?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 22: "Blessing in Disguise" (Convert Harm to Benefit)

Document the most damaging vulnerability, bug, or operational cost in your system. Formulate two designs where this exact harmful phenomenon powers a useful secondary process.



SCHEMATIC

Reflection at position 10 of 16

IDE-26

TRIZ Principle 22: "Blessing in Disguise" (Convert Harm to Benefit)

COGNITIVE MECHANISM

Evaluative reframing of negative externalities. Repositions systemic hazards, waste energy, or malicious inputs as functional operating assets.


SEED QUESTIONS

- How can malicious actions by an adversary be converted into defensive strength?
- How can memory overhead or latency jitter be harnessed as a source of cryptographic entropy?
- What computational waste product can serve as a training signal for system optimization?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 24: Intermediary / Mediator

Identify two components locked in tight operational coupling or semantic conflict. Insert an intermediate entity that insulates each component from changes in the other.



SCHEMATIC

Separation at position 11 of 16

IDE-27

TRIZ Principle 24: Intermediary / Mediator

COGNITIVE MECHANISM

Relational decoupling. Resolves friction between conflicting subsystems by introducing an intermediary to handle translation, buffer capacity, or load balancing.


SEED QUESTIONS

- What two components are locked in synchronous dependencies that can be decoupled via an asynchronous mediator?
- How can an intermediate abstraction hide operational churn from end consumers?
- Can an ephemeral mediator absorb the computational shock of volatile traffic spikes?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 25: Self-Service

List three operational maintenance tasks performed by engineering personnel. Redesign the architecture so that these tasks trigger and resolve automatically through closed-loop diagnostics.



SCHEMATIC

Removal at position 12 of 16

IDE-28

TRIZ Principle 25: Self-Service

COGNITIVE MECHANISM

Endogenous autonomy. Eliminates external maintenance dependencies by engineering a system to service, heal, or organize itself using ambient internal resources.

SEED QUESTIONS

- How can the system detect internal state corruption and execute self-restoration without human intervention?
- What ambient resources exist within the execution runtime to support self-tuning configurations?
- How can regular user interactions drive background maintenance tasks?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 28: Mechanics Substitution (Field Interaction)

Identify a mechanical or heavy software mechanism (e.g., disk locks, polling checks, physical cards). Replace it with an intangible energetic field, signal, or logical relation.



SCHEMATIC

Substitution at position 13 of 16

IDE-29

TRIZ Principle 28: Mechanics Substitution (Field Interaction)

COGNITIVE MECHANISM

Physical paradigm transcendence. Counters mechanical fixedness by replacing physical or mechanical mechanisms with electromagnetic, optical, acoustic, or digital interactions.


SEED QUESTIONS

- What hardware mechanism can be converted into software-defined infrastructure?
- How can contact-based verification be replaced with ambient field sensing?
- What mechanical barrier can be replaced by an electromagnetic or optical control interface?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Principle 35: Parameter Changes

Identify an immutable baseline state in your architecture (e.g., in-memory, synchronous, single-threaded). Change its state parameter to its opposite or fluid phase.



SCHEMATIC

Scale shift at position 14 of 16

IDE-30

TRIZ Principle 35: Parameter Changes

COGNITIVE MECHANISM

Aggregate state transformation. Discloses latent operational paths by altering the physical state, degree of flexibility, temperature, pressure, or core structural properties of an element.

SEED QUESTIONS

- What occurs if this in-memory operational state is transformed into an immutable, append-only disk sequence?
- How does altering operating temperature or clock voltages unlock hidden hardware capacity?
- Can a static configuration file be converted into an interpreted runtime script?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Ideal Final Result (IFR) & Trimming

Formulate the IFR statement: "The system delivers [Core Function] without [System Mechanism] existing at all." Trim away the two largest auxiliary subsystems and reassign their functions to ambient resources.



SCHEMATIC

Removal at position 15 of 16

IDE-31

TRIZ Ideal Final Result (IFR) & Trimming

COGNITIVE MECHANISM

Radical teleological reduction. Directs focus entirely on functional utility while methodically removing auxiliary, supporting, and redundant components from the architectural footprint.


SEED QUESTIONS

- How can the system achieve its fundamental primary utility with zero code, zero hardware, and zero operating cost?
- Which components can be trimmed away, leaving their functional responsibilities to be absorbed by adjacent subsystems?
- What would the Ideal Final Result look like if the client's problem solved itself before entering our pipeline?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

TRIZ Physical Contradiction Resolution (Separation Principles)

State the physical contradiction: "Component X must have Property P to satisfy Requirement 1, and Property NOT-P to satisfy Requirement 2." Map how X can be P in Time 1 and NOT-P in Time 2, or P in Space A and NOT-P in Space B.



SCHEMATIC

Separation at position 16 of 16

IDE-32

TRIZ Physical Contradiction Resolution (Separation Principles)

COGNITIVE MECHANISM

Dialectical decomposition. Resolves mutual exclusivity by separating conflicting parameters across time, space, condition, or system scale.


SEED QUESTIONS

- How can this component be totally open and completely secure at different points in time?
- Where can this parameter be rigid at the macro-scale while remaining flexible at the micro-scale?
- Under what conditional state can Property P convert into Property NOT-P dynamically?

Source: Genrikh S. Altshuller (1984). *Creativity as an Exact Science: The Theory of the Solution of Inventive Problems.* Gordon and Breach.

Oblique Strategies: Aphoristic Defamiliarization (Brian Eno & Peter Schmidt)

Draw an Oblique Strategy at random (e.g., "Honor thy error as a hidden intention" or "Discard an axiom"). Spend four minutes deriving three concrete technical implementations of the prompt.



SCHEMATIC

Provocation at position 1 of 10

IDE-33

Oblique Strategies: Aphoristic Defamiliarization (Brian Eno & Peter Schmidt)

COGNITIVE MECHANISM

Semantic defamiliarization and cognitive estrangement. Disrupts routine problem solving by introducing poetic, oblique aphorisms that force associative networks to map lateral connections back to technical challenges.


SEED QUESTIONS

- If this operational failure was an intentional design decision, what architectural advantages does it unlock?
- How can we embrace the most frustrating limitation of our infrastructure as its distinguishing capability?
- What happens if we perform this entire technical process backward, starting from the destroyed residue?

Source: Brian Eno & Peter Schmidt (1975). *Oblique Strategies: Over One Hundred Worthwhile Dilemmas.* Privately printed, edition of 500.

Zero Budget Constraint ($0 Marginal Cost Architecture)

Assume operating budgets have been reduced to $0.00/month. Design an architecture capable of sustaining 10,000 active daily users using solely free-tier, client-side, or ambient compute.



SCHEMATIC

Constraint at position 2 of 10

IDE-34

Zero Budget Constraint ($0 Marginal Cost Architecture)

COGNITIVE MECHANISM

Resource-scarcity induced divergent routing. Prohibits off-the-shelf commercial solutions, forcing cognitive models to seek high-utility, ambient, or underutilized open-source resources.


SEED QUESTIONS

- How can we offload our primary compute load entirely onto the client's browser hardware?
- What public, free open-source infrastructure can we repurpose to bypass expensive managed cloud platforms?
- How can we store system state without maintaining a proprietary cloud database?

The source names no originator.

10x / 100x Scale Stress Test (Hyper-Scaling)

Assume that tomorrow morning, concurrent user interactions or ingestion data volumes expand by 100x. Identify the exact sub-components that will collapse within thirty seconds, and discard them.



SCHEMATIC

Scale shift at position 3 of 10

IDE-35

10x / 100x Scale Stress Test (Hyper-Scaling)

COGNITIVE MECHANISM

Conceptual scale refactoring. Renders incremental, patch-based solutions unviable, forcing executive cognitive structures to abandon routine patterns and devise radical architectures.


SEED QUESTIONS

- What architectural component collapses first when throughput surges by two orders of magnitude?
- If all human-in-the-loop operational reviews had to scale 100x without expanding staff, how would they be automated?
- How would our data ingestion logic survive if disk storage had to be pruned every sixty seconds?

The source names no originator.

Zero UI / Invisible Interface Constraint

Remove every screen, button, input box, and visual display from your product's user journey. Conceive an autonomous mechanism to deliver identical utility through passive telemetry, sensors, or background daemons.



SCHEMATIC

Removal at position 4 of 10

IDE-36

Zero UI / Invisible Interface Constraint

COGNITIVE MECHANISM

Interactional reduction. Removes visual design cues and form-filling affordances, forcing the mind to model ambient, context-driven, and autonomous service delivery.


SEED QUESTIONS

- How can the system infer user intent without requiring explicit, manual input?
- What hardware or ambient environmental signals already indicate the user's current goal?
- If the user never interacted with our application visually, how would they realize its value?

The source names no originator.

The "Worst Possible Idea" (Anti-Solution Reframing)

Spend three minutes generating five ideas guaranteed to exacerbate the problem or ruin user trust. Pick the most catastrophic idea, invert its core operative mechanism, and discover the hidden insight.



SCHEMATIC

Removal at position 5 of 10

IDE-37

The "Worst Possible Idea" (Anti-Solution Reframing)

COGNITIVE MECHANISM

Evaluative inhibition release. Eliminates performance anxiety, risk aversion, and internal self-censorship by directing cognitive capacity toward generating the most destructive, inefficient, and catastrophic solutions possible.


SEED QUESTIONS

- What architectural implementation would maximize latency, vulnerability, and operational costs?
- How could we design this onboarding process to ensure 100% of prospective clients abandon within five seconds?
- What would an adversary build if their goal was to completely destabilize our database state?

The source names no originator.

Pre-Mortem & Catastrophic Failure Mode Projection

Assume today is one year from now, and the project has suffered a catastrophic failure, resulting in regulatory fines and complete system collapse. Write three distinct failure chain chronologies.



SCHEMATIC

Timing at position 6 of 10

IDE-38

Pre-Mortem & Catastrophic Failure Mode Projection

COGNITIVE MECHANISM

Prospective hindsight. Operating from the hypothetical certainty that a future catastrophe has occurred improves the human capacity to identify causal vulnerabilities by up to 30%, bypassing optimistic confirmation bias.


SEED QUESTIONS

- What silent failure mode is quietly propagating through our infrastructure today that will take us offline next year?
- Which single external dependency or vendor holds the power to unilaterally bankrupt our operational architecture?
- If an engineer intentionally wanted to bring this platform down undetected, where would they strike?

The source names no originator.

Strict Latency / Bandwidth Zero Constraint (Offline-First / Air-Gap)

Assume your client applications are completely disconnected from the Internet for three weeks in a subterranean bunker. Design how users continue interacting, mutating data, and resolving conflicts upon reconnection.



SCHEMATIC

Constraint at position 7 of 10

IDE-39

Strict Latency / Bandwidth Zero Constraint (Offline-First / Air-Gap)

COGNITIVE MECHANISM

Extreme contextual starvation. Prohibits assumed access to infinite network backhauls, forcing the cognitive model to decouple state resolution from centralized infrastructure.


SEED QUESTIONS

- What fundamental features must function flawlessly when available bandwidth is precisely zero kilobits per second?
- How can we distribute computational truth so that zero round-trip network hops are required to confirm a transaction?
- What peer-to-peer mechanisms can propagate local updates without touching a centralized server?

The source names no originator.

Extreme Accessibility & Cognitive Simplicity Floor

Re-architect your system's interaction workflow assuming the operator possesses an 8-year-old child's literacy level, is suffering severe sleep deprivation, and has only one hand free to interact.



SCHEMATIC

Removal at position 8 of 10

IDE-40

Extreme Accessibility & Cognitive Simplicity Floor

COGNITIVE MECHANISM

Radical empathetic de-framing. Neutralizes the curse of knowledge by forcing the designer to strip out specialized jargon, complex cognitive models, and dexterity demands.

SEED QUESTIONS

- Where does our interaction model assume an expert user who understands internal systems?
- What single action can we eliminate so that this complex decision reduces to a binary choice?
- How can our error messages explain the exact fix in three plain-English words rather than displaying technical stack traces?

The source names no originator.

Ruthless Trimming / Feature Deprecation Hard Ceiling

Impose a hard engineering ceiling: "To ship this proposed capability, we must deprecate and remove two existing features from the codebase." Select the two target features for removal and calculate the maintenance relief.



SCHEMATIC

Removal at position 9 of 10

IDE-41

Ruthless Trimming / Feature Deprecation Hard Ceiling

COGNITIVE MECHANISM

Sunk-cost fallacy disruption. Overcomes loss aversion by establishing non-negotiable operational ceilings, forcing engineers to eliminate non-performing features to introduce new capabilities.


SEED QUESTIONS

- Which legacy feature consumes 30% of our maintenance bandwidth while delivering value to less than 1% of the user base?
- What capabilities are we maintaining out of emotional attachment rather than objective empirical usage?
- If our codebase was constrained to a maximum of 10,000 lines of executable code, what would we purge immediately?

The source names no originator.

Speed-of-Light & Thermodynamic Physics-Limit Floor

Calculate the absolute theoretical minimum latency or energy budget for your operation according to the speed of light, electron transit, or thermodynamic limits. Compare it to your current performance metrics.



SCHEMATIC

Constraint at position 10 of 10

IDE-42

Speed-of-Light & Thermodynamic Physics-Limit Floor

COGNITIVE MECHANISM

First-principles physical bounding. Strips away software conventions to ground the problem in the non-negotiable laws of physics, exposing artificial software latency.


SEED QUESTIONS

- What is the speed-of-light theoretical latency limit between our users and compute nodes, and why are we 50x slower?
- How many joules of physical work are required to complete this mathematical calculation?
- What software abstraction layers sit between our code and bare physical hardware that can be bypassed?

The source names no originator.

Forced Connections (Bisociative Synthesis)

Pick a random physical object from the room (e.g., a coffee thermos, a wristwatch, an office chair). Synthesize three distinct features of that object with your technical system.



SCHEMATIC

Recombination at position 1 of 8

IDE-43

Forced Connections (Bisociative Synthesis)

COGNITIVE MECHANISM

Forced conceptual integration. Obligates the mind to construct relational bridges between two unrelated semantic domains, generating non-obvious structural hybridizations.


SEED QUESTIONS

- How can the functional mechanics of a mechanical wristwatch regulate our distributed consensus engine?
- What does the thermal insulating principle of a thermos teach us about memory cache retention policies?
- How would our software architecture change if it had to function like the suspension system of a mountain bicycle?

The source names no originator.

Random Stimulus / Semantic Priming Injection

Generate a random word from an open dictionary (e.g., "Mushroom"). Write down four innate properties of this word. Map each property directly to a solution for your technical challenge.



SCHEMATIC

IDE-44

Random Stimulus / Semantic Priming Injection

COGNITIVE MECHANISM

Exogenous spreading activation. Injects an arbitrary, entropy-rich stimulus into working memory to activate distant associative nodes within semantic memory networks.


SEED QUESTIONS

- How does the randomly selected concept approach resource allocation or replication?
- What unexpected operational metaphor does this random stimulus introduce?
- How can we re-name our system components using the conceptual vocabulary of the random stimulus?

The source names no originator.

Attribute Listing & Morphological Variation

Deconstruct your primary data entity or component into six granular attributes. For each attribute, list three non-standard variations. Recombine them into an alternative operational profile.



SCHEMATIC

Separation at position 3 of 8

IDE-45

Attribute Listing & Morphological Variation

COGNITIVE MECHANISM

Deconstructive attribute decomposition. Decouples an object into its component properties (color, weight, protocol, statefulness), systematically varying each one to break gestalt continuity.


SEED QUESTIONS

- Which attribute of this system have we always treated as immutable simply out of habit?
- What happens if we transform a stateful synchronous attribute into a stateless asynchronous property?
- How can we vary the granularity of this attribute dynamically based on available network throughput?

The source names no originator.

Biomimetic Adaptation: Structural Hierarchy & Porosity

Identify where your system is heavy, slow, or resource-dense. Redesign its structural architecture to integrate nested, hierarchical voids that preserve functional integrity while saving resources.



SCHEMATIC

Mapping at position 4 of 8

IDE-46

Biomimetic Adaptation: Structural Hierarchy & Porosity

COGNITIVE MECHANISM

Morphological evolutionary scaling. Imports evolutionary mechanical solutions—such as lightweight structural strength through hierarchical porosity—into human engineering systems.


SEED QUESTIONS

- Where can we introduce intentional voids or empty space into our data structures to accelerate lookups?
- How does natural bone or wood architecture balance light weight with high structural integrity?
- Can we arrange our compute tasks hierarchically so that 90% of requests are handled by low-energy layers?

The source names no originator.

Biomimetic Adaptation: Swarm & Decentralized Coordination

Eliminate the master controller or orchestrator node in your architecture. Formulate three simple behavioral rules for individual worker agents to achieve global coordination.



SCHEMATIC

Substitution at position 5 of 8

IDE-47

Biomimetic Adaptation: Swarm & Decentralized Coordination

COGNITIVE MECHANISM

Decentralized emergent self-organization. Replaces brittle, hierarchical, centralized command-and-control logic with simple local interaction rules that generate coherent macroscopic behavior.


SEED QUESTIONS

- How would an ant colony or flock of starlings allocate this compute workload across 10,000 independent nodes?
- What local sensory data can individual worker agents use to coordinate without talking to a central coordinator?
- How can simple emergent feedback loops self-balance network routing and avoid localized congestion?

The source names no originator.

Biomimetic Adaptation: Homeostasis & Dynamic Negative Feedback

Identify the primary metric that fluctuates under operational load (e.g., latency, queue size, memory). Design a closed-loop negative feedback mechanism that exerts opposing force as the metric drifts from equilibrium.



SCHEMATIC

Recombination at position 6 of 8

IDE-48

Biomimetic Adaptation: Homeostasis & Dynamic Negative Feedback

COGNITIVE MECHANISM

Physiological homeostatic regulation. Implements self-correcting negative feedback loops to maintain systemic internal stability despite volatile environmental fluctuations.

SEED QUESTIONS

- How does the human endocrine system balance insulin and glucagon to stabilize blood glucose under varying dietary conditions?
- What automated internal feedback loop can prevent this system from cascading into catastrophic collapse?
- How can the system naturally reject external work when internal equilibrium is threatened?

The source names no originator.

Synectics: Personal Analogy (Empathic Projection)

Imagine you are a single data packet or byte traversing your system architecture. Describe what you feel, see, and experience as you encounter bottlenecks, lock contentions, and serialization hurdles.



SCHEMATIC

Mapping at position 7 of 8

IDE-49

Synectics: Personal Analogy (Empathic Projection)

COGNITIVE MECHANISM

Egocentric embodied simulation. The engineer projects their own consciousness into a non-human or abstract system component, identifying structural stresses through introspective embodiment.


SEED QUESTIONS

- As a single database query, why do you feel terrified when entering this complex table join?
- If you were an electron attempting to escape this battery anode, what physical obstacles block your path?
- If you were an unhandled runtime error exception, how would you escape logging traps to reveal your true cause?

Source: William J. J. Gordon (1961). *Synectics: The Development of Creative Capacity.* Harper & Brothers.

Negative Space Mapping (The Un-Product / Void Exploitation)

Chart the typical user or data lifecycle. Highlight every period where the system is completely idle or where data remains untouched. Design a high-value utility that executes exclusively during these voids.



SCHEMATIC

Reflection at position 8 of 8

IDE-50

Negative Space Mapping (The Un-Product / Void Exploitation)

COGNITIVE MECHANISM

Figure-ground perceptual reversal. Shifts focus away from existing objects and active features (figure) to analyze the unbuilt whitespace, empty time-slots, and missing interactions (ground).

SEED QUESTIONS

- What is our product *not* doing during the 98% of the day when the user is not actively interacting with it?
- What data are we deliberately choosing not to track, and how does omitting it serve as a competitive security feature?
- Where does the white space exist between the specialized feature sets of industry-leading competitors?

The source names no originator.