# ME 572: Fall 2022 Computer Project

# TJ Wiegman

### 2022-11-21


```
In [1]: # Read text file input
        with open("RR_HW5.txt") as file:
            RR = file.readlines()
        for i in range(len(RR)):
            RR[i] = RR[i].rstrip() # rstrip removes newline characters
            # For documentation purposes: print contents of input file here
            print(RR[i])
        .25,.01,2,2,RR_HW5
        3,.01,0
        -2,.01,0
In [2]: # Parse the input
        ## First line
        timeTotal, timeStep, Sacc, Sdec, Title = RR[0].split(",")
        timeTotal, timeStep = float(timeTotal), float(timeStep)
        Sacc, Sdec = int(Sacc), int(Sdec)
        ## Second Line
        P0 = []
        for coord in RR[1].split(","): P0.append(float(coord))
        ## Third line
        PF = []
        for coord in RR[2].split(","): PF.append(float(coord))
        ## For documentation purposes: print results
        print(
            f"{Title}: Moving from {P0} to {PF} "
            f"over {timeTotal} seconds in {timeStep} second steps"
        RR_HW5: Moving from [3.0, 0.01, 0.0] to [-2.0, 0.01, 0.0] over 0.25 seconds in 0.01 second st
        eps
In [3]: # Import inverse kinematics and jacobian based on input file
        from importlib import import_module
        robot = import_module(Title)
        IK = robot.inverseKinematics
        jac = robot.jacobian
        # For documentation purposes: print out the code from that file here
        fileTitle = Title + ".py"
        print(fileTitle)
        print("======")
        print(open(fileTitle).read())
```

```
RR_HW5.py
        from math import sqrt, atan2, acos, sin, cos
        def inverseKinematics(px, py, pz):
            L1, L2 = 20, 20
            a = (px*px + py*py + L1*L1 - L2*L2) / (2*L1)
            b = sqrt(px*px + py*py)
            th1 = atan2(py, px) + acos(a/b)
            num = py - (L1 * sin(th1))
            den = px - (L1 * cos(th1))
            th2 = atan2(num, den) - th1
            th3 = 0
            return [th1, th2, th3]
        from numpy import matrix
        from numpy.linalg import inv
        def jacobian(th1, th2, th3, vx, vy, vz, px, py, pz):
            L1, L2 = 20, 20
            th12 = th1 + th2
            A = (-L1 * sin(th1)) + (-L2 * sin(th12))
            B = (-L2) * sin(th12)
            C = (L1 * cos(th1)) + (L2 * cos(th12))
            D = L2 * cos(th12)
            J = matrix([[A, B],
                         [C, D]])
            Jinv = inv(J)
            vxy = matrix([[vx], [vy]])
            output = Jinv @ vxy # the "@" is matrix multiplication
            th1d = output[0,0]
            th2d = output[1,0]
            th3d = 0
            return [th1d, th2d, th3d]
In [4]: # Calculate top velocities
        assert (timeTotal / timeStep) % 1 == 0, "Total time must divide evenly by timestep!"
        S = int(timeTotal / timeStep)
        assert (Sacc + Sdec) <= S, "Cannot accelerate + decelerate longer than total time!"</pre>
        Smod = S - 0.5*Sacc - 0.5*Sdec
        vMax = [0, 0, 0]
        for i in range(3):
            vMax[i] = (PF[i] - P0[i]) / (Smod * timeStep)
        print(vMax)
        [-21.73913043478261, 0.0, 0.0]
In [5]: # Calculate velocity curves
        velocity = [[0], [0], [0]]
        for i in range(3):
            # Acceleration
            for j in range(Sacc):
                velocity[i].append(vMax[i] * ((j+1) / Sacc))
```

```
# Steady state
            for j in range(S - (Sacc + Sdec)):
                velocity[i].append(vMax[i])
            # Deceleration
            for j in range(Sdec):
                velocity[i].append(vMax[i] * ((Sdec - j - 1)/Sdec))
In [6]: # Calculate position curves
        position = [[P0[0]], [P0[1]], [P0[2]]]
        for i in range(3):
            for t in range(1,S):
                position[i].append(position[i][-1] + velocity[i][t]*timeStep)
            position[i].append(PF[i])
In [7]: |
        # Make position plot
        import matplotlib.pyplot as plt
        time = [0]
        for _ in range(S): time.append(time[-1]+timeStep)
        for i in range(3): plt.plot(time, position[i])
        plt.title("End Effector Position")
        plt.legend(["X", "Y", "Z"])
        plt.xlabel("Time (seconds)")
```

#### Out[7]: Text(0.5, 0, 'Time (seconds)')

### **End Effector Position**




```
th1, th2, th3 = IK(P0[0], P0[1], P0[2])
thetas = [[degrees(th1)], [degrees(th2)], [degrees(th3)]]

for i in range(S):
   th1, th2, th3 = IK(position[0][i+1], position[1][i+1], position[2][i+1])
   thetas[0].append(degrees(th1))
   thetas[1].append(degrees(th2))
   thetas[2].append(degrees(th3))
```

```
In [9]: # Make angle plots
for i in range(3): plt.plot(time, thetas[i])

plt.title("Joint Angles")
plt.legend(["Joint 1", "Joint 2", "Joint 3"])
plt.ylabel("Angle (degrees)")
plt.xlabel("Time (seconds)")
```

## Out[9]: Text(0.5, 0, 'Time (seconds)')




```
In [10]: # Get joint rates
    from math import radians
    dotThetas = [[0], [0], [0]]
    for i in range(S):
        dth1, dth2, dth3 = jac(
            radians(thetas[0][i+1]),
            radians(thetas[1][i+1]),
            radians(thetas[2][i+1]),
            velocity[0][i+1],
            velocity[1][i+1],
            velocity[2][i+1],
```

```
position[0][i+1],
  position[1][i+1],
  position[2][i+1]
)
dotThetas[0].append(dth1)
dotThetas[1].append(dth2)
dotThetas[2].append(dth3)
```

```
In [11]: # Plot joint rates
for i in range(3): plt.plot(time, dotThetas[i])

plt.title("Joint Rates")
  plt.legend(["Joint 1", "Joint 2", "Joint 3"])
  plt.ylabel("Angular Velocity (radians/second)")
  plt.xlabel("Time (seconds)")
```

Out[11]: Text(0.5, 0, 'Time (seconds)')



```
for i in range(len(time)):
    report.append(",".join([
        str(time[i]),
                                  # Time
        str(position[0][i]),
                                  # Px
        str(position[1][i]),
                                  # Py
                                  # Pz
        str(position[2][i]),
        str(thetas[0][i]),
                                  # Theta 1
        str(thetas[1][i]),  # Theta 2
str(thetas[2][i]),  # Theta 3
str(dotThetas[0][i]),  # Theta-dot 1
        str(dotThetas[1][i]), # Theta-dot 2
        str(dotThetas[2][i]) # Theta-dot 3
    ]))
```

```
In [13]: # Save the report to a file
  outputTitle = Title + ".csv"
  with open(outputTitle, mode = "w") as file:
     file.write("\n".join(report))

# For documentation purposes: print the file here
  with open(outputTitle, mode = "r") as file:
     print(file.read())
```

```
Time, Px, Py, Pz, Theta 1, Theta 2, Theta 3, Theta-dot 1, Theta-dot 2, Theta-dot 3
```

- 0,3.0,0.01,0.0,85.8897389790859,-171.3975075094524,0.0,0,0,0
- 0.01,2.891304347826087,0.01,0.0,86.05303692087429,-171.70974371416503,0.0,0.2854524666942258, -0.5449003826825275,0
- 0.02,2.6739130434782608,0.01,0.0,86.38129244970918,-172.33403309939018,0.0,0.575097612737642 7,-1.0893857117792778,0
- 0.03,2.4565217391304346,0.01,0.0,86.71228515974431,-172.95809398334686,0.0,0.580525706008401 5,-1.0890031110864664,0
- 0.04,2.2391304347826084,0.01,0.0,87.04685481133592,-173.5819448974027,0.0,0.5876849154541973, -1.0886527368690893,0
- 0.05, 2.0217391304347823, 0.01, 0.0, 87.38619828195013, -174.2056042274859, 0.0, 0.5973511889758886, -1.0883343015828213, 0
- 0.0600000000000005,1.804347826086956,0.01,0.0,87.73208470599124,-174.8290901653967,0.0,0.61 0794767129871,-1.0880474029656548,0
- 0.07,1.58695652173913,0.01,0.0,88.08724742768845,-175.45242061586956,0.0,0.6302124156581418,-1.0877914158970188,0
- 0.08,1.3695652173913038,0.01,0.0,88.45614920697545,-176.07561301027067,0.0,0.659674660307004 1,-1.0875652554863033,0
- 0.09, 1.1521739130434776, 0.01, 0.0, 88.8466135897912, -176.69868390367833, 0.0, 0.7074304103862107, -1.087366800742035, 0

- 0.119999999999999, 0.4999999999999997, 0.01, 0.0, 90.42940370565952, -178.56728173496867, 0.0, 1.4126296009038877, -1.0868241410493538, 0
- $0.1299999999999998, 0.28260869565217306, 0.01, 0.0, 91.62147975483518, -179.18987228711234, 0.0, 3.\\ 2616416657611866, -1.0863038336627175, 0$
- 0.139999999999999,0.06521739130434695,0.01,0.0,98.62294810083199,-179.8109822724644,0.0,50.47423650866489,-1.074401194835588,0
- $0.15, -0.15217391304347916, 0.01, 0.0, 266.02181080366495, -179.56311251933772, 0.0, 8.8050771199573\\92, 1.0846250397665111, 0$
- 0.16,-0.36956521739130527,0.01,0.0,267.92045734783756,-178.94087104171322,0.0,1.0472283327240 108,1.086605228335021,0
- 0.17,-0.5869565217391314,0.01,0.0,268.1830386272387,-178.318189030623,0.0,0.0873603373404054 2,1.0869158653850544,0
- 0.18000000000000000, -0.8043478260869574, 0.01, 0.0, 268.1354006809083, -177.69537978292811, 0.0, -0.20758642683166742, 1.0870923728960848, 0
- 0.19000000000003,-1.0217391304347836,0.01,0.0,267.9754878864581,-177.0724743718893,0.0,-0.3354105527240865,1.0872592592221162,0
- 0.2000000000000004, -1.2391304347826098, 0.01, 0.0, 267.7623576077636, -176.44946912529116, 0.0, -0.4021487305840946, 1.0874430710139784, 0
- 0.21000000000005,-1.456521739130436,0.01,0.0,267.5198079385294,-175.82635153283874,0.0,-0.44135824000381785,1.0876522420020187,0
- 0.22000000000000006, -1.673913043478262, 0.01, 0.0, 267.25927057922695, -175.2031059647499, 0.0, -0.4663630940066193, 1.0878901561873666, 0
- 0.2300000000000007, -1.8913043478260883, 0.01, 0.0, 266.9869173426723, -174.57971544340467, 0.0, -1.8913043478260883, 0.01, 0.0, -1.89130478484, 0.0, -1.891304784, 0.0, -1.891304784, 0.0, -1.891304784, 0.0, -1.891304784, 0.0, -1.8913044, 0.0, -1.8913044, 0.0, -1.8913044, 0.0, -1.8913044, 0.0, -1.8913044, 0.0, -1.8913044, 0.0, -1.89130404, 0.0, -1.891404, 0.0, -1.891404, 0.0, -1.891404, 0.0, -1.891404, 0.0, -1.891404, 0.0, -1
- 0.48330669394514697,1.0881584111526907,0
- 0.24490281644795678,0.5441521003211889,0
- 0.2500000000000000, -2.0,0.01,0.0,266.847503652639, -174.26796032583206,0.0,0.0,0.0,0