

```
In [1]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [2]: data=pd.read_csv(r"C:\Users\user\Desktop\vicky\rainfall\rainfall in india 1901-2015.csv")[3313:3426]
```

```
In [3]: data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 114 entries, 3313 to 3426
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           114 non-null   int64
1   SUBDIVISION     114 non-null   object
2   YEAR            114 non-null   int64
3   JAN             114 non-null   float64
4   FEB             114 non-null   float64
5   MAR             114 non-null   float64
6   APR             114 non-null   float64
7   MAY             114 non-null   float64
8   JUN             114 non-null   float64
9   JUL             114 non-null   float64
10  AUG             114 non-null   float64
11  SEP             114 non-null   float64
12  OCT             114 non-null   float64
13  NOV             114 non-null   float64
14  DEC             114 non-null   float64
15  ANNUAL          114 non-null   float64
16  Jan-Feb         114 non-null   float64
17  Mar-May         114 non-null   float64
18  Jun-Sep         114 non-null   float64
19  Oct-Dec         114 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 17.9+ KB
```

```
In [4]: data.head()
```

```
Out[4]:
```

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
<b>3313</b>	3313	RAYALSEEMA	1902	10.0	0.2	1.7	11.0	36.8	73.6	41.3	148.3	181.7	188.5	88.9	36.4	818.4
<b>3314</b>	3314	RAYALSEEMA	1903	30.0	0.1	0.0	3.6	80.5	67.5	127.5	140.6	219.7	95.3	289.4	84.0	1138.2
<b>3315</b>	3315	RAYALSEEMA	1904	14.8	0.0	1.7	7.1	58.8	39.8	75.1	19.4	84.7	111.5	4.4	16.1	433.4
<b>3316</b>	3316	RAYALSEEMA	1905	6.5	6.8	17.0	18.3	44.2	66.1	50.9	219.3	36.5	180.2	55.4	2.0	703.4
<b>3317</b>	3317	RAYALSEEMA	1906	115.3	7.2	6.8	2.1	9.6	84.1	127.9	154.4	130.4	107.7	35.0	132.2	912.6

In [5]: `data.tail()`

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
<b>3422</b>	3422	RAYALSEEMA	2011	0.8	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	107.5	106.9	35.1	738.0
<b>3423</b>	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	113.7	86.6	61.9	715.0
<b>3424</b>	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	169.3	38.6	2.6	762.6
<b>3425</b>	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	104.6	37.8	12.8	551.8
<b>3426</b>	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	106.7	383.8	52.2	1047.1

In [6]: `data.shape`

Out[6]: (114, 20)

In [7]: `new_data=data.fillna(value=1)`  
`new_data`

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
<b>3313</b>	3313	RAYALSEEMA	1902	10.0	0.2	1.7	11.0	36.8	73.6	41.3	148.3	181.7	188.5	88.9	36.4	818.4
<b>3314</b>	3314	RAYALSEEMA	1903	30.0	0.1	0.0	3.6	80.5	67.5	127.5	140.6	219.7	95.3	289.4	84.0	1138.2
<b>3315</b>	3315	RAYALSEEMA	1904	14.8	0.0	1.7	7.1	58.8	39.8	75.1	19.4	84.7	111.5	4.4	16.1	433.4
<b>3316</b>	3316	RAYALSEEMA	1905	6.5	6.8	17.0	18.3	44.2	66.1	50.9	219.3	36.5	180.2	55.4	2.0	703.4
<b>3317</b>	3317	RAYALSEEMA	1906	115.3	7.2	6.8	2.1	9.6	84.1	127.9	154.4	130.4	107.7	35.0	132.2	912.6
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
<b>3422</b>	3422	RAYALSEEMA	2011	0.8	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	107.5	106.9	35.1	738.0
<b>3423</b>	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	113.7	86.6	61.9	715.0
<b>3424</b>	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	169.3	38.6	2.6	762.6
<b>3425</b>	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	104.6	37.8	12.8	551.8
<b>3426</b>	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	106.7	383.8	52.2	1047.1

114 rows × 20 columns

In [8]: `new_data.index`

Out[8]: RangeIndex(start=3313, stop=3427, step=1)

In [9]: `new_data.columns`

Out[9]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',  
'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',  
'Mar-May', 'Jun-Sep', 'Oct-Dec'],  
dtype='object')

```
In [10]: new_data.plot.line()
```

```
Out[10]: <AxesSubplot:>
```

```
In [11]: new_data.plot.bar()
```

```
Out[11]: <AxesSubplot:>
```

```
In [12]: new_data.plot.area()
```

```
Out[12]: <AxesSubplot:>
```

```
In [13]: new_data.plot.hist()
```

```
Out[13]: <AxesSubplot:ylabel='Frequency'>
```

```
In [14]: new_data.plot.pie(y='ANNUAL')
```

```
Out[14]: <AxesSubplot:ylabel='ANNUAL'>
```





```
In [15]: new_data.plot.scatter(x='YEAR',y='ANNUAL')
```

```
Out[15]: <AxesSubplot:xlabel='YEAR', ylabel='ANNUAL'>
```



```
In [16]: sns.pairplot(new_data)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x1367c5137c0>
```

```
In [17]: sns.distplot(data['YEAR'])
```

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
```

```
warnings.warn(msg, FutureWarning)
```

```
Out[17]: <AxesSubplot:xlabel='YEAR', ylabel='Density'>
```

```
In [18]: sns.heatmap(new_data.corr())
```

```
Out[18]: <AxesSubplot:>
```