In [1]:
```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [2]:
```
data=pd.read_csv(r"C:\Users\user\Desktop\vicky\rainfall\AP.csv")
```

In [3]:
```
data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 110 entries, 0 to 109
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        110 non-null    int64  
 1   SUBDIVISION  110 non-null    object 
 2   YEAR         110 non-null    int64  
 3   JAN          109 non-null    float64
 4   FEB          109 non-null    float64
 5   MAR          108 non-null    float64
 6   APR          110 non-null    float64
 7   MAY          110 non-null    float64
 8   JUN          109 non-null    float64
 9   JUL          109 non-null    float64
 10  AUG          110 non-null    float64
 11  SEP          110 non-null    float64
 12  OCT          108 non-null    float64
 13  NOV          108 non-null    float64
 14  DEC          108 non-null    float64
 15  ANNUAL       104 non-null    float64
 16  Jan-Feb      109 non-null    float64
 17  Mar-May      108 non-null    float64
 18  Jun-Sep      108 non-null    float64
 19  Oct-Dec      107 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 17.3+ KB
```

In [4]:
```
data.head()
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	O
0	110	ARUNACHAL PRADESH	1916	48.1	69.8	71.1	316.1	424.6	1124.9	NaN	629.7	333.9	N
1	111	ARUNACHAL PRADESH	1917	21.4	164.5	NaN	269.6	107.9	823.8	909.1	628.4	411.5	19
2	112	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8	12
3	113	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7	94
4	114	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7	10

In [5]:
```
data.shape
```

Out[5]: (110, 20)

In [6]:
```
new_data=data.fillna(value=1)
new_data
```

Out[6]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	110	ARUNACHAL PRADESH	1916	48.1	69.8	71.1	316.1	424.6	1124.9	1.0	629.7	333.9
1	111	ARUNACHAL PRADESH	1917	21.4	164.5	1.0	269.6	107.9	823.8	909.1	628.4	411.5
2	112	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8
3	113	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7
4	114	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7
...	...	...	...	...	...	...	...	...	...	...	...	...
105	105	ANDAMAN & NICOBAR ISLANDS	2011	265.9	84.8	272.8	111.4	326.5	383.2	583.2	441.5	757.1
106	106	ANDAMAN & NICOBAR ISLANDS	2012	119.9	45.6	30.9	55.8	533.9	458.2	317.3	369.6	868.9
107	107	ANDAMAN & NICOBAR ISLANDS	2013	67.1	37.6	43.0	46.3	509.3	777.0	564.8	336.7	473.6
108	108	ANDAMAN & NICOBAR ISLANDS	2014	41.9	8.6	0.0	11.1	238.0	416.6	467.6	321.6	412.9
109	109	ANDAMAN & NICOBAR ISLANDS	2015	126.8	7.6	3.1	138.2	331.9	346.4	328.9	480.0	523.3

110 rows × 20 columns

In [7]:
```
new_data.index
```

Out[7]:
```
RangeIndex(start=0, stop=110, step=1)
```

In [8]:
```
new_data.columns
```

Out[8]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

In [9]:
```
new_data.plot.line()
```

Out[9]: <AxesSubplot:>

In [10]:
```
new_data.plot.bar()
```

Out[10]: <AxesSubplot:>

In [11]:
```
new_data.plot.area()
```

Out[11]:
```
<AxesSubplot:>
```

In [12]:
```
new_data.plot.hist()
```

Out[12]:
```
<AxesSubplot:ylabel='Frequency'>
```

In [13]:
```
new_data.plot.pie(y='ANNUAL')
```

Out[13]:
```
<AxesSubplot:ylabel='ANNUAL'>
```

In [14]:
```
new_data.plot.scatter(x='YEAR',y='ANNUAL')
```

Out[14]:
```
<AxesSubplot:xlabel='YEAR', ylabel='ANNUAL'>
```

In [15]:
```
sns.pairplot(new_data)
```

Out[15]:
```
<seaborn.axisgrid.PairGrid at 0x192981cb4f0>
```

In [16]:
```
sns.distplot(data['YEAR'])
```

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut
ureWarning: `distplot` is a deprecated function and will be removed in a futu
re version. Please adapt your code to use either `displot` (a figure-level fu
nction with similar flexibility) or `histplot` (an axes-level function for hi
stograms).
  warnings.warn(msg, FutureWarning)
```

Out[16]:
```
<AxesSubplot:xlabel='YEAR', ylabel='Density'>
```

In [17]:
```
sns.heatmap(new_data.corr())
```

Out[17]:
```
<AxesSubplot:>
```