For the Best Global Pharmaceutical Company
KOREA UNITED PHARM. INC.

IMD*

ATMEG COMBIGEL

Korea's first COMBIGEL type of product
for a treatment of mixed dyslipidemia
(Type IIb)

* Incrementally Modified Drug

A New Therapy for Mixed dyslipidemia

ATMEG COMBIGEL® Soft caps

Atorvastatin 10mg / Omega-3-acid ethyl esters 90 1g

ATMEGCOMBIGEL® is Incrementally Modified Drug (IMD) that improves patient's compliance utilizing the patented CombiGel Technology.



ATMEG COMBIGEL®

Atorvastatin 10mg / Omega-3-acid ethyl esters 90 1g

ATMEG COMBIGEL®

A combination drug of Atorvastatin and Omega-3 that has been approved for its advanced pharmaceutical technology by the KFDA.

ATMEG COMBIGEL®

IMD that has improved its enhanced stability and patient's compliance utilizing the patented COMBIGEL® Technology.

ATMEG COMBIGEL®

IMD that has shown its efficacy and safety, improving dyslipidemia patient's Non-HDL-C and TG levels through phase 3 clinical study ATOM Study.

ATMEGCOMBIGEL® showed that it has superiority in improving the lipid level over a single Atorvastatin through Phase 3 clinical study.

— ATOM STUDY

Methods

· Study Period : 2017 ~ 2019 · Number of patients : 200 · Study Design : Multicenter (22 institutions), Randomized, Double-blind



Results

① Rate of change (Non-HCL-C)



ATOM study showed a significant reduction of Non-HDL-C in the test group (ATMEG COMBIGEL®) compared to the reference group (Atorvastatin). (p value < 0.05)

② Rate of change (Other lipid levels)

	ATMEG COMBIGEL®				Atorvastatin (n=99)				Rate of Change Between groups (P)
	Baseline (mg/dL)	Week 8 (mg/dL)	Change(w8-w0) Figures	Change(w8-w0) Rate	Baseline (mg/dL)	Week 8 (mg/dL)	Change(w8-w0) Figures	Change(w8-w0) Rate	
TG	294.2	231.2	-63	**-18.5%**	297.1	290.3	-6.8	+0.9%	<0.01*
Total cholesterol	148.7	141.6	-7.1	**-3.7%**	154.4	153.2	-1.2	0.0%	0.04*
VLDL-C	33.8	27.5	-6.3	**-14.1%**	33.6	35.1	+1.5	+15.8%	<0.01*

ATOM study showed a significant reduction of TG, Total cholesterol, and VLDL-C in the test group (ATMEG COMBIGEL®) compared to the reference group (Atorvastatin).

Safety

There was no significant difference between groups in adverse events during the clinical study.

Conclusion

In patients not appropriately controlled for dyslipidemia despite Statin treatment, **ATMEG COMBIGEL®** decreased **Non-HDL-C** and **TG** levels more than Atorvastatin alone.

A New Therapy for Mixed dyslipidemia

ATMEG COMBIGEL® Soft caps

Atorvastatin 10mg / Omega-3-acid ethyl esters 90 1g

Incrementally Modified Drug: Atmeg CombiGel Soft Capsule

What is Incrementally Modified Drug (IMD)?

The drug that was improved in its efficacy, safety, compliance, or its convenience.
Or a drug that has been approved for its advanced pharmaceutical technology by the KFDA.

The Korea's first combination IMD of Atorvastatin and Omega-3.

- ✓ Efficacy: Proved by the Phase III Clinical study.
- ✓ Long-term stability: The Korea's first CombiGel formulation.
- ✓ Improved Compliance: More convenient than a single drug dose
- ✓ Advanced Pharmaceutical Technology: Oil-proof coating[1], protective film coating[2].

Ref. 1) Patent No. 1752700 2) Patent No. 1950907

Drug Information

Brand Name	ATMEG COMBIGEL®
Active Ingredients	Atorvastatin Calcium Hydrate 10.85 mg (As Atorvastatin 10 mg) Omega-3-Acid Ethyl Ester 90 1g
Indications	Treatment of mixed dyslipidemia (type IIb) which is not appropriately controlled for TG levels with Atorvastatin alone
Dosage and Administration	1-4 Capsules a day, Once daily
Packing Unit	30 Capsules

For the Best Global Pharmaceutical Company
KOREA UNITED PHARM. INC.
www.kup.co.kr

ATM2102EPA1-GW