

See the Assessment Guide for information on how to interpret this report.

ASSESSMENT SUMMARY

Compilation: PASSED
API: PASSED

SpotBugs: PASSED
PMD: PASSED
Checkstyle: PASSED

Correctness: 51/51 tests passed
Memory: 22/22 tests passed
Timing: 125/125 tests passed

Aggregate score: 100.00%
[Compilation: 5%, API: 5%, Style: 0%, Correctness: 60%, Timing: 10%, Memory: 20%]

ASSESSMENT DETAILS

The following files were submitted:

7.0K Jul 7 16:25 Board.java
3.2K Jul 7 16:25 Solver.java

```
*****
*   COMPILING
*****
```

```
% javac Board.java
*-----
```

```
% javac Solver.java
*-----
```

```
=====
```

```
Checking the APIs of your programs.
*-----
```

Board:

Solver:

```
=====
```

```
*****
*   CHECKING STYLE AND COMMON BUG PATTERNS
*****
```

```
% spotbugs *.class
*-----
```

=====

```
% pmd .
*-----
```

=====

```
% checkstyle *.java
*-----
```

```
% custom checkstyle checks for Board.java
*-----
```

```
% custom checkstyle checks for Solver.java
*-----
```

=====

```
*****
* TESTING CORRECTNESS
*****
```

```
Testing correctness of Board
*-----
Running 26 total tests.
```

Tests 4-7 and 14-17 rely upon toString() returning results in prescribed format.

```
Test 1a: check hamming() with file inputs
* puzzle04.txt
* puzzle00.txt
* puzzle07.txt
* puzzle17.txt
* puzzle27.txt
* puzzle2x2-unsolvable1.txt
==> passed
```

```
Test 1b: check hamming() with random n-by-n boards
* 2-by-2
* 3-by-3
* 4-by-4
* 5-by-5
* 9-by-9
* 10-by-10
* 127-by-127
==> passed
```

```
Test 2a: check manhattan() with file inputs
* puzzle04.txt
* puzzle00.txt
* puzzle07.txt
* puzzle17.txt
* puzzle27.txt
* puzzle2x2-unsolvable1.txt
==> passed
```

```
Test 2b: check manhattan() with random n-by-n boards
* 2-by-2
* 3-by-3
* 4-by-4
* 5-by-5
* 9-by-9
```

- * 10-by-10
- * 127-by-127

==> passed

Test 3: check dimension() with random n-by-n boards

- * 2-by-2
- * 3-by-3
- * 4-by-4
- * 5-by-5
- * 6-by-6

==> passed

Test 4a: check toString() with file inputs

- * puzzle04.txt
- * puzzle00.txt
- * puzzle06.txt
- * puzzle09.txt
- * puzzle23.txt
- * puzzle2x2-unsolvable1.txt

==> passed

Test 4b: check toString() with random n-by-n boards

- * 2-by-2
- * 3-by-3
- * 4-by-4
- * 5-by-5
- * 9-by-9
- * 10-by-10
- * 127-by-127

==> passed

Test 5a: check neighbors() with file inputs

- * puzzle04.txt
- * puzzle00.txt
- * puzzle06.txt
- * puzzle09.txt
- * puzzle23.txt
- * puzzle2x2-unsolvable1.txt

==> passed

Test 5b: check neighbors() with random n-by-n boards

- * 2-by-2
- * 3-by-3
- * 4-by-4
- * 5-by-5
- * 9-by-9
- * 10-by-10
- * 127-by-127

==> passed

Test 6a: check neighbors() of neighbors() with file inputs

- * puzzle04.txt
- * puzzle00.txt
- * puzzle06.txt
- * puzzle09.txt
- * puzzle23.txt
- * puzzle2x2-unsolvable1.txt

==> passed

Test 6b: check neighbors() of neighbors() with random n-by-n boards

- * 2-by-2
- * 3-by-3
- * 4-by-4
- * 5-by-5
- * 9-by-9
- * 10-by-10

==> passed

Test 7a: check twin() with file inputs

- * puzzle04.txt
- * puzzle00.txt
- * puzzle06.txt
- * puzzle09.txt
- * puzzle23.txt
- * puzzle2x2-unsolvable1.txt

==> passed

Test 7b: check twin() with random n-by-n boards

- * 2-by-2
- * 3-by-3
- * 4-by-4
- * 5-by-5
- * 9-by-9
- * 10-by-10

==> passed

Test 8a: check isGoal() with file inputs

- * puzzle00.txt
- * puzzle04.txt
- * puzzle16.txt
- * puzzle06.txt
- * puzzle09.txt
- * puzzle23.txt
- * puzzle2x2-unsolvable1.txt
- * puzzle3x3-unsolvable1.txt
- * puzzle3x3-00.txt
- * puzzle4x4-00.txt

==> passed

Test 8b: check isGoal() on n-by-n goal boards

- * 2-by-2
- * 3-by-3
- * 4-by-4
- * 5-by-5
- * 6-by-6
- * 100-by-100

==> passed

Test 9: check that two Board objects can be created at the same time

- * random 3-by-3 and 3-by-3 boards
- * random 4-by-4 and 4-by-4 boards
- * random 2-by-2 and 2-by-2 boards
- * random 3-by-3 and 4-by-4 boards
- * random 4-by-4 and 3-by-3 boards

==> passed

Test 10a: check equals()

- * reflexive
- * symmetric
- * transitive
- * argument is null
- * argument is of type String
- * argument is of type UncastableString
- * Board object stored in a variable of type Object

==> passed

Test 10b: check correctness of equals() on random n-by-n boards

- * n = 2
- * n = 3
- * n = 4
- * 5 <= n < 10

==> passed

Test 10c: check equals() when board sizes m and n are different

- * m = 4, n = 5
- * m = 2, n = 5
- * m = 5, n = 3
- * m = 2, n = 3

* m = 3, n = 2
==> passed

Test 11: check that Board is immutable by changing argument array after
construction and making sure Board does not mutate
==> passed

Test 12: check that Board is immutable by testing whether methods
return the same value, regardless of order in which called
* puzzle10.txt
* puzzle20.txt
* puzzle30.txt
* 2-by-2
* 3-by-3
* 4-by-4
==> passed

Test 13: check dimension() on a board that is kth neighbor of a board
* 0th neighbor of puzzle27.txt
* 1st neighbor of puzzle27.txt
* 2nd neighbor of puzzle27.txt
* 13th neighbor of puzzle27.txt
* 13th neighbor of puzzle00.txt
* 13th neighbor of puzzle2x2-unsolvable1.txt
==> passed

Test 14: check hamming() on a board that is kth neighbor of a board
* 0th neighbor of puzzle27.txt
* 1st neighbor of puzzle27.txt
* 2nd neighbor of puzzle27.txt
* 13th neighbor of puzzle27.txt
* 13th neighbor of puzzle00.txt
* 13th neighbor of puzzle2x2-unsolvable1.txt
==> passed

Test 15: check manhattan() on a board that is a kth neighbor of a board
* 0th neighbor of puzzle27.txt
* 1st neighbor of puzzle27.txt
* 2nd neighbor of puzzle27.txt
* 13th neighbor of puzzle27.txt
* 13th neighbor of puzzle00.txt
* 13th neighbor of puzzle2x2-unsolvable1.txt
==> passed

Test 16: check hamming() on a board that is a kth twin of a board
* 0th twin of puzzle27.txt
* 1st twin of puzzle27.txt
* 2nd twin of puzzle27.txt
* 13th twin of puzzle27.txt
* 13th twin of puzzle00.txt
* 13th twin of puzzle2x2-unsolvable1.txt
==> passed

Test 17: check manhattan() on a board that is a kth twin of a board
* 0th twin of puzzle27.txt
* 1st twin of puzzle27.txt
* 2nd twin of puzzle27.txt
* 13th twin of puzzle27.txt
* 13th twin of puzzle00.txt
* 13th twin of puzzle2x2-unsolvable1.txt
==> passed

Total: 26/26 tests passed!

=====

* MEMORY

Analyzing memory of Board

*-----

Running 10 total tests.

Memory usage of an n-by-n board

[must be at most $4n^2 + 32n + 64$ bytes]

	n	student (bytes)	reference (bytes)
=> passed	2	152	128
=> passed	3	216	192
=> passed	4	264	240
=> passed	8	584	560
=> passed	12	1032	1008
=> passed	16	1608	1584
=> passed	20	2312	2288
=> passed	37	6880	6856
=> passed	72	23112	23088
=> passed	120	61512	61488

==> 10/10 tests passed

Total: 10/10 tests passed!

Student memory = $4.00 n^2 + 32.00 n + 72.00$ ($R^2 = 1.000$)

Reference memory = $4.00 n^2 + 32.00 n + 48.00$ ($R^2 = 1.000$)

=====

* TESTING CORRECTNESS (substituting reference Board)

Testing correctness of Solver

*-----

Running 25 total tests.

Test 1a: check moves() with file inputs

- * puzzle00.txt
- * puzzle01.txt
- * puzzle02.txt
- * puzzle03.txt
- * puzzle04.txt
- * puzzle05.txt
- * puzzle06.txt
- * puzzle07.txt
- * puzzle08.txt
- * puzzle09.txt
- * puzzle10.txt
- * puzzle11.txt
- * puzzle12.txt
- * puzzle13.txt

==> passed

Test 1b: check solution() with file inputs

- * puzzle00.txt
- * puzzle01.txt
- * puzzle02.txt
- * puzzle03.txt
- * puzzle04.txt
- * puzzle05.txt
- * puzzle06.txt
- * puzzle07.txt
- * puzzle08.txt

```
* puzzle09.txt
* puzzle10.txt
* puzzle11.txt
* puzzle12.txt
* puzzle13.txt
==> passed
```

Test 2a: check moves() with more file inputs

```
* puzzle14.txt
* puzzle15.txt
* puzzle16.txt
* puzzle17.txt
* puzzle18.txt
* puzzle19.txt
* puzzle20.txt
* puzzle21.txt
* puzzle22.txt
* puzzle23.txt
* puzzle24.txt
* puzzle25.txt
* puzzle26.txt
* puzzle27.txt
* puzzle28.txt
* puzzle29.txt
* puzzle30.txt
* puzzle31.txt
==> passed
```

Test 2b: check solution() with more file inputs

```
* puzzle14.txt
* puzzle15.txt
* puzzle16.txt
* puzzle17.txt
* puzzle18.txt
* puzzle19.txt
* puzzle20.txt
* puzzle21.txt
* puzzle22.txt
* puzzle23.txt
* puzzle24.txt
* puzzle25.txt
* puzzle26.txt
* puzzle27.txt
* puzzle28.txt
* puzzle29.txt
* puzzle30.txt
* puzzle31.txt
==> passed
```

Test 3a: check moves() with random solvable n-by-n boards

```
* 1000 random 3-by-3 boards that are exactly 1 move from goal
* 1000 random 3-by-3 boards that are exactly 2 moves from goal
* 1000 random 3-by-3 boards that are exactly 3 moves from goal
* 1000 random 3-by-3 boards that are exactly 4 moves from goal
* 1000 random 3-by-3 boards that are exactly 5 moves from goal
* 1000 random 3-by-3 boards that are exactly 6 moves from goal
* 1000 random 3-by-3 boards that are exactly 7 moves from goal
* 1000 random 3-by-3 boards that are exactly 8 moves from goal
* 1000 random 3-by-3 boards that are exactly 9 moves from goal
* 1000 random 3-by-3 boards that are exactly 10 moves from goal
* 1000 random 3-by-3 boards that are exactly 11 moves from goal
* 1000 random 3-by-3 boards that are exactly 12 moves from goal
==> passed
```

Test 3b: check solution() with random solvable n-by-n boards

```
* 1000 random 3-by-3 boards that are exactly 1 move from goal
* 1000 random 3-by-3 boards that are exactly 2 moves from goal
* 1000 random 3-by-3 boards that are exactly 3 moves from goal
* 1000 random 3-by-3 boards that are exactly 4 moves from goal
```

- * 1000 random 3-by-3 boards that are exactly 5 moves from goal
- * 1000 random 3-by-3 boards that are exactly 6 moves from goal
- * 1000 random 3-by-3 boards that are exactly 7 moves from goal
- * 1000 random 3-by-3 boards that are exactly 8 moves from goal
- * 1000 random 3-by-3 boards that are exactly 9 moves from goal
- * 1000 random 3-by-3 boards that are exactly 10 moves from goal
- * 1000 random 3-by-3 boards that are exactly 11 moves from goal
- * 1000 random 3-by-3 boards that are exactly 12 moves from goal

==> passed

Test 4: create two Solver objects at the same time

- * puzzle04.txt and puzzle04.txt
- * puzzle00.txt and puzzle04.txt
- * puzzle04.txt and puzzle00.txt

==> passed

Test 5a: call isSolvable() with file inputs

- * puzzle01.txt
- * puzzle03.txt
- * puzzle04.txt
- * puzzle17.txt
- * puzzle3x3-unsolvable1.txt
- * puzzle3x3-unsolvable2.txt
- * puzzle4x4-unsolvable.txt

==> passed

Test 5b: call isSolvable() on random n-by-n boards

- * 100 random 2-by-2 boards

==> passed

Test 6: check moves() on unsolvable puzzles

- * puzzle2x2-unsolvable1.txt
- * puzzle2x2-unsolvable2.txt
- * puzzle3x3-unsolvable1.txt
- * puzzle3x3-unsolvable2.txt
- * puzzle4x4-unsolvable.txt

==> passed

Test 7: check solution() on unsolvable puzzles

- * puzzle2x2-unsolvable1.txt
- * puzzle2x2-unsolvable2.txt
- * puzzle3x3-unsolvable1.txt
- * puzzle3x3-unsolvable2.txt
- * puzzle4x4-unsolvable.txt

==> passed

Test 8a: check that Solver is immutable by testing whether methods
return the same value, regardless of order in which called

- * puzzle3x3-00.txt
- * puzzle3x3-01.txt
- * puzzle3x3-05.txt
- * puzzle3x3-10.txt
- * random 2-by-2 solvable boards

==> passed

Test 8b: check that Solver is immutable by testing whether methods
return the same value, regardless of order in which called

- * puzzle3x3-unsolvable1.txt
- * puzzle3x3-unsolvable2.txt
- * puzzle4x4-unsolvable.txt
- * random 2-by-2 unsolvable boards

==> passed

Test 9a: check that equals() method in Board is called

- * puzzle04.txt
- * puzzle05.txt
- * puzzle10.txt

==> passed

Test 9b: check that equals() method in Board is called only
with an argument of type Board

- * puzzle00.txt
- * puzzle04.txt
- * puzzle05.txt
- * puzzle10.txt

==> passed

Test 9c: check that equals() method in Board is called only
with a neighbor of a neighbor as an argument

- * puzzle00.txt
- * puzzle04.txt
- * puzzle05.txt
- * puzzle10.txt
- * puzzle27.txt

==> passed

Test 10: check that constructor throws exception if board is null
==> passed

Test 11a: check moves() with 2-by-2 file inputs

- * puzzle2x2-00.txt
- * puzzle2x2-01.txt
- * puzzle2x2-02.txt
- * puzzle2x2-03.txt
- * puzzle2x2-04.txt
- * puzzle2x2-05.txt
- * puzzle2x2-06.txt

==> passed

Test 11b: check solution() with 2-by-2 file inputs

- * puzzle2x2-00.txt
- * puzzle2x2-01.txt
- * puzzle2x2-02.txt
- * puzzle2x2-03.txt
- * puzzle2x2-04.txt
- * puzzle2x2-05.txt
- * puzzle2x2-06.txt

==> passed

Test 12a: check moves() with 3-by-3 file inputs

- * puzzle3x3-00.txt
- * puzzle3x3-01.txt
- * puzzle3x3-02.txt
- * puzzle3x3-03.txt
- * puzzle3x3-04.txt
- * puzzle3x3-05.txt
- * puzzle3x3-06.txt
- * puzzle3x3-07.txt
- * puzzle3x3-08.txt
- * puzzle3x3-09.txt
- * puzzle3x3-10.txt
- * puzzle3x3-11.txt
- * puzzle3x3-12.txt
- * puzzle3x3-13.txt
- * puzzle3x3-14.txt
- * puzzle3x3-15.txt
- * puzzle3x3-16.txt
- * puzzle3x3-17.txt
- * puzzle3x3-18.txt
- * puzzle3x3-19.txt
- * puzzle3x3-20.txt
- * puzzle3x3-21.txt
- * puzzle3x3-22.txt
- * puzzle3x3-23.txt
- * puzzle3x3-24.txt
- * puzzle3x3-25.txt
- * puzzle3x3-26.txt
- * puzzle3x3-27.txt

- * puzzle3x3-28.txt
- * puzzle3x3-29.txt
- * puzzle3x3-30.txt

==> passed

Test 12b: check solution() with 3-by-3 file inputs

- * puzzle3x3-00.txt
- * puzzle3x3-01.txt
- * puzzle3x3-02.txt
- * puzzle3x3-03.txt
- * puzzle3x3-04.txt
- * puzzle3x3-05.txt
- * puzzle3x3-06.txt
- * puzzle3x3-07.txt
- * puzzle3x3-08.txt
- * puzzle3x3-09.txt
- * puzzle3x3-10.txt
- * puzzle3x3-11.txt
- * puzzle3x3-12.txt
- * puzzle3x3-13.txt
- * puzzle3x3-14.txt
- * puzzle3x3-15.txt
- * puzzle3x3-16.txt
- * puzzle3x3-17.txt
- * puzzle3x3-18.txt
- * puzzle3x3-19.txt
- * puzzle3x3-20.txt
- * puzzle3x3-21.txt
- * puzzle3x3-22.txt
- * puzzle3x3-23.txt
- * puzzle3x3-24.txt
- * puzzle3x3-25.txt
- * puzzle3x3-26.txt
- * puzzle3x3-27.txt
- * puzzle3x3-28.txt
- * puzzle3x3-29.txt
- * puzzle3x3-30.txt

==> passed

Test 13a: check moves() with 4-by-4 file inputs

- * puzzle4x4-00.txt
- * puzzle4x4-01.txt
- * puzzle4x4-02.txt
- * puzzle4x4-03.txt
- * puzzle4x4-04.txt
- * puzzle4x4-05.txt
- * puzzle4x4-06.txt
- * puzzle4x4-07.txt
- * puzzle4x4-08.txt
- * puzzle4x4-09.txt
- * puzzle4x4-10.txt
- * puzzle4x4-11.txt
- * puzzle4x4-12.txt
- * puzzle4x4-13.txt
- * puzzle4x4-14.txt
- * puzzle4x4-15.txt
- * puzzle4x4-16.txt
- * puzzle4x4-17.txt
- * puzzle4x4-18.txt
- * puzzle4x4-19.txt
- * puzzle4x4-20.txt
- * puzzle4x4-21.txt
- * puzzle4x4-22.txt
- * puzzle4x4-23.txt
- * puzzle4x4-24.txt
- * puzzle4x4-25.txt
- * puzzle4x4-26.txt
- * puzzle4x4-27.txt
- * puzzle4x4-28.txt

```
* puzzle4x4-29.txt
* puzzle4x4-30.txt
==> passed
```

Test 13b: check solution() with 4-by-4 file inputs

```
* puzzle4x4-00.txt
* puzzle4x4-01.txt
* puzzle4x4-02.txt
* puzzle4x4-03.txt
* puzzle4x4-04.txt
* puzzle4x4-05.txt
* puzzle4x4-06.txt
* puzzle4x4-07.txt
* puzzle4x4-08.txt
* puzzle4x4-09.txt
* puzzle4x4-10.txt
* puzzle4x4-11.txt
* puzzle4x4-12.txt
* puzzle4x4-13.txt
* puzzle4x4-14.txt
* puzzle4x4-15.txt
* puzzle4x4-16.txt
* puzzle4x4-17.txt
* puzzle4x4-18.txt
* puzzle4x4-19.txt
* puzzle4x4-20.txt
* puzzle4x4-21.txt
* puzzle4x4-22.txt
* puzzle4x4-23.txt
* puzzle4x4-24.txt
* puzzle4x4-25.txt
* puzzle4x4-26.txt
* puzzle4x4-27.txt
* puzzle4x4-28.txt
* puzzle4x4-29.txt
* puzzle4x4-30.txt
==> passed
```

Test 14a: check moves() with random solvable n-by-n boards

```
* 100 random 2-by-2 boards that are <= 6 moves from goal
* 200 random 3-by-3 boards that are <= 20 moves from goal
* 200 random 4-by-4 boards that are <= 20 moves from goal
* 200 random 5-by-5 boards that are <= 20 moves from goal
==> passed
```

Test 14b: check solution() with random solvable n-by-n boards

```
* 100 random 2-by-2 boards that are <= 6 moves from goal
* 200 random 3-by-3 boards that are <= 20 moves from goal
* 200 random 4-by-4 boards that are <= 20 moves from goal
* 200 random 5-by-5 boards that are <= 20 moves from goal
==> passed
```

Total: 25/25 tests passed!

```
=====
*****
* MEMORY (substituting reference Board)
*****
```

Analyzing memory of Solver

*-----

Running 12 total tests.

Maximum allowed time per puzzle is 5.0 seconds.
Maximum allowed memory per puzzle = 200000000 bytes.

Test 1: Measure memory of Solver.

	filename	moves	memory
=> passed	puzzle10.txt	10	4640
=> passed	puzzle15.txt	15	5568
=> passed	puzzle20.txt	20	2752
=> passed	puzzle25.txt	25	3392
=> passed	puzzle30.txt	30	4032
=> passed	puzzle35.txt	35	5536
==> 6/6 tests passed			

Test 2: Measure memory of MinPQ.

	filename	deep memory	max size	ending size
=> passed	puzzle10.txt	12560	18	17
=> passed	puzzle15.txt	15928	27	26
=> passed	puzzle20.txt	171128	440	439
=> passed	puzzle25.txt	1147832	2921	2920
=> passed	puzzle30.txt	5232400	13043	13042
=> passed	puzzle35.txt	42273328	117445	117444
==> 6/6 tests passed				

Total: 12/12 tests passed!

=====

 * TIMING (substituting reference Board)

Timing Solver

*-----

Running 125 total tests.

Maximum allowed time per puzzle is 5.0 seconds.

Test 1: Measure CPU time and check correctness

	filename	moves	n	seconds
=> passed	puzzle20.txt	20	3	0.01
=> passed	puzzle22.txt	22	3	0.00
=> passed	puzzle21.txt	21	3	0.00
=> passed	puzzle23.txt	23	3	0.01
=> passed	puzzle24.txt	24	3	0.00
=> passed	puzzle25.txt	25	3	0.01
=> passed	puzzle27.txt	27	3	0.01
=> passed	puzzle29.txt	29	3	0.01
=> passed	puzzle26.txt	26	3	0.00
=> passed	puzzle28.txt	28	3	0.01
=> passed	puzzle30.txt	30	3	0.02
=> passed	puzzle31.txt	31	3	0.02
=> passed	puzzle39.txt	39	4	0.03
=> passed	puzzle41.txt	41	5	0.02
=> passed	puzzle34.txt	34	4	0.10
=> passed	puzzle37.txt	37	4	0.04
=> passed	puzzle44.txt	44	5	0.11
=> passed	puzzle32.txt	32	4	0.26
=> passed	puzzle35.txt	35	4	0.16
=> passed	puzzle33.txt	33	4	0.30
=> passed	puzzle43.txt	43	4	0.43

```

=> passed puzzle46.txt      46    4    0.34
=> passed puzzle40.txt      40    4    0.20
=> passed puzzle36.txt      36    4    1.39
=> passed puzzle45.txt      45    4    0.65
==> 25/25 tests passed

```

Test 2: Count MinPQ operations

	filename	insert()	delMin()
=> passed	puzzle20.txt	1094	655
=> passed	puzzle22.txt	2785	1637
=> passed	puzzle21.txt	1926	1146
=> passed	puzzle23.txt	4356	2595
=> passed	puzzle24.txt	2432	1477
=> passed	puzzle25.txt	7330	4410
=> passed	puzzle27.txt	5927	3624
=> passed	puzzle29.txt	10820	6679
=> passed	puzzle26.txt	5195	3163
=> passed	puzzle28.txt	15548	9490
=> passed	puzzle30.txt	33556	20514
=> passed	puzzle31.txt	39672	24356
=> passed	puzzle39.txt	40441	20085
=> passed	puzzle41.txt	28268	12148
=> passed	puzzle34.txt	146923	70661
=> passed	puzzle37.txt	63048	30332
=> passed	puzzle44.txt	150941	67527
=> passed	puzzle32.txt	397992	191266
=> passed	puzzle35.txt	234308	116864
=> passed	puzzle33.txt	463133	221486
=> passed	puzzle43.txt	647906	319163
=> passed	puzzle46.txt	517612	257214
=> passed	puzzle40.txt	312170	154929
=> passed	puzzle36.txt	1982629	967198
=> passed	puzzle45.txt	925599	459483
==> 25/25 tests passed			

Test 3: Count Board operations (that should not get called)

	filename	hamming()	toString()
=> passed	puzzle20.txt	0	0
=> passed	puzzle22.txt	0	0
=> passed	puzzle21.txt	0	0
=> passed	puzzle23.txt	0	0
=> passed	puzzle24.txt	0	0
=> passed	puzzle25.txt	0	0
=> passed	puzzle27.txt	0	0
=> passed	puzzle29.txt	0	0
=> passed	puzzle26.txt	0	0
=> passed	puzzle28.txt	0	0
=> passed	puzzle30.txt	0	0
=> passed	puzzle31.txt	0	0
=> passed	puzzle39.txt	0	0
=> passed	puzzle41.txt	0	0
=> passed	puzzle34.txt	0	0
=> passed	puzzle37.txt	0	0
=> passed	puzzle44.txt	0	0
=> passed	puzzle32.txt	0	0
=> passed	puzzle35.txt	0	0
=> passed	puzzle33.txt	0	0
=> passed	puzzle43.txt	0	0
=> passed	puzzle46.txt	0	0
=> passed	puzzle40.txt	0	0
=> passed	puzzle36.txt	0	0

```
=> passed puzzle45.txt          0          0
==> 25/25 tests passed
```

Test 4a: Count Board operations (that should get called)

	filename	Board()	equals()	manhattan()
=> passed	puzzle20.txt	2401	1738	2403
=> passed	puzzle22.txt	6056	4415	6058
=> passed	puzzle21.txt	4215	3063	4217
=> passed	puzzle23.txt	9543	6942	9545
=> passed	puzzle24.txt	5383	3898	5385
=> passed	puzzle25.txt	16147	11731	16149
=> passed	puzzle27.txt	13172	9542	13174
=> passed	puzzle29.txt	24175	17490	24177
=> passed	puzzle26.txt	11518	8351	11520
=> passed	puzzle28.txt	34525	25027	34527
=> passed	puzzle30.txt	74581	54063	74583
=> passed	puzzle31.txt	88381	64019	88383
=> passed	puzzle39.txt	80608	60517	80610
=> passed	puzzle41.txt	52561	40405	52563
=> passed	puzzle34.txt	288242	217577	288244
=> passed	puzzle37.txt	123709	93371	123711
=> passed	puzzle44.txt	285992	218457	285994
=> passed	puzzle32.txt	780521	589247	780523
=> passed	puzzle35.txt	468033	351161	468035
=> passed	puzzle33.txt	906102	684610	906104
=> passed	puzzle43.txt	1286229	967060	1286231
=> passed	puzzle46.txt	1032037	774817	1032039
=> passed	puzzle40.txt	622025	467092	622027
=> passed	puzzle36.txt	3917022	2949816	3917024
=> passed	puzzle45.txt	1844562	1385073	1844564
==> 25/25 tests passed				

Test 4b: count Board operations (that should get called),
rejecting if doesn't adhere to stricter caching limits

	filename	Board()	equals()	manhattan()
=> passed	puzzle20.txt	2401	1738	2403
=> passed	puzzle22.txt	6056	4415	6058
=> passed	puzzle21.txt	4215	3063	4217
=> passed	puzzle23.txt	9543	6942	9545
=> passed	puzzle24.txt	5383	3898	5385
=> passed	puzzle25.txt	16147	11731	16149
=> passed	puzzle27.txt	13172	9542	13174
=> passed	puzzle29.txt	24175	17490	24177
=> passed	puzzle26.txt	11518	8351	11520
=> passed	puzzle28.txt	34525	25027	34527
=> passed	puzzle30.txt	74581	54063	74583
=> passed	puzzle31.txt	88381	64019	88383
=> passed	puzzle39.txt	80608	60517	80610
=> passed	puzzle41.txt	52561	40405	52563
=> passed	puzzle34.txt	288242	217577	288244
=> passed	puzzle37.txt	123709	93371	123711
=> passed	puzzle44.txt	285992	218457	285994
=> passed	puzzle32.txt	780521	589247	780523
=> passed	puzzle35.txt	468033	351161	468035
=> passed	puzzle33.txt	906102	684610	906104
=> passed	puzzle43.txt	1286229	967060	1286231
=> passed	puzzle46.txt	1032037	774817	1032039
=> passed	puzzle40.txt	622025	467092	622027
=> passed	puzzle36.txt	3917022	2949816	3917024
=> passed	puzzle45.txt	1844562	1385073	1844564
==> 25/25 tests passed				

Total: 125/125 tests passed!

=====