Configurating temporal energy supply systems - A case study from green field festival organisation

Thomas Kirschstein[a,1,*], Lisa Plümer[a]

[a] *Fraunhofer IKTS - CEM, Leipziger Strasse 70/71, Halle, 6108, Germany*

Abstract

This is the abstract.

It consists of two paragraphs.

Keywords: keyword1, keyword2

Please make sure that your manuscript follows the guidelines in the Guide for Authors of the relevant journal. It is not necessary to typeset your manuscript in exactly the same way as an article, unless you are submitting to a camera-ready copy (CRC) journal.

For detailed instructions regarding the elsevier article class, see `https://www.elsevier.com/authors/policies-and-guidelines/latex-instructions`

1. Bibliography styles

Here are two sample references: (Nair, 1993; Toensmeier, 2017).

By default, natbib will be used with the `authoryear` style, set in `classoption` variable in YAML and with `elsearticle-harv.bst` which is among provided style by `elsarticle` documentclass. Other available style are `elsarticle-num.bst` and `elsarticle-num-names.bst` — the first one can be used for the numbered scheme, second one for numbered with new options of natbib.sty.

You can sets extra options with `natbiboptions` variable in YAML header. Example

```
natbiboptions: longnamesfirst,angle,semicolon
```

There are various more specific bibliography styles available at `https://support.stmdocs.in/wiki/index.php?title=Model-wise_bibliographic_style_files`. To use one of these, add it in the header using, for example, `biblio-style: model1-num-names`.

1.1. Using CSL

If `citation_package` is set to `default` in `elsevier_article()`, then pandoc is used for citations instead of `natbib`. In this case, the `csl` option is used to format the references. Alternative `csl` files are available from `https://www.zotero.org/styles?q=elsevier`. These can be downloaded and stored locally, or the url can be used as in the example header.

*Corresponding author

Email addresses: `thomas.kirschstein@ikts.fraunhofer.de` (Thomas Kirschstein), `lisa.pluemer@ikts.fraunhofer.de` (Lisa Plümer)

[1] Second affiliation: RhineMain University of Applied Sciences, Wiesbaden



Figure 1: A meaningless scatterplot.

2. Equations

Here is an equation:

$$f_X(x) = \left(\frac{\alpha}{\beta}\right)\left(\frac{x}{\beta}\right)^{\alpha-1} e^{-\left(\frac{x}{\beta}\right)^{\alpha}}; \alpha, \beta, x > 0.$$

Here is another:

$$a^2 + b^2 = c^2. \tag{1}$$

Inline equations: $\sum_{i=2}^{\infty}\{\alpha_i^{\beta}\}$

3. Figures and tables

Figure 1 is generated using an R chunk.

4. Tables coming from R

Tables can also be generated using R chunks, as shown in Table 1 for example.

```
knitr::kable(head(mtcars)[,1:4],
    caption = "\\label{tab1}Caption centered above table"
)
```

Table 1: Caption centered above table

	mpg	cyl	disp	hp
Mazda RX4	21.0	6	160	110
Mazda RX4 Wag	21.0	6	160	110
Datsun 710	22.8	4	108	93

	mpg	cyl	disp	hp
Hornet 4 Drive	21.4	6	258	110
Hornet Sportabout	18.7	8	360	175
Valiant	18.1	6	225	105

References

Nair, P.K.R., 1993. An Introduction to Agroforestry. Kluwer Academic Publishers, Dordrecht.

Toensmeier, E., 2017. Perennial staple crops and agroforestry for climate change mitigation, in: Montagnini, F. (Ed.), Integrating Landscapes: Agroforestry for Biodiversity Conservation and Food Sovereignty. Springer, Cham. volume 12 of *Advances in Agroforestry*, pp. 431–453. doi:10.1007/978-3-319-69371-2_18.