

Course Owner Checklist

Launch, QA, support, and platform-readiness guide

Course Owner Checklist : n8n M-Pesa Mastery

A practical, downloadable execution guide for the course owner. Use this before launch, during local testing, and again when onboarding your first paying students.

1. Definition of ready

The course is ready when all of these are true:

- ☐ A buyer can pay successfully
 - ☐ A buyer can receive access instructions
 - ☐ A buyer can access the repo or downloadable files
 - ☐ A buyer on **macOS** can complete the local setup
 - ☐ A buyer on **Windows** can complete the local setup
 - ☐ A buyer on **Linux** can complete the local setup
 - ☐ A buyer can identify where to start without asking you
 - ☐ The STK Push demo works locally from the student materials alone
 - ☐ Refunds and repo-access revocation work
 - ☐ You have a support path for common setup issues
-

2. Product decisions to freeze

Before recording or launching, lock these down.

Offer design

- ☐ Final course title chosen
- ☐ Final subtitle chosen
- ☐ Final pricing tiers confirmed
 - ☐ Starter
 - ☐ Pro
 - ☐ Agency
- ☐ Final refund policy written

- ☐ Final support policy written
- ☐ Final launch date chosen

Current frozen decisions

- **Course title** : n8n M-Pesa Mastery
- **Subtitle** : Build Production-Ready STK Push Payment Workflows – No Backend code
- **Pricing tiers** : Starter · Pro · Agency
- **Target launch date** : 2026-10-15

Checkout / Gumroad product names

Use these exact names in Gumroad, Lemon Squeezy, Paystack checkout copy, and launch posts:

- **Starter** : n8n M-Pesa Mastery : Starter
- **Pro** : n8n M-Pesa Mastery : Pro
- **Agency** : n8n M-Pesa Mastery : Agency

Suggested positioning:

- **Starter** : videos + PDFs + community access
- **Pro** : Starter + private consumer repo + workflows + Postman + deploy files
- **Agency** : Pro + creator-oriented commercial guidance, white-label material, and premium support

Tier contents

- ☐ Decide which tiers include videos
 - ☐ Decide which tiers include PDFs
 - ☐ Decide which tiers include Git repo access
 - ☐ Decide which tiers include Postman collection
 - ☐ Decide which tiers include workflow JSONs
 - ☐ Decide which tiers include private support or consult calls
-

3. Course assets checklist

Core documentation

- ☐ docs/handbook.md reviewed
- ☐ docs/handbook.pdf exported and checked
- ☐ docs/daraja-cheatsheet.md reviewed
- ☐ docs/daraja-cheatsheet.pdf exported and checked

- ☐ docs/go-live-checklist.md reviewed
- ☐ docs/go-live-checklist.pdf exported and checked
- ☐ docs/access-control.md reviewed
- ☐ docs/course-owner-checklist.md reviewed

Workflows

- ☐ workflows/01-mpesa-auth.json
- ☐ workflows/02-stk-push.json
- ☐ workflows/03-stk-callback.json
- ☐ workflows/04-reconciliation.json
- ☐ workflows/use-cases/*.json
- ☐ workflows/access/*.json

Data and deployment

- ☐ db/schema.sql reviewed
- ☐ db/access.sql reviewed
- ☐ docker/docker-compose.yml reviewed
- ☐ docker/.env.example reviewed
- ☐ deploy/vps-setup.sh reviewed
- ☐ deploy/nginx.conf reviewed

Student downloads

- ☐ Postman collection reviewed
- ☐ PDFs generated
- ☐ Repo clone path tested
- ☐ Optional ZIP delivery prepared if using Gumroad file delivery

4. Video production checklist

Scripts and narration

- ☐ All module scripts reviewed for clarity
- ☐ Narration tone sounds human and natural
- ☐ Long lessons split where needed
- ☐ Every lesson has a clear outcome
- ☐ Every lesson has matching screen cues

Audio

- ☐ Voice model chosen (your own voice clone or AI voice)
- ☐ Test narration sounds natural with technical words
- ☐ M-Pesa, Daraja, shortcode, passkey, and GitHub are pronounced correctly
- ☐ Pauses sound natural

Screen recordings

- ☐ n8n demos recorded
- ☐ Postman demos recorded
- ☐ Docker / terminal demos recorded
- ☐ Daraja portal demos recorded
- ☐ GitHub access flow demos recorded
- ☐ Errors / troubleshooting demos recorded where useful

Editing

- ☐ Intro card added
- ☐ Outro card added
- ☐ Callouts readable on 1080p
- ☐ Captions exported and checked
- ☐ Audio normalized across lessons
- ☐ Final exports named consistently

5. Student experience checklist

Run this as if you are a brand-new buyer.

Purchase journey

- ☐ Buyer can land on the sales page and understand the offer
- ☐ Buyer can complete checkout successfully
- ☐ Buyer receives welcome or access email
- ☐ Buyer understands the next action immediately

Access journey

- ☐ Repo-access form works
- ☐ GitHub invite arrives

- ☐ Buyer understands how to accept the invite
- ☐ Non-GitHub buyers still have a fallback path if you offer one

First 15 minutes of onboarding

- ☐ Buyer can find the correct first document to open
- ☐ Buyer can identify prerequisites quickly
- ☐ Buyer knows whether their OS is supported
- ☐ Buyer can start local setup without messaging support

6. Platform support checklist

This course should officially support **macOS, Windows, and Linux**.

Support statement to publish

Use wording like this in the landing page, README, and welcome email:

This course is fully supported for **macOS, Windows, and Linux** users. The local hands-on setup uses Git, Docker, a browser, and Postman or equivalent tools.

macOS support

- ☐ Docker Desktop setup instructions written
- ☐ `zsh` / Terminal commands tested
- ☐ Browser launch instructions tested
- ☐ Postman workflow tested
- ☐ Copy/paste commands verified

Windows support

- ☐ Docker Desktop setup instructions written
- ☐ WSL2 note added where needed
- ☐ PowerShell commands written and tested
- ☐ Path separator differences handled
- ☐ Postman workflow tested
- ☐ Browser launch instructions tested

Linux support

- ☐ Docker Engine setup instructions written
- ☐ Docker Compose plugin instructions written
- ☐ Shell commands tested on Ubuntu or Debian-like system
- ☐ `xdg-open` note added
- ☐ Browser launch instructions tested
- ☐ Postman or alternative guidance included

Platform support matrix

Task	macOS	Windows	Linux
Watch videos	✓	✓	✓
Read PDFs	✓	✓	✓
Clone repo	✓	✓	✓
Run Docker locally	✓	✓	✓
Import n8n workflows	✓	✓	✓
Use Postman collection	✓	✓	✓
Complete the full hands-on course	✓	✓	✓

7. Local QA checklist for you, the owner

Do this yourself before launch.

Clean-room test

- ☐ Use a clean machine, new OS user, or fresh VM
- ☐ Follow only the student-facing docs
- ☐ Do not rely on memory or internal knowledge
- ☐ Write down every confusion point
- ☐ Fix the docs immediately after the test

Technical test flow

- ☐ Clone the repo
- ☐ Copy `docker/.env.example` to `.env`

- ☐ Start Docker Compose
- ☐ Open n8n successfully
- ☐ Import workflows successfully
- ☐ Run `npm install`
- ☐ Run `npm run validate:workflows`
- ☐ Run `npm run build:voiceover`
- ☐ Run `npm run build:pdf`
- ☐ Confirm PDFs are generated
- ☐ Confirm landing pages open locally in the browser

STK Push flow test

- ☐ Auth workflow works
- ☐ STK Push workflow accepts valid test payload
- ☐ Invalid payloads fail clearly
- ☐ Callback workflow updates transaction state
- ☐ Reconciliation workflow resolves pending items
- ☐ Database rows are created correctly

Access control test

- ☐ Sale webhook creates a purchase
- ☐ Claim-access form grants repo invite
- ☐ Invalid receipt returns a clear message
- ☐ Invalid GitHub username returns a clear message
- ☐ Refund webhook revokes access
- ☐ Manual revoke script works

8. Common failure cases to test before students hit them

- ☐ Docker not installed
- ☐ Docker daemon not running
- ☐ Port `5678` already in use
- ☐ Missing `NGROK_AUTHTOKEN`
- ☐ Missing `MPESA_CONSUMER_KEY`
- ☐ Missing `MPESA_CONSUMER_SECRET`
- ☐ Missing `MPESA_PASSKEY`
- ☐ Wrong `MPESA_BASE_URL`
- ☐ Wrong GitHub token for repo-access automation
- ☐ Wrong Gumroad webhook URL

- ☐ Receipt typo in claim form
- ☐ GitHub username entered with @

For each one:

- ☐ Verify what the student sees
 - ☐ Add a troubleshooting note if the error is confusing
 - ☐ Prefer helpful error messages over silent failure
-

9. Sales and delivery checklist

Sales page

- ☐ Landing page is live
- ☐ Pricing is correct
- ☐ Purchase buttons point to the correct checkout
- ☐ Refund policy is visible
- ☐ Supported platforms are visible
- ☐ What buyers get is explicitly listed

Post-purchase delivery

- ☐ Welcome email wording is clear
- ☐ Repo claim link works
- ☐ Buyer knows where to begin
- ☐ Buyer knows how to contact support
- ☐ Buyer knows whether to start on macOS, Windows, or Linux docs

Access management

- ☐ Repo is private
 - ☐ GitHub token is scoped correctly
 - ☐ Access workflows are active
 - ☐ Refund flow is active
 - ☐ Audit logs are being written
-

10. Support readiness checklist

Channels

- ☐ Support email live
- ☐ Discord or Telegram live if used
- ☐ Response-time expectation written

Canned replies to prepare

- ☐ Docker install issue
- ☐ n8n not loading at `localhost:5678`
- ☐ Postman import issue
- ☐ Invalid M-Pesa credentials
- ☐ Callback not arriving
- ☐ GitHub invite missing
- ☐ Claim form says invalid receipt

Escalation rules

- ☐ Student setup issue
 - ☐ Payment access issue
 - ☐ Refund issue
 - ☐ Broken repo asset
 - ☐ Gumroad / GitHub outage scenario
-

11. Launch checklist

Soft launch first

- ☐ Invite 3–5 trusted testers
- ☐ Give them the exact student path
- ☐ Collect feedback on confusing parts
- ☐ Fix documentation before public launch

Public launch

- ☐ Announce on LinkedIn
- ☐ Announce on X / Twitter

- ☐ Share in Kenyan dev communities
- ☐ Share a teaser video
- ☐ Share a free lead magnet (Daraja cheat sheet or mini lesson)

Post-launch first 7 days

- ☐ Track where buyers get stuck
 - ☐ Patch docs daily if needed
 - ☐ Watch repo-access logs
 - ☐ Watch refund/revoke behavior
 - ☐ Collect testimonials from early buyers
-

12. Recommended execution order

Follow this exact order to stay organized.

Phase 1 : Freeze the product

- ☐ Final name
- ☐ Final tiers
- ☐ Final pricing
- ☐ Final support policy

Phase 2 : Finalize student materials

- ☐ Docs
- ☐ PDFs
- ☐ Workflows
- ☐ Downloads

Phase 3 : Complete local owner QA

- ☐ Clean-room test on macOS
- ☐ Clean-room test on Windows
- ☐ Clean-room test on Linux
- ☐ Fix all friction points

Phase 4 : Finish video production

- ☐ Voiceover

- ☐ Screen recording
- ☐ Editing
- ☐ Uploads

Phase 5 : Test paid-access automation

- ☐ Sale webhook
- ☐ Claim form
- ☐ GitHub invite
- ☐ Refund revoke

Phase 6 : Soft launch

- ☐ Small test group
- ☐ Feedback
- ☐ Adjustments

Phase 7 : Public launch

- ☐ Landing page live
- ☐ Checkout live
- ☐ Repo gating live
- ☐ Support live

13. Owner sign-off page

Use this section as the final gate.

Product sign-off

- ☐ I have personally tested the full student flow
- ☐ I have personally tested the repo-access flow
- ☐ I have personally tested the refund and revoke flow
- ☐ I am comfortable supporting macOS, Windows, and Linux students
- ☐ I have a fallback plan if GitHub or Gumroad is temporarily unavailable

Launch sign-off

- ☐ Ready for soft launch
- ☐ Ready for public launch

Owner name: _____

Signed on: _____

14. Quick links

- Repo root : [README.md](#)
- Student starting point : [START-HERE.md](#)
- Platform support matrix : [docs/platform-support.md](#)
- macOS setup : [docs/platform-setup-macos.md](#)
- Windows setup : [docs/platform-setup-windows.md](#)
- Linux setup : [docs/platform-setup-linux.md](#)
- Troubleshooting : [docs/troubleshooting.md](#)
- Access-control guide : [docs/access-control.md](#)
- Release checklist : [docs/release-checklist.md](#)
- Video production playbook : [docs/video-production-playbook.md](#)
- Handbook : [docs/handbook.pdf](#)
- Cheat sheet : [docs/daraja-cheatsheet.pdf](#)
- Go-live checklist : [docs/go-live-checklist.pdf](#)
- Owner checklist PDF : [docs/course-owner-checklist.pdf](#)