
Communication Link for a Cubesat

An SDR approach

Copyright © Aalborg University 2015

This report is compiled in L^AT_EX, originally developed by Leslie Lamport, based on Donald Knuth's T_EX. The main text is written in *Computer Modern* pt 11, designed by Donald Knuth. Flowcharts and diagrams are made using Microsoft Visio, Inkscape and Tikz, a T_EXpackage for generating graphics.



AALBORG UNIVERSITY

STUDENT REPORT

Institute of Electronic Systems

Fredrik Bajers Vej 7

DK-9220 Aalborg Ø

Title:

Communication Link for a cubesat
- an SDR approach

Theme:

BSc Project (Communication Systems)

Project Period:

6. Semester

Project Group:

16gr651

Participants:

Amalie Vistoft Petersen
Rasmus Gundorff Sæderup
Thomas Kær Juel Jørgensen

Supervisor:

Troels Bundgaard Sørensen

Co-supervisor:

Gilberto Berardinelli

Copies: 3**Page Numbers:** 144**Date of Completion:**

September 7, 2016

Abstract:

In this project, a communication link between a cubesat and a ground station is designed. This includes an investigation of available frequencies as well as performance characteristics of different antenna- and modulation types. From the investigation, it is chosen to use a 10.5 GHz link with a patch antenna and to use both OQPSK as well as 8-PSK modulation. A link budget is constructed, showing an SNR of 2.8 dB at the receiver, yielding a feasible bitrate of 1.3 Mbps in LEO (1000 km) and 900 bps in lunar orbit (384000 km). This link is simulated in MATLAB showing a plausible bit-error rate (BER) of $0.0251 \pm 0.5 \cdot 10^{-4}$ for the lunar link, and $0.0235 \pm 0.5 \cdot 10^{-4}$ for the LEO link, without forward error coding (FEC). Based on this, an Software Defined Radio (SDR) prototype is implemented on two USRP's using LabVIEW. The prototype has various reconfigurable parameters including modulation type, bitrate and carrier frequency. Synchronization issues are seen at low SNRs, and the BER is up to 18.5 times bigger than what the simulation shows. The end result is a reconfigurable SDR that can transmit and decode data using OQPSK and 8-PSK with a bitrate of up to 500 kbps, with a BER of 0.0239 (without FEC) at an SNR of 5 to 6 dB.

Contents

Preface

This bachelor project in Communication Systems has been carried out during the spring of 2016, by a group of three students from Electronics and IT at Aalborg University.

The project regards the development of a communication link between a satellite in space and a ground station, as well as the development of a prototype implementation of a software defined radio to be used in the link.

A general knowledge of electronic engineering and more specifically communication systems is needed to read the report.

References to sources are of the APA-style, i.e. of the type [*source name/author's surname, year, optional page number*]. Sources are listed in a bibliography at the end of the report, and PDFs, datasheets etc. can be found in the attached ZIP-file. Figures without a source are made by the project group.

This report is organized in three parts. The first part is a technical analysis that goes in depth with antennas, a link budget of the communication link between a satellite and a ground station at AAU, different suitable modulation types and, finally, a requirements for a prototype of the radio to be used in the communication link is established.

In part two, the theory, simulation and implementation of the prototype is described.

Part three contains the test of the prototype related to the requirements set up for it in part 1.

Special thanks should be addressed to PhD student Dereje Assefa and associate professor John Hansen for helping with the USRP's and LabVIEW. A thanks to assistant engineer Kristian Bank for helping with tests of the antennas in Starlab and for the great help regarding setting up and borrowing measurement equipment. Furthermore, a thanks goes to associate professors Flemming Bjerre Frederiksen and Carles Navarro Manchón for giving a helping hand in finding reading material.

Aalborg University, September 7, 2016

Amalie Vistoft Petersen
apet13@student.aau.dk

Rasmus Gundorff Sæderup
rsader13@student.aau.dk

Thomas Kær Juel Jørgensen
tkjj13@student.aau.dk

Bibliography

- AAU Student Space (2014a). AAU System Specification Document v. 1.2.
- AAU Student Space (2014b). AAUSAT5 Critical Items List v. 1.0.
- AAUSAT3 (2015). Ground Station antenna. <http://www.space.aau.dk/aausat3/index.php?n=Ham.HAMAndRadioInfo>. Downloaded 15. February 2016.
- AAUSAT4 (2014). A & I Final Activities & Integration Tests/Checkouts. Revision 1.7.
- Agilent Technologies (2005). Total Jitter Measurement at Low Probability Levels, Using Optimized BERT Scan Method. <http://cp.literature.agilent.com/litweb/pdf/5989-2933EN.pdf>. Downloaded 23. Maj 2016.
- Agilent Technologies (2012). Antenna Measurement Using Multi-Probe Scanning. <http://cp.literature.agilent.com/litweb/pdf/5990-4803EN.pdf>. Downloaded 17. March 2016.
- A.H. Systems, inc. (2016). Log Periodic Antennas. <http://www.ahsystems.com/catalog/log-periodic-antennas.php>. Picture, Downloaded 18. February 2016.
- American Radio Relay League (2016). US Amateur Radio Frequency Allocations. <http://www.arrl.org/frequency-allocations>. Downloaded 23. March 2016.
- ANADIGICS (2016). AWT6388. http://www.anadigics.com/sites/default/files/datasheets/AWT6388_Rev_2.1.pdf. Downloaded 28. March 2016.
- Analog Devices (2015). ADF7021. <http://www.analog.com/media/en/technical-documentation/data-sheets/ADF7021.pdf>. Downloaded 22. February 2016.
- Angeletti, P., Lisi, M., and Tognolatti, P. (2014). Software Defined Radio: a Key Technology for Flexibility and Reconfigurability in Space Applications. *Metrology for Aerospace, 2014 IEEE*. doi:10.1109/MetroAeroSpace.2014.6865957.
- Astra Microelectronic Technologies Limited (2007). AMT2142021M: 8.5 – 10.5 GHz Low Noise Amplifier Module. <http://biakom.com/hfuhf/production/mmic/Astra%20Microwave/modular%20products/2142021M.pdf>. Downloaded 10. March 2016.
- Atlanta RF (2013). Link Budget Analysis: Digital Modulation, Part 1. http://www.atlantarf.com/ASK_Modulation.php. Downloaded 28. March 2016.
- Balanis, C. (2005). *Antenna Theory: Analysis and Design*. Antenna Theory: Analysis and Design. John Wiley & Sons.
- Balanis, C. A. (1997). *Antenna Theory - Analysis and Design*. Wiley, 2 edition.
- Benedetto, S. and Biglieri, E. (1999). *Principles of Digital Transmission: with wireless applications*. Kluwer Academic/Plenum Publishers.

Bibliography

- Bevelacqua, P. J. (2016a). Antenna Arrays (Phased Arrays). <http://www.antenna-theory.com/arrays/main.php>. Downloaded 29. March 2016.
- Bevelacqua, P. J. (2016b). Antenna Types. <http://www.antenna-theory.com/antennas/main.php>. Source include subpages, Downloaded 17. February 2016.
- C. S. Rawat et al. (2014). Implementation of Barker Code and Linear Frequency Modulation Pulse Compression Techniques in Matlab. http://www.ijetae.com/files/Volume4Issue4/IJETAE_0414_18.pdf. Downloaded 23. Maj 2016.
- Clyde Space (2016). CubeSat S-Band Transmitter. http://www.clyde-space.com/cubesat_shop/communication_systems/301_cubesat-s-band-transmitter. Downloaded 12. February 2016.
- Constantine A. Balanis (2005). Microstrip Antennas. <http://kom.aau.dk/~gfp/CommunicationInElectronic2015/CommunicationInElectronicY2015Mma3PresentationPartII%20%5bCompatibility%20Mode%5d.pdf>. Downloaded 22. February 2016.
- DL6WU (2014). Yagi Uda Antenna Calculator. <http://pencho.my.contact.bg/start/comp/anteni/Yagi.htm>. Downloaded 15. February 2016.
- Elbert, B. R. (1999). *Introduction to Satellite Communication*. Artech House, 2 edition.
- Electronic Communications Committee (2015). THE EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND APPLICATIONS IN THE FREQUENCY RANGE 8.3 kHz to 3000 GHz (ECA TABLE). <http://www.erodocdb.dk/docs/doc98/official/pdf/ERCRep025.pdf>. Downloaded 10. February 2016.
- eoPortal (2016). GOMX-3. <https://directory.eoportal.org/web/eoportal/satellite-missions/g/gomx-3>. Downloaded 18. February 2016.
- Ettus Research (2016). XCVR2450 2.4-2.5 GHz, 4.9-5.9 GHz Tx/Rx. <https://www.ettus.com/product/details/XCVR2450>. Downloaded 21. April 2016.
- Freeman, R. L. (2007). *Radio System Design for Telecommunications*. Wiley, 3 edition.
- Frenzel, L. E. (2006). The Elusive Software-Defined Radio. <http://electronicdesign.com/communications/elusive-software-defined-radio>. Downloaded 18. Maj 2016.
- Frenzel Jr., L. E. (2008). *Principles of Electronic Communication Systems*. McGraw-Hill, 3 edition.
- GNURadio (2016). GNURadio. <http://gnuradio.org/>. Downloaded 16. Maj 2016.
- Haykin, S. (2001). *Communication Systems*. Wiley, 4 edition.
- IARU, I. R. A. U. (2009). The 3 cm band. <http://www.iaru-r1.org/index.php/spectrum-and-band-plans/shf/3-centimeter>. Downloaded 30. March 2016.

- International Amateur Radio Union (2015). List of Satellite projects for which frequencies have been coordinated. <http://www.amsat.org.uk/iaru/>. Downloaded 11. February 2016.
- International Telecommunication Union (1997). Recommendation ITU-R P.676-3. Attenuation by atmospheric gases. https://www.itu.int/dms_pubrec/itu-r/rec/p/R-REC-P.676-3-199708-S!!PDF-E.pdf. Downloaded 2. March 2016.
- International Telecommunication Union (2009). Article 5: Frequency allocations of amateur satellite service. Section IV – Table of Frequency Allocations. http://www.itu.int/en/ITU-R/space/AmateurDoc/ARS-ART5_E.pdf. Downloaded 11. February 2016.
- International Telecommunication Union (2013). Recommendation ITU-R P.676-10. Attenuation by atmospheric gases. https://www.itu.int/dms_pubrec/itu-r/rec/p/R-REC-P.676-10-201309-I!!PDF-E.pdf. Downloaded 11. February 2016.
- ISIS (2016). ISIS – TXS Small Satellite S-Band Transmitter. http://www.isispace.nl/brochures/ISIS_TXS_Brochure_v.12.4.pdf. Downloaded 12. February 2016.
- John C. Bancroft (2014). Introduction to matched filters. <https://crewes.org/ForOurSponsors/ResearchReports/2002/2002-46.pdf>. Downloaded 23. Maj 2016.
- Kiedron, K., Chian, C. T., and Chuang, K. L. (1986). Statistical Analysis of the 70 Meter Antenna Surface Distortions. <http://ntrs.nasa.gov/archive/nasa/casi.ntrs.nasa.gov/19870008515.pdf>. Downloaded 21. March 2016.
- Land, I. and Fleury, B. H. (2007). Digital Modulation 1. Course Material, Lecture notes, Communication Systems EIT 6. semester Aalborg University. Downloaded 17. March 2016.
- Lehpamer, H. (2010). *Microwave Transmission Networks, Planning, Design, and Deployment*. McGraw-Hill, 2 edition.
- Macom (2016). MAMX-011023. [http://cdn.macom.com/datasheets/MAMX-011023%20\(1\).pdf](http://cdn.macom.com/datasheets/MAMX-011023%20(1).pdf). Downloaded 10. March 2016.
- Maxim (2003). 400MHz to 2.5GHz, Low-Noise, SiGe Downconverter Mixers. <http://www.farnell.com/datasheets/2001008.pdf>. Downloaded 10. March 2016.
- meyavuz (2011). Linear, Circular and Elliptical Polarization Animation in a Single Shot. <https://www.youtube.com/watch?v=Q0qrU4nprB0>. Picture, Downloaded 22. February 2016.
- Michele Morelli and Antonio A. D’Amico (2007). Maximum Likelihood Timing and Carrier Synchronization in Burst-Mode Satellite Transmissions. <http://jwcn.eurasipjournals.springeropen.com/articles/10.1155/2007/65058>. EURASIP Journal on Wireless Communications and Networking.

Bibliography

- National Criminal Justice Reference Service, NCJRS (2016). Antenna Types. <https://www.ncjrs.gov/pdffiles1/nij/185030b.pdf>. Downloaded 9. March 2016.
- National Instruments (2008). Tools for Digital and Analog Modulation/Demodulation Communications Analysis. <http://www.ni.com/pdf/products/us/032753305101.pdf>. Downloaded 21. Maj 2016.
- Pettai, R. (1984). *Noise in Receiving Systems*. Wiley.
- Radio Amateur Satellite Corporation (1994). REPLY COMMENTS OF THE RADIO AMATEUR SATELLITE CORPORATION. In the Matter of Allocation of Spectrum Below 5 GHz Transferred from Federal Government Use. <http://www.amsat.org/amsat/amsat-na/filings/et94-32-reply.pdf>. Downloaded 11. February 2016.
- Rao, K. (2004). *Fundamentals of Satellite Communication*. Prentice Hall of India.
- Reisert, J. H. (2016). Antenna polarization. <http://www.astronwireless.com/topic-archives-antennas-polarization.asp>. Downloaded 22. February 2016.
- Research, E. (2012). USRP™ N200/N210 Networked Series. https://www.ettus.com/content/files/07495_Ettus_N200-210_DS_Flyer_HR_1.pdf. Downloaded 21. April 2016.
- Research, E. (2016a). Device Synchronization. http://files.ettus.com/manual/page_sync.html#sync_time_mimocable. Downloaded 18. Maj 2016.
- Research, E. (2016b). Using MIMO Cable. http://files.ettus.com/manual/page_usrp2.html#usrp2_mimocable. Downloaded 18. Maj 2016.
- Research, E. (2016c). USRP bandwidth. <https://www.ettus.com/kb/detail/usrp-bandwidth>. Downloaded 18. Maj 2016.
- Research, E. (2016d). USRP N210. <https://www.ettus.com/product/details/UN210-KIT>. Downloaded 21. April 2016.
- Riebeek, H. (2009). Catalog of Earth Satellite Orbits. <http://earthobservatory.nasa.gov/Features/OrbitsCatalog>. Accessed February 5 2016.
- Ritchey, L. W. (1999). A SURVEY AND TUTORIAL OF DIELECTRIC MATERIALS USED IN THE MANUFACTURE OF PRINTED CIRCUIT BOARDS. <http://speedingedge.com/PDF-Files/tutorial.pdf>. Downloaded 19. February 2016.
- Ross, S. (2009). *Probability and Statistics for Engineers and Scientists*. Academic Press, 4 edition.
- Satimo (2008). StarLab. http://www.atmsindia.org/images/SATIMO_ANTENNAMEAS_SLAB_final.pdf. Downloaded 4. March 2016.

- SSB-Electronic (2010). Data Sheet SP-7000 / Art. Nr.: 1050. http://www.arrayolutions.com/SSB%20Electronics/EN-1050_SP-7000.pdf. Downloaded 15. February 2016.
- SSB-Electronic (2016a). Aircom Premium. <http://www.ssbusa.com/aircompremium.pdf>. Downloaded 9. March 2016.
- SSB-Electronic (2016b). Ecoflex 10. <http://www.ssbusa.com/ecoflex10.pdf>. Downloaded 9. March 2016.
- Stiles, J. (2016). Noise figure of passive devices. <http://www.ittc.ku.edu/~jstiles/622/handouts/Noise%20Figure%20of%20Passive%20Devices.pdf>. Downloaded 28. March 2016.
- Straw, R. D., Severns, R., Beezley, B., and Hare, E. (1999). *The ARRL Antenna Book*. The American Radio League, inc, 18 edition.
- Syrlinks (2015a). EWC 27 HDR-TM X Band Transmitter. <http://www.syrlinks.com/en/products/cubesats/hdr-x-band-transmitter.html>. Downloaded 22. February 2016.
- Syrlinks (2015b). X-Band Transmitter EWC27. http://spaceflight.com/wp-content/uploads/2015/08/EWC27_V3.10.pdf. Downloaded 10. February 2016.
- Tethers Unlimited (2014). Swift XTS - High Throughput X-band Downlink with S-band Transceiver. http://www.tethers.com/SpecSheets/Brochure_SWIFT_XTS.pdf. Downloaded 12. February 2016.
- The Consultative Committee for Space Data Systems (2009). BANDWIDTH-EFFICIENT MODULATIONS. <http://public.ccsds.org/publications/archive/413x0g2.pdf>. Downloaded 10. March 2016.
- TMC design corporation (2016). HO-430-10-HH Direction Finding Horn Antenna. <http://herrindesign.com/tmc/our-products/antennas/directional/horn-antennas/ho-430-10-hh/>. Picture, Downloaded 18. February 2016.
- Wesolowski, K. (2009). *Introduction to Digital Communication Systems*. Wiley.

Appendix