


Name the tree.

Colour is a fingerprint, not a class.

Tessera embeddings are 128 numbers per 10 m cell. The phone never downloads that tensor. It paints a **3-band RGB fingerprint** (embedding bands 30, 60, 90) for the single 0.1° tile under you — magenta and cyan, not IndiaSAT's green/yellow/red legend. Similar colour $\approx$ similar landscape. You supply the species name.


Sulya's four tiles are packed in the app (~75 KB each). Other tiles need signal and the Tessera proxy.



The join key is free.

GPS snaps to Tessera's 0.1° grid. That id is written on every save, even offline. Colour is optional.

Always on the spot bar: Tessera
grid_75.35_12.55



Pack the walk, not the embeddings.

The packed colour covers the Sulya polygon. Off that box, use a proxy or collect ids only.


Import the trial landscape (or your compartments)



Turn on landscape colour.

Maps → **Tessera landscape colour**. IndiaSAT switches off. Photograph where the fingerprint changes — ridge, estate edge, river.


Tessera landscape colour · noisy
RGB, not land-cover classes



Three taps of truth.

Photograph the bole or leaf. Name it if you can. Save. IndexedDB holds GPS, photo, tessera_tile_id, year 2024.

Species + native / plantation / mixed.
Tile id rides along.



Join 10 m cells on a computer.

Download those Tessera tiles, sample the cell at each GPS, train a species head. The phone was the label factory.

CSV · tessera_tile_id, species, stand
type

Tessera: Feng et al. · bands 30/60/90 as RGB · Sulya, Dakshina Kannada.