

Daily Bible Verse App Documentation

Project Overview

The **Daily Bible Verse** app is a single-page React application built with Vite and Tailwind CSS, designed to display a random Bible verse in the NET Bible translation. It features a modern, responsive UI with a large, rectangular card containing the verse, title, and refresh button, layered over a blurred background card for a professional look. The app uses the `labs.bible.org` API to fetch verses, caches them daily for consistency, and includes a custom favicon (`bible-icon.jpg`).

Purpose

To provide users with a daily inspirational Bible verse in a visually appealing, user-friendly interface, with the ability to fetch a new verse on demand.

Features

- **Random Verse Display:** Fetches a random verse from the NET Bible via `https://labs.bible.org/api/?passage=random&type=json`.
- **Daily Caching:** Stores the verse in `localStorage` to show the same verse throughout the day, refreshing automatically the next day.
- **Refresh Button:** Allows users to fetch a new random verse instantly, clearing the cache.
- **Polished UI:**
 - Large, rectangular card (`max-w-3xl`) containing the title ("Daily Bible Verse"), verse text, reference, and refresh button.
 - Blurred background card (`max-w-4xl`, `backdrop-blur-[2px]`, `bg-opacity-80`) with a custom image (`/backdrop.jpg`).
 - Gradient page background (`from-blue-100 via-purple-100 to-pink-100`).
 - Hover animation (`scale-105`) for interactivity.
 - Responsive design with scalable fonts and padding for mobile and desktop.
- **Custom Favicon:** Displays `bible-icon.jpg` in the browser tab.
- **Error Handling:** Shows user-friendly error messages if the API fails (e.g., "Failed to fetch verse").
- **Deployment:** Hosted on Vercel with automatic updates from GitHub pushes.

Technical Details

- **Framework:** React 18.2.0 (Vite 5.4.8 for fast builds).

- **Styling:** Tailwind CSS 3.4.13 with custom styles in `App.css`.
- **API:** `labs.bible.org` (NET Bible, no API key required).
- **State Management:** React hooks (`useState`, `useEffect`) for verse fetching and caching.
- **Storage:** `localStorage` for daily verse caching.
- **Build Tool:** Vite with React plugin for development and production builds.
- **Deployment:** Vercel, linked to GitHub
(<https://github.com/tkntsh/daily-bible-verse.git>).

File Structure

```

daily-bible-verse/
├── public/
│   ├── backdrop.jpg      # Background image for VerseCard
│   └── bible-icon.jpg    # Custom favicon
├── src/
│   ├── components/
│   │   └── VerseCard.jsx # Component for rendering verse card
│   ├── App.jsx          # Main app component (API logic, state)
│   └── App.css           # Tailwind CSS styles for UI
├── index.html            # Entry HTML with favicon link
├── package.json          # Dependencies and scripts
├── vite.config.js        # Vite configuration
├── tailwind.config.cjs   # Tailwind CSS configuration
├── postcss.config.js     # PostCSS configuration for Tailwind
└── .gitignore            # Git ignore rules

```

Key Files

- **index.html:**
 - Entry point with `<link rel="icon" type="image/jpeg" href="/bible-icon.jpg" />` for favicon.
- **App.jsx:**
 - Manages state (`verse`, `error`, `refreshTrigger`), fetches verses, and renders `VerseCard`.
 - Uses `axios` for API calls and `localStorage` for caching.
- **VerseCard.jsx:**
 - Renders title, verse (or error/loading), and "New Verse" button in a card.
 - Includes hover animation and responsive styling.
- **App.css:**
 - Defines Tailwind classes for `verse-card`, `backdrop-card`, and content styling.
 - Uses `backdrop-blur-[2px]` for minimal blur on background card.
- **public/:**
 - `backdrop.jpg`: Background image for verse card.
 - `bible-icon.jpg`: Custom favicon for browser tab.

Dependencies

From `package.json`:

`json`

```
"dependencies": {  
  "axios": "^1.7.2",  
  "react": "^18.2.0",  
  "react-dom": "^18.2.0"  
},  
"devDependencies": {  
  "@vitejs/plugin-react": "^4.3.1",  
  "autoprefixer": "^10.4.20",  
  "postcss": "^8.4.47",  
  "tailwindcss": "^3.4.13",  
  "vite": "^5.4.8"  
}
```

Setup Instructions

Prerequisites

- **Node.js:** Version 18.x or higher (run `node -v` to check).
- **Git:** Installed (run `git --version`).
- **GitHub Account:** Repository at <https://github.com/tkntsh/daily-bible-verse.git>.
- **Vercel Account:** For deployment.

Local Setup

1. **Clone Repository:**
2. `bash`

```
git clone https://github.com/tkntsh/daily-bible-verse.git
```

3. `cd daily-bible-verse`
4. **Install Dependencies:**
5. `bash`
6. `npm install`
7. **Run Development Server:**
8. `bash`
9. `npm run dev`
 - Opens at `http://localhost:5173`.
 - Displays a random NET Bible verse in a large card with a blurred background.
10. **Build for Production:**

11. `bash`
12. `npm run build`
 - Outputs to `dist/` folder.
13. **Preview Build:**
14. `bash`
15. `npm run preview`
 - Serves `dist/` locally to test production build.

File Verification

Ensure the following files are present:

- `public/bible-icon.jpg` (favicon)
- `public/backdrop.jpg` (card background)
- `index.html` with `<link rel="icon" type="image/jpeg" href="/bible-icon.jpg" />`
- `src/App.jsx`, `src/components/VerseCard.jsx`, `src/App.css` (as per previous responses)

Deployment Instructions

The app is deployed on Vercel, linked to <https://github.com/tkntsh/daily-bible-verse.git>.

Below are the steps to maintain or redeploy.

Vercel Deployment

1. **Link GitHub Repository:**
 - Log in to vercel.com.
 - Import `tkntsh/daily-bible-verse` from GitHub.
2. **Configure Settings:**
 - **Framework Preset:** Vite.
 - **Root Directory:** `./`.
 - **Build Command:** `npm run build`.
 - **Output Directory:** `dist`.
 - **Environment Variables:** None (no API key needed).
3. **Deploy:**
 - Click **Deploy** in Vercel dashboard.
 - Build time: ~1-2 minutes.
 - Access at Vercel-provided URL (e.g., <https://daily-bible-verse.vercel.app>).
4. **Auto-Deploy:**
 - Push changes to GitHub's `main` branch:
 - `bash`

```
git add .
git commit -m "Update verse card styles"
```

- `git push origin main`
- Vercel auto-rebuilds and updates the live site.

Custom Domain (Optional)

- In Vercel dashboard > Project > Settings > Domains, add a custom domain (e.g., `dailybibleverse.com`).
- Update DNS records with your domain provider to point to Vercel's servers.

Deployed Features

- URL: `https://daily-bible-verse.vercel.app` (or your custom domain).
- Favicon: `bible-icon.jpg` in browser tab.
- UI: Large card (`max-w-3xl`) with title, verse, and "New Verse" button; blurred background card (`max-w-4xl, backdrop-blur-[2px]`).
- API: Random NET Bible verse from `labs.bible.org`.
- Responsive: Scales for mobile with readable text.

Troubleshooting

Git Issues

- **Push Error** (`src refspec main does not match any`):
 - Check branch: `git branch` (if `* master`, **rename**: `git branch -m master main`).
 - Ensure commits exist: `git log --oneline`.
 - Push: `git push -u origin main`.
- **Authentication**:
 - Use personal access token (GitHub > Settings > Developer settings).
 - Or set up SSH: `git remote set-url origin git@github.com:tkntsh/daily-bible-verse.git`.

Deployment Issues

- **Build Fails**:
 - Verify `package.json` dependencies.
 - Check Vercel logs for missing files (e.g., `public/bible-icon.jpg`).
 - Run `npm run build` locally to test.
- **Favicon Missing**:

- Ensure `public/bible-icon.jpg` is in GitHub repo.
- Verify `index.html`: `<link rel="icon" type="image/jpeg" href="/bible-icon.jpg" />`.
- Clear browser cache or test in incognito mode.
- **API Fails:**
 - Test `https://labs.bible.org/api/?passage=random&type=json`.
 - Fallback: `https://getbible.net/v2/kjv/random.json` (contact for code).
- **CSS Errors:**
 - Ensure `App.css` uses `break-words` and `backdrop-blur-[2px]`.
 - Verify `index.css` has `@tailwind` directives.

Maintenance

- **Update Code:**
 - Edit files (e.g., `App.jsx`, `App.css`), commit, and push:
 - `bash`

```
git add .
git commit -m "Update favicon"
```

- `git push origin main`
 - Vercel auto-deploys changes.
- **Change API:**
 - For other translations (e.g., KJV), switch to `getbible.net` (contact for code).
- **Favicon:**
 - Replace `public/bible-icon.jpg` with a square `.ico` or `.png` for better compatibility.
 - Update `index.html` if format changes.

Future Enhancements

- **Multiple Translations:** Use `getbible.net` for KJV, ASV, WEB support with a dropdown.
- **No Caching:** Remove `localStorage` for true random verses on each load.
- **Custom Styling:** Adjust gradient colors or blur level (`backdrop-blur-[1px]`).

Contact

For issues or enhancements, contact the developer via GitHub issues at <https://github.com/tkntsh/daily-bible-verse> or your preferred method.

Notes

- **Deployed URL:** Please share your Vercel URL (e.g., `https://daily-bible-verse.vercel.app`) for verification if needed.
- **Favicon:** If `bible-icon.jpg` renders poorly, convert to `favicon.ico` (32x32) using Favicon.io.
- **API:** `labs.bible.org` is reliable for NET Bible. For other versions, I can provide code for `getbible.net`.

Reply with the deployed URL, any issues, or desired tweaks (e.g., blur level, card size, new features)!

The tech stack for your `daily-bible-verse` app consists of the tools, frameworks, libraries, and services used to build, style, and deploy the application. Below is a detailed breakdown of the tech stack based on the project's current implementation, including the frontend, styling, API, build tools, and deployment platform.

Tech Stack for Daily Bible Verse App

Frontend

- **React (18.2.0):**
 - JavaScript library for building the user interface.
 - Used for creating components (`App.jsx`, `VerseCard.jsx`) and managing state with hooks (`useState`, `useEffect`).
 - Handles dynamic rendering of the verse card and refresh button.
- **JavaScript (ES Modules):**
 - Core programming language for React logic and API calls.
 - Uses modern ES module syntax (`import/export`) in `App.jsx` and `VerseCard.jsx`.

Styling

- **Tailwind CSS (3.4.13):**
 - Utility-first CSS framework for styling the UI.
 - Applied via `App.css` for responsive card layout (`max-w-3xl`, `backdrop-blur-[2px]`), gradient background, and animations (`hover:scale-105`).
 - Configured in `tailwind.config.cjs` for customizations.
- **PostCSS (8.4.47):**
 - Processes Tailwind CSS with autoprefixer for browser compatibility.
 - Configured in `postcss.config.js`.
- **Autoprefixer (10.4.20):**

- Adds vendor prefixes to CSS rules for cross-browser support.
- Integrated with PostCSS and Tailwind.

Data Fetching

- **Axios (1.7.2):**
 - Promise-based HTTP client for making API requests.
 - Used in `App.jsx` to fetch random verses from `https://labs.bible.org/api/?passage=random&type=json`.
- **labs.bible.org API:**
 - Free, public API providing random Bible verses in the NET Bible translation.
 - No API key required, returns JSON with `bookname`, `chapter`, `verse`, and `text`.
- **localStorage:**
 - Browser storage API for caching the daily verse.
 - Ensures the same verse displays throughout the day unless refreshed.

Build Tools

- **Vite (5.4.8):**
 - Fast frontend build tool for development and production.
 - Configured in `vite.config.js` with React plugin for hot module replacement (HMR) and optimized builds.
 - Outputs static files to `dist/` for deployment.
- **@vitejs/plugin-react (4.3.1):**
 - Vite plugin for React support.
 - Enables fast refresh and JSX compilation.

Deployment

- **Vercel:**
 - Hosting platform for deploying the app.
 - Linked to GitHub (`https://github.com/tkntsh/daily-bible-verse.git`) for automatic deployments on `main` branch pushes.
 - Builds the app using `npm run build` and serves `dist/`.
 - Provides HTTPS, custom domains, and preview URLs (e.g., `https://daily-bible-verse.vercel.app`).

Version Control

- **Git:**
 - Version control system for tracking code changes.
 - Local repository in `daily-bible-verse/` with `.gitignore` to exclude `node_modules`, `dist/`, etc.

- **GitHub:**
 - Remote repository hosting (<https://github.com/tkntsh/daily-bible-verse.git>).
 - Stores project files and triggers Vercel deployments.

File Formats

- **HTML:**
 - `index.html`: Entry point with favicon (`bible-icon.jpg`) and React root.
- **CSS:**
 - `App.css`: Custom Tailwind styles for `verse-card`, `backdrop-card`, etc.
 - `index.css`: Imports Tailwind base, components, and utilities.
- **JSX:**
 - React components (`App.jsx`, `VerseCard.jsx`) for UI logic.
- **JPG:**
 - `public/bible-icon.jpg`: Custom favicon.
 - `public/backdrop.jpg`: Background image for verse card.

Development Environment

- **Node.js** (18.x or higher):
 - Runtime for running Vite and installing dependencies.
 - Required for `npm install`, `npm run dev`, and `npm run build`.
- **npm**:
 - Package manager for installing dependencies (`package.json`).

Summary Table

Category	Technology	Version	Purpose
Frontend	React	18.2.0	UI components and state management
Frontend	JavaScript (ES Modules)	-	Core logic and API calls
Styling	Tailwind CSS	3.4.13	Responsive UI styling
Styling	PostCSS	8.4.47	CSS processing
Styling	Autoprefixer	10.4.20	Browser compatibility
Data Fetching	Axios	1.7.2	HTTP requests to API
Data Fetching	labs.bible.org API	-	Random NET Bible verses

Data Fetching	localStorage	-	Daily verse caching
Build Tools	Vite	5.4.8	Fast development and build
Build Tools	@vitejs/plugin-react	4.3.1	React support for Vite
Deployment	Vercel	-	Hosting and auto-deployment
Version Control	Git	-	Local version control
Version Control	GitHub	-	Remote repository hosting

Notes

- **Dependencies:** Listed in `package.json` (verified from previous setup).
- **API:** Fixed to `labs.bible.org` (NET Bible). For multiple translations, switch to `getbible.net` (KJV, ASV, WEB).
- **Favicon:** `bible-icon.jpg` (JPG format). Consider converting to `.ico` for broader compatibility.
- **UI:** Polished with Tailwind (large card, minimal blur, gradient background).
- **Deployment:** Vercel auto-deploys from GitHub (`main` branch).

If you need further details (e.g., specific dependency roles, alternative APIs, or deployment tweaks), or want to share the deployed URL for verification, let me know!