# Requirements Multiplayer implementation Bejeweled

by

Group 33

# **Teaching Assistant** *B. Reijm*

#### **Group members**

Wytze Elhorst Thomas Kolenbrander Steven Meijer Bart van Oort Steven Meijer

## **Contents**

· unoutonal roquitorio	3
Must Haves	3
Should Haves	3
Could Haves	3
Would/Won't Haves	3
Non-functional requirements	4

### **Functional Requirements**

The requirements for the Multiplayer implementation of Bejeweled are divided into functional and nonfunctional requirements. The functional requirements are divided into four categories using the MoSCoW model.

#### **Must Haves**

- When a new game is started the graphical user interface displays 2 boards.
- The first board is controlled with the mouse the same as the singleplayer game.
- The second board is controlled with the keyboard by using the arrow keys to move to selected gems.
- Each board has its own seperate score.

#### **Should Haves**

- Both players are able to pause the game.
- Both players are able to save the game.
- Both players are able to load the game.
- Both players are able to restart the game.
- The player is able to choose whether to play the game multiplayer or singleplayer

#### **Could Haves**

 When starting up the game it asks you how many players will play, based on your input the game will display up to 4 boards each with their own controls.

#### Would/Won't Haves

• The game can be played online against other people.

# **Nonfunctional Requirements**

The following requirements do not describe what the system should do, but they describe constraints that apply to the system or the development process of the system.

• Each player should feel like they have an equal chance of winning the game.