# Requirements Animations in Bejeweled

by

Group 33

# **Teaching Assistant** *B. Reijm*

#### **Group members**

Wytze Elhorst Thomas Kolenbrander Steven Meijer Bart van Oort Steven Meijer

## **Contents**

· unoutonal roquitorio	3
Must Haves	3
Should Haves	3
Could Haves	3
Would/Won't Haves	3
Non-functional requirements	4

### **Functional Requirements**

The requirements for the animations in Bejeweled are divided into functional and nonfunctional requirements. The functional requirements are divided into four categories using the MoSCoW model.

#### **Must Haves**

- When a player makes a successful move, the two selected gems should visually switch positions.
- After the two selected gems have been switched, the created chain should disappear.
- When the created chain has been disappeared, the gui will show the upper gems falling down in order to fill the created void.
- When the gems are falling down, the gui will show newly generated gems falling down in the top row.
- If the board still contains any gems after this process, the process is repeated.

#### **Should Haves**

• After the two selected gems have been switched, the score should be updated during the animation of the chain disappearing.

#### **Could Haves**

• When a new game is started, the gems fill up the empty board by falling down from the top.

#### Would/Won't Haves

 After two selected gems have been switched, the created chain should disappear and the gems move to the score panel while updating the score.

# **Nonfunctional Requirements**

The following requirements do not describe what the system should do, but they describe constraints that apply to the system or the development process of the system.

• The animations should occur with at least 30 frames per second.