

TABLE OF CONTENTS		
S.No		Pages
1	SECTION 1	
	SECTION 2	
	All Important topics of Gynae/OBS	
2	Golden: 01 – 04 February 2014 – July 2017	40
	SECTION 3	
3	Golden: 05 – 08 Sept. 2017 – April 2019	177
	SECTION 4	
4	Golden: 09 – 11 Sept. 2019 – Nov. 2020	265
	SECTION 5: Golden – 12	336
5	February 17 th , 2021 – Morning	337
6	February 17 th , 2021 – Afternoon	348
7	June 15, 2021 – Morning	357
8	June 15, 2021 – Afternoon	373
	SECTION 6: Golden – 13	389
9	August 29, 2021 – Morning	390
10	August 30, 2021 – Morning	434
11	December 01, 2021 – Morning	452
12	December 01, 2021 – Afternoon	473
13	December 02, 2021 – Morning	494
	SECTION 7: Golden – 14	513
14	February 16, 2022 – Morning	514
15	February 16, 2022 – Afternoon	535
16	May 16, 2022 – Morning	553
17	May 16, 2022 – Afternoon	572
	SECTION 8: Golden – 15 (August)	593
		594
18	August 16, 2022 – Morning	615
19	August 16, 2022 – Afternoon	

GYNAE & OBSAugust 16th, 2022 - Morning

1) Sublingual nitroglycerin absorbed immediately in:

- A- Lingual vein
 B- Sublingual vein
 C- Deep lingual
 D- Sub mental

Ans: B

2) The volume of amniotic fluid at term is:

- A- 200ml
 B- 400ml
 C- 600ml
 D- 800ml

Ans: D

3) Right atrium infarction involves which of following?

- A- Septomarginal band
 B- Moderator band
 C- Pectinate muscle
 D- Papillary muscle
 E- Trabeculae

Ans: C

4) Posterior external arcuate fibers are other name for which of the following?

- A- Anterior spinocerebellar
 B- Posterior spinocerebellar
 C- Spinothalamic tract
 D- Dorsal Column
 E- Cuneocerebellar tract

Ans: E

Explanation:

- External posterior arcuate - Cuneocerebellar
- External anterior arcuate - Pontocerebellar
- Internal arcuate - Dorsal medial lemniscus

5) A patient with bronchogenic carcinoma posterior to left lung hilum which structure is likely to be damaged?

- A- Phrenic nerve
 B- Vagus nerve
 C- Esophagus
 D- Recurrent Laryngeal nerve
 E- Brachiocephalic trunk

Ans: B

Explanation:

- Azygous vein anterior to Right root of lung
- Aorta posterior to Left root lung
- Phrenic nerve anterior to root of lung
- Vagus nerve posterior to root of lung

6) Patient is taking warfarin and starting to bleed what is treatment of it?

- A- Heparin
 B- Aspirin
 C- TPA
 D- Fibrinogen
 E- Vitamin K

Ans: E > D

Explanation:

- Immediate reversal of toxicity - Prothrombin complex concentrate (PCC) or FFP
- Long term or Antidote - Vitamin K

7) Pituitary tumor invades which bone?

- A- Frontal bone
 B- Sphenoid body
 C- Cribriform
 D- Ethmoid
 E- Temporal

Ans: B

8) A lady presented with tremors while writing. She has no other symptoms but her sister complain of similar problem which drug should be given?

- A- Amitriptyline
 B- Ropinirol
 C- Adrenaline
 D- Amantidine
 E- Propranolol

Ans: E

9) Smell of burnt urine is present in:

- A- Phenylketonuria
 B- Alkaptonuria
 C- Maple Syrup urine disease
 D- Mucopolysaccharidosis

Ans: C

10) 72 year old patient has history of tongue bite which one carries taste on the anterior 2/3rd of the tongue?

- A- Lingual
 B- Glossopharyngeal

- C- Vagus
D- Hypoglossal
E- Chorda tympani

Ans: E

Explanation:

- Anterior 2/3 general sensation - Lingual nerve
- Anterior 2/3 Taste sensation - Chorda tympani
- Posterior 1/3rd Taste sensation - Glossopharyngeal nerve
- Posterior most part taste sensation - Vagus

11) Strongest stimuli for erythropoietin are:

- A- Hypoxia
B- Injury
C- Inc. PH
D- Dec. PH
E- Lactate

Ans: A

Explanation:

- Erythropoiesis stimulated by - Erythropoietin
- Erythropoietin stimulated by - Hypoxia
- Erythropoietin inhibited by - Theophylline

12) Aspirin decreases fever by decrease in which of following?

- A- Prostaglandins
B- Leukotriens
C- Histamine
D- Infection
E- Prostacyclin

Ans: A

13) Blow to Head caused extra dural hematoma due to involvement of which artery?

- A- Middle meningeal artery
B- Anterior cerebral artery
C- Posterior cerebral artery
D- Superior Cerebral veins
E- Bridging veins

Ans: A

Explanation:

Extradural hematoma	Subdural hematoma
MMA involved	Bridging vein > Superior cerebral vein involved
Lucid interval	No Lucid interval

Biconvex	Crescent shaped
Not cross Suture lines	Cross Suture lines

14) Which part of intestine has thick loop with less mesentery fat and long Vasa recta with her arcades surgeon asked the resident by uplifting of gut during surgery?

- A- Duodenum
B- Jejunum
C- Ileum
D- Colon
E- Rectum

Ans: B

Explanation:

Jejunum	Ilium
Deeper red	Paler pink
Thick and heavy	Thin and light
Greater vascularity	Lesser vascularity
Few long vasa recta	Many small vasa recta
Less fat in mesentery	More fat in mesentery
Few lymph nodules	Many lymphoid nodules (Payer patches)
Plicae circulares (Valvulae conniventes) Large & Tall	Plicae circulares (Valvulae conniventes) low & sparse

15) Structure with longitudinal muscles in adventitia is?

- A- Large size vein
B- Muscular artery
C- Medium size vein
D- Small size vein

Ans: A

Explanation:

- Tubular structure with three layer thick muscle and adventitia and internal lamina - Muscular artery
- Structure with smooth muscles longitudinally arrange in adventitia - Large Size Vein

16) Patient had RTA, result in damage above sacral spinal level that will lead to:

- A- Automatic Bladder
B- Atonic Bladder
C- Neurogenic Bladder
D- Autonomous Bladder

Ans: A

Explanation:

Injury above sacral segment (sympathetic damage) cause:

- Spastic Bladder
- Automatic Bladder
- Urge Incontinence

Injury at sacral segment (parasympathetic damage) cause:

- Atonic Bladder
- Autonomous Bladder
- Overflow Incontinence

Note: Neurogenic is common term for both spastic and atonic bladder.

17) Patient after RTA Can't write speak and read most likely suffering from:

- A- Anomic aphasia
- B- Global aphasia
- C- Brocas aphasia
- D- Wernicke aphasia

Ans: B

Explanation:

- Broca aphasia - Motor aphasia (Can't speak) + Non-fluent + area 44 and 45 + inferior frontal gyrus
- Wernicke aphasia - Sensory aphasia + fluent Non sense speech + area 22+ superior temporal gyrus. In wernicke aphasia Patient has Difficulty in comprehending spoken words and Unable to Read (Alexia) Or Write in understandable language (Agraphia)
- Global aphasia - Both Wernicke and broca aphasia + arcuate fasciculus
- Anomic aphasia - Mild fluent aphasia + failure of word retrieval + angular gyrus

18) Cytotoxic drug paclitaxel is classified in which class?

- A- Alkylating
- B- Microtubule inhibitor
- C- Anti metabolite
- D- Acetylating

Ans: B

19) Which of the following take longest time appear normal in blood after hemorrhage?

- A- Hematocrit

B- Hemoglobin

C- RBCs

D- Urine output

E- Blood pressure

Ans: C

20) Regarding MHC 1:

- A- Associated with HLA genes
- B- Present on chromosome 12
- C- Present on chromosome 6
- D- Associated with 3 genes
- E- Same in dizygotic Twins

Ans: A

Explanation:

- It is HLA which is located on Chromosome 6 not MHC
- MHC is associated with HLA gene so A is appropriate answer here

21) 22 year old pregnant woman known case of mitral stenosis, having normal bp, tachycardia, shortness of breath and feels dizzy. She doesn't take her meds because she is scared it will affect her baby. Which drug is it likely to be?

- A- Digoxin
- B- Captopril
- C- Phenytoin
- D- Propranolol

Ans: B

22) A woman is 3 weeks pregnant and given antibodies spontaneous abortion occur the role of HCG in maintaining pregnancy:

- A- It decreases uterine contraction in pregnancy
- B- Protects body against foreign tissue invasion
- C- Responsible for corpus luteum maintenance
- D- Decrease body temperature

Ans: C

23) Woman comes with sudden onset of abdominal pain, low bp, tachycardiac, hb low, conjunctival icterus WBC normal platelets normal, spleen tip palpable. What triggered the above symptoms?

- A- Cold weather
- B- Repeated transfusion
- C- Parvo virus
- D- Hot weather

Ans: B
24) Primigravida having family history of PIH of mother and sister percentage in primary Gravida would be

14.1%

12.3%

14.2%

5%

Ans: B
25) Lateral relation of lower part of vagina:

Ureter

Urogenital diaphragm

Pelvic diaphragm

Levator ANI

Rectum

Ans: B
26) Lateral relation of upper part of vagina:

Ureter

Urogenital diaphragm

Pelvic diaphragm

Levator ANI

Ans: A

Explanation:

- Lateral to upper part: Ureter
- Lateral to middle part: Anterior fibers of levator ANI
- Lateral to lower part: Urogenital diaphragm

27) Vessel at the base of Bladder lies in which ligament?

Dorsolateral

Ventrolateral

Ventromedial

Iliofemoral

Ligament teres

Ans: A (Snell)

28) Female 17 year old 5'2 height with primary amenorrhea, absent secondary sexual characteristics O/E well develops normal breast and Blind Vagina. USG confirm absent of uterus. Most likely karyotype of this is:

47XXY

46XY

45XO

47XXX

45XX

Ans: B (Androgen Insensitivity Syndrome)
29) Patient is undergoing laparotomy, during dissection at ovarian fossa ovary attached to lateral pelvic wall which artery is at risk of damage?

A- Obturator

B- Internal iliac

C- Uterine

D- Superior mesenteric

E- Superior epigastric

Ans: B

Explanation:

- While removing Ovary damage to - Internal iliac Artery
- At Pelvic brim damage to - Ovarian artery
- During C section damage to - Uterine artery

30) During hysterectomy surgeon must know what important relation about ureter

A- Passes in front of uterine artery

B- Behind the internal iliac

C- At pelvic Brim

D- Pass behind the broad ligament.

E- At bifurcation of iliac vessels

Ans: D

Explanation:

During Hysterectomy Ureter Damage at A > B > C

A- Cardinal Ligament (Uterine Vessel)

B- Behind Broad Ligament

C- At Pelvic Brim (Ovarian artery)

- Ureter Damage at Pelvic Brim - While crossing Common iliac Vessel
- Anterior to Ureter - Gonadal Vessel
- Posterior to Ureter - Iliac Vessel

31) Structure present behind ovary and ureter:

A- Internal Iliac artery

B- Uterine artery

C- Testicular artery

D- Ovarian Artery

Ans: A

Explanation:

Ovarian fossa boundaries

- Superior - External iliac vein and artery
- Anterior-Broad ligament of uterus

- Posterior-Ureter and Internal iliac artery and vein
- Inferior - Obturator nerve artery and vein

About ureter

- Anterior to Ureter - Gonadal Vessel
- Posterior to Ureter - Iliac Vessel

32) A newly married female with RIF pain TLC is 12000. With fever and vomit. Lmp is 3 weeks back organ involved:

- A- Appendix
- B- Fallopian tube
- C- Ovary
- D- Gall bladder
- E- Liver

Ans: A

33) New anti-hypertensive drug going to test/investigate by which technique?

- A- Sequential trial
- B- Placebo
- C- Case control study
- D- Double blind

Ans: A

34) Patient breast carcinoma having history mother sister maternal aunt gene BRCA 1 causing carcinoma present on:

- A- Nucleus
- B- Cytosol
- C- Cytoskeletal
- D- Plasma membrane
- E- Cell surface

Ans: A

35) Curve of graph shows:

- A- Mean and standard deviation
- B- Mode + SD
- C- Variance
- D- Mode + variance

Ans: A

36) A patient has thorn prick in his left leg which developed in a local abscess causative organism is

- A- Strept pyogenes
- B- Staphy aureus
- C- Strept pneumoniae
- D- Klebsiella

Ans: B

37) Male from Baluchistan presents with lethargy, joint pains and leg ulcers, diagnosis is

- A- Sickle cell anemia
- B- Thalassemia major
- C- HbC
- D- Hodgkin lymphoma

Ans: A

38) Young man with heart failure, b/l pleural effusion, in plural tap low protein content what type of fluid is:

- A- Serous
- B- Fibrinous
- C- Exudative
- D- Transudative
- E- Opaque

Ans: D

39) A girl spilled hot water develops bulla few hours after burn, later erythema and fever. Fluid in bullae was opaque, redness and warm area around it what's the type of inflammation?

- A- Fibrinous
- B- Serous
- C- Mucinous
- D- Purulent
- E- Catharal

Ans: B (Robins)

40) 6 months pregnant lady with generalized weakness and lethargy presents with Hb 9.8' MCV 58 MCHC 15 How to diagnose Type of Anemia:

- A- Serum iron
- B- Serum ferritin
- C- TIBC
- D- Ferritin & TIBC
- E- RDW

Ans: B (Davidson)

41) A female patient Delivered a baby Bay has tuft of hairs at back mother was taking diet rich in proteins and carbohydrates but deficient in fruits and vegetables. What is the reason of this condition?

- A- Iron Deficiency
- B- Folic acid Deficiency
- C- Vitamin B12 Deficiency
- D- Vitamin K deficiency

Vitamin E deficiency

- Ans: B
42) Which among the following is most commonly associated with carcinoma cervix?

HPV 35

HSV 1

HPV 12

HPV 16

D

- Ans: D
43) Patient was diagnosed to have gout, which of the following enzymes could be targeted by allopurinol for the treatment of this patient?

Guanase

Hypoxanthine phosphoribosyl transferase

Nucleotidase

Phosphoribosylpyrophosphate

synthase

Xanthine oxidase

Ans: E

- 44) Slow growing organism on fresh culture media:

Mycobacterium

Actinomyces

Nocardia

Salmonella

Mycoplasma

Ans: A

- 45) Patient comes with complaints of genital Vesicular Rash Causative organism is:

Cytomegalovirus

HSV 1

HSV 2

HPV

EBV

Ans: C

Explanation:

- HSV 1 - Herpes labialis, Keratitis and Encephalitis
- HSV 2 - Herpes Genitalis and CA Cervix

- 46) Long term use of Intra Uterine Device causes conversion of normal simple columnar epithelium of endocervix to stratified squamous epithelium this is an example of:
- A- Anaplasia

B- Dysplasia

C- Metaplasia

D- Desmoplasia

E- Aplasia

Ans: C

- 47) Regarding myelinated fibers true is:

A- AP at internodes

B- Slow conduction than unmyelinated

C- Increase Na/k at nodes

D- Saltatory conduction

Ans: D

- 48) True about alpha motor neuron:

A- Myelinated

B- Unmyelinated

C- End at motor end plate

D- Terminate in intrafusal fiber of neuromuscular spindle

Ans: A

Explanation:

- Alpha motor neuron are myelinated and terminate in Extrafusal fibers
- Gamma motor neuron terminate in Intrafusal fibers

- 49) Heart (SA node) and uterine smooth muscle are supplied by adrenergic receptor are:

A- A1 and A2

B- B1 and A1

C- B1 and B2

D- B2 and B3

E- B1 and M1

Ans: C

- 50) Uterus size enlargement in pregnancy due to:

A- Structural physiological

B- Structural and functional physiological and pathological

C- Structural pathological

D- Functional pathological

Ans: A

- 51) A Patient has following ABGs PH 7.1, HCO₃ 12 and PCO₂ 44 likely acid base disorder is:

A- Respiratory acidosis

B- Respiratory alkalosis

C- Metabolic acidosis

D- Metabolic alkalosis

Ans: C

- 52) A boy was talking in class room teacher got irritated and asked

him to lower pitch of voice muscle responsible is which of following?

- A- Vocalis
- B- Cricothyroid
- C- Thyroarytenoid
- D- Post cricoarytenoid
- E- Lateral cricoarytenoid

Ans: C

53) In nerve hyper excitability concentration of which of following decreases in ECF?

- A- Mg
- B- Cl
- C- Ca
- D- Na

Ans: C

54) Acute MI findings is which of following?

- A- T wave peak
- B- U wave
- C- ST Displacement
- D- Appearance of deep and wide Q-wave
- E- Disappearance of Q-wave

Ans: C

55) A 72 Year old man unable to hold a mug of coffee an image draw of movement shoulder and hand draw on which part of brain?

- A- Premotor
- B- Primary motor
- C- Somatosensory
- D- Cerebellum

Ans: A

56) Hormonal regulation of water and important electrolytes in kidney by which of the following?

- A- ADH
- B- Aldosterone
- C- Cortisol
- D- TSH
- E- Ag2

Ans: B

57) Blood group with no agglutinins:

- A- AB positive
- B- AB negative
- C- O negative
- D- O positive

Ans: A

58) Test that rule out false negative have good:

- A- Specificity

B- Sensitivity

- C- Accuracy
- D- Positive predictively
- E- Negative predictively

Ans: B

59) Shortest pro erythrocytic stage is of:

- A- P. Falciparum
- B- P. malariae
- C- P. ovale
- D- P. vivax
- E- Sporozoit

Ans: A

Explanation:

- Longest - Malariae
- Shortest - Falciparum

60) Quartan malaria is caused by:

- A- Falciparum
- B- Vivax
- C- Ovale
- D- Malarie

Ans: D

Explanation:

- Malignant tertian malaria is caused by - Plasmodium falciparum
- Benign tertian malaria (48 hours) is caused by - Ovale/vivax
- Quartan malaria (72 hours) caused by - Plasmodium malariae.
- Quotidian malaria caused by - plasmodium Knowlesi > Falciparum

61) A young female with recurrent abortion the test done to confirm diagnosis is:

- A- Coagulation profile
- B- Anti mitochondrial antibodies
- C- Anti microsomal antibodies
- D- Antihistone anti bodies
- E- Lupus coagulation

Ans: E

62) Study involved to rule out causes of rare disease is:

- A- Cohort
- B- Case control
- C- Clinical trials
- D- Retrospective cohort
- E- Prospective study

Ans: B

63) Most middle value in a data is:

- A- Median
- B- Mode

C- Mean
D- Variance

Ans: A
(4) Which of the following structure lie anterior to IVC?

A- Right testicular artery

B- Aorta
C- SMA
D- Right renal vein
E- Left renal vein

Ans: A
Explanation:

Anterior to IVC:

- Right Testicular / Ovarian Artery
- 3rd Part of duodenum
- Root of Mesentery

Posterior to IVC:

- Right Renal Artery
- Right Celiac Ganglion
- Right Supra renal gland

(5) Epidural space is at which level of Vertebral canal?

A- Foramen Magnum to S1

B- C7
C- T12
D- L2
E- L3

Ans: A

(6) Renal artery lies at the level of:

A- L1
B- L2
C- L3
D- L4

Ans: B

(7) A multiparous female presented in OPD with C/O palpitations and breathlessness while doing routine household work, on examination she had glossy tongue, fissuring of angle of mouth and spoon shaped brittle nails Low MCV, MCH and Increase TIBC She is suffering from:

A- IDA

B- Megaloblastic anemia
C- Folic acid Deficiency anemia
D- Vitamin B12 deficiency Anemia

Ans: A

(8) Medial quadrant of breast drains lymph into:

A- Supraclavicular
B- Internal thoracic

C- Parasternal lymph nodes

D- Pectoral

E- Axillary

Ans: B

(9) At which earlier week doppler can detect umbilical artery Flow on ultrasound?

A- 7th week

B- 8th week

C- 9th week

D- 10th week

Ans: A

(10) Which contraceptive group has less than 5% failure chance than actual use?

A- IUCD

B- Condoms

C- Pills

D- Copper wire

Ans: A

(11) In partial mole, karyotype is:

A- 46XX

B- 45XO

C- 47XX

D- 47XY

E- 69XXY

Ans: E

Explanation:

Complete Mole	Partial Mole
46XX, 46XY	69XXX, 69XXY, 69XYY
Enucleated egg + Single sperm	2 Sperm + 1 Egg
Hydropic villi	Some villi hydropic
No fetal part	Fetal part present
Increase 3 fold B HCG	Slight increase B HCG

(12) Structure forming pelvic inlet boundary is:

A- Pubic crest

B- Pubic tubercle

C- Iliac Crest

D- Paupers ligament

Ans: A

(13) Pregnant lady with labor pain for 2h and develop dyspnea and died within 15min of labour most likely cause is:

A- Pulmonary Embolism

B- Amniotic fluid embolism

- C- Fat embolism
D- MI
E- Air Embolism

Ans: B

Explanation:

- Air Embolism - History of Passing CVP then SOB
- Pregnant lady + Long bone fracture + Died on way to hospital within 24h or during labour - Amniotic fluid embolism
- Sudden death + Sudden SOB - Pulmonary Embolism
- Long bone fracture - Death after 3-5 days - Fat embolism

74) Functional remnant of mesonephric duct in males:

- A- Seminal Vesicles
B- Ductus Deferens
C- Ejaculatory duct
D- Appendix testis

Ans: B

75) Beta thalassemia carrier percentage in Pakistan:

- A- 2%
B- 1%
C- 5%
D- 10%
E- 15%

Ans: C

76) In osteopetrosis type of cells defective:

- A- Osteoblast
B- Osteoclasts Cell
C- Chondrocytes
D- Osteocytes

Ans: B

77) After 3 days of Delivery Pain at episiotomy site NSAID that is safe in lactating mother:

- A- Toradol
B- Ibuprofen
C- Naproxen
D- Paracetamol
E- Aspirin

Ans: B

78) Bony landmark for pudendal nerve block is:

- A- Ischial tuberosity
B- Ischial Spine
C- Pubic tubercle
D- Acetabulum

E- Pubic bone

Ans: B

79) During epidural block nerve that is blocked at:

- A- Ischial spine
B- Pudendal nerve
C- Iliohypogastric
D- Ilioinguinal

Ans: A

80) Common cause of mutation of proto-oncogene is?

- A- Virus
B- Ionization radiation
C- Free radicals
D- Chemicals

Ans: A

81) A 4-year-old boy was attended in clinic and was observed to have short neck, low hairline on the posterior aspect of neck and was known to be suffering from a heart condition. X-ray neck showed fused cervical vertebrae and on examination limited movement of upper limb was noted. What is the most likely diagnosis?

- A- Turner syndrome
B- Klinefelter syndrome
C- Down syndrome
D- VACTERL syndrome
E- Klippel feil syndrome

Ans: E

82) Which of the following is called as governor of cell cycle?

- A- APC
B- RB
C- BCL2
D- P53

Ans: B (Robins)

Explanation:

- Governor - RB
- Guardian - P53

83) A patient with Hb 15 oxygen content of hemoglobin is 20ml, alveolar pO_2 is 40, venous O_2 is 15 what type of hypoxia is this?

- A- Hypoxemic
B- Anemic
C- Hypoxic
D- Histotoxic

Ans: C

Explanation:

Hypoxic Hypoxia (Decrease O_2 tension)

- High altitude
- V/Q mismatch

Anemic Hypoxia (Decrease O_2 Carrying)

- Anemia
- CO Poisoning

Stagnant Hypoxia (Low Perfusion)

- Heart failure
- Shock

Histotoxic Hypoxia (Not Able to use O_2)

- Cyanide poison

44) Major Source of energy for brain in compensates stage during 24 hr:

- A- Fatty acids
- B- Carbohydrates
- C- Protein
- D- Aminoacids
- E- Ketone bodies

Ans: E

45) Obese person presented for hernia repair in OT gets short of breath and tired on mild exertion. It was related to the lung volumes and which one will be cause?

- A- Increase chest wall compliance
- B- Decrease FRC
- C- Increase FRC
- D- Decrease Chest wall compliance

Ans: B

46) Patient has CNS symptoms and amenorrhea. She is diagnosed as case of Prolactinoma. She has hemianopia on both temporal fields due to lesion in which area?

- A- Middle part of chiasma,
- B- Upper part of chiasma
- C- Lateral part of chiasma,
- D- Right optic nerve
- E- Optic radiations

Ans: A

Explanation:

- Middle optic chiasma lesion - Bitemporal heteronymous hemianopia
- Optic track lesion - Homonymous hemianopia
- Right optic track lesion - Left homonymous hemianopia
- Pituitary tumor with homonymous hemianopia - Optic track lesion

• Pituitary tumor with heteronymous hemianopia - Optic chiasma lesion

87) Blow out fracture of orbit with Proptosis and loss of cheek sensation it's due to:

- A- Cheek edema
- B- Zygoma
- C- Infraorbital nerve damage
- D- Infraorbital nerve at its foramen
- E- Orbital Floor fracture

Ans: C

88) A Patient of TB is on ATT for 2 months. Tb antibodies characteristic is:

- A- Circulating in plasma
- B- Bound to nucleus
- C- Cell bound
- D- Albumin bound

Ans: C

89) A Female present with fever and dysuria. Gram negative motile rod shaped organism found that form lactose fermenting pink colony on Macconkey agar they are indole positive and oxidase positive. What is most common cause of UTI?

- A- Pseudomonas
- B- Compylobacter
- C- Proteus mirabilis
- D- Klebsiella
- E- E. coli

Ans: E (FA)

Explanation:

Lactose fermenter

Fast - E. coli, Klebsiella and Enterobacter

Slow - Citrobacter and Serratia

Non Lactose fermenter

Salmonella, Shigella, Pseudomonas and Yersinia

90) Cytokeratin is an intermediate filament found in cells but is most commonly used for detection of?

- A- Neoplasia
- B- Degree of metaplasia or dysplasia
- C- To check rate of proliferation
- D- For staging of disease

Ans: A

91) Blood supply to uterus is from:

- A- Uterine artery
- B- Ovarian artery
- C- Vaginal artery

D- Uterine And Ovarian both

Ans: D

92) Pregnant lady with 41 weeks 05 days pregnancy anxious requested for induction of labor Post term pregnancy by WHO is called at?

- A- 43 weeks
- B- 41 weeks completed
- C- 42 weeks completed
- D- 40 weeks completed
- E- 38 weeks

Ans: C

93) Chlamydia is the etiological agent for:

- A- Acute endometritis
- B- Acute salpingitis
- C- Chancroid
- D- Condyloma latum
- E- Lymphogranuloma inguinale

Ans: E

94) Disc prolapse in between c5 and c6 nerve root damage:

- A- C5
- B- C6
- C- C7
- D- C8
- E- C4

Ans: B

95) Patient under gone tubal ligation. Post-operative her abdomen was reopened due to slippage of ligature and hemorrhage. Bleeding most probably from which artery?

- A- Ovarian Artery
- B- Internal iliac Artery
- C- Uterine artery
- D- External iliac artery

Ans: C

96) Which hormone produces by corpus luteum?

- A- Progesterone
- B- Estrogen
- C- Estrogen, progesterone and inhibin
- D- Estrogen, progesterone
- E- Cortisol and Estrogen

Ans: C

Explanation:

- Corpus luteum secrete - Progesterone, Estrogen and Inhibin
- Corpus luteum secrete to maintain Pregnancy - Progesterone

97) Hormone secreted in late pregnancy by:

- A- Placenta
- B- Corpus luteum
- C- Uterus
- D- Ovary

Ans: A

98) In Auscultation 3rd intercostal space left to sternum:

- A- Aortic A2
- B- Aortic A1
- C- Pulmonary valve sound
- D- Mitral valve

Ans: A

99) Due to IMA blocked which part of intestinal goes under ischemia?

- A- Transverse colon and sigmoid colon
- B- Descending colon and sigmoid colon
- C- Descending colon and transverse colon

D- Duodenum and Ascending colon

Ans: B

100) A man Crossing road he look right then left side this movement caused by vertebrae having which type joint?

- A- Pivot joint
- B- Condylod joint
- C- Synovial joints
- D- Biaxial ellipsoid
- E- Uniaxial ellipsoid

Ans: A

Explanation:

- Atlanto axial joint: Right and left movement and No pattern movement (As we say No by shaking Head). It is pivot joint.
- Atlanto occipital Joint: Up and down movement and Yes pattern movement. It is Biaxial Synovial Ellipsoid joint.

101) Edema can occur due to decrease oncotic pressure and due to raised hydrostatic pressure i.e Apart from these 2 being causes for edema what combination can cause edema due obstruction:

- A- Neoplasia And Infection
- B- Allergic conditions
- C- Anemia
- D- Chronic inflammation
- E- Lymphatic dilation

Ans: 102) A
Which one of the following has white muscle property?

- A- Orbicularis
- B- Soleus
- C- **Gastrocnemius**
- D- Masseter
- E- Adductor longus

Ans: 103) C
Baby prefer feeder instead of mother breast milk due to:

- A- **Cleft soft palate**
- B- Cleft soft plus hard palate
- C- Cleft lip
- D- Cleft Palate and Cleft lip

Ans: 104) A
The ascent of horse shoe shaped kidney is prevented by:

- A- External iliac artery
- B- Internal iliac artery
- C- Superior mesenteric artery
- D- Inferior vena cava
- E- **Inferior mesenteric artery**

Ans: 105) E
A young girl with blisters on extremities type of fluid present between dermis and epidermis

- A- Transudative
- B- **Serous**
- C- Exudative
- D- Fibrinous

Ans: 106) B
How will you diagnose polyarteritis nodosa histologically:

- A- Caseous necrosis
- B- Coagulative necrosis
- C- Liquefactive necrosis
- D- **Fibrinoid necrosis**
- E- Fat necrosis

Ans: 107) D
A 65 year old man having fatigue pallor and weight loss. A golden yellow Pigment seen in liver which turn blue on staining this is?

- A- Hemosiderin
- B- **Lipofuscin**
- C- Hemoglobin
- D- Hemochromatosis

Ans: B

108) Common feature of anorexia nervosa, type 1 DM, hyperthyroid, Celiac Disease is:

- A- **Weight loss**
- B- Diarrhea
- C- Malabsorption of nutrients
- D- Hypertension

Ans: A
109) Triad of Bradycardia, neutropenia and hepatosplenomegaly?

- A- Chagas disease
- B- Malaria
- C- Dengue
- D- **Typhoid**

Ans: D
110) A 28 week pregnant lady present with premature contractions nifedipine was given what's the mechanism of action of nifedipine in premature of labour:

- A- Oxytocin antagonist
- B- **Calcium Channel Blocker**
- C- Increase GnRh
- D- Prolactin agonist
- E- Prolactin antagonist

Ans: B
111) Foramen caecum anteriorly elongate from tongue to the hyoid bone by a diverticulum and form thyroid gland in adults that diverticulum is to:

- A- **Thyroglossal Duct**
- B- Thyroglossal Diverticulum
- C- Thyroglossal Duct Diverticulum
- D- Hypoglossal duct
- E- Laryngeal Diverticulum

Ans: A
112) A patient had RTA, he does not know recent events but he remembers his school events where is the lesion?

- A- Arcuate
- B- Amygdala
- C- **Hipocampus**
- D- Frontal lobe
- E- Temporal lobe

Ans: C
113) On Autopsy a Person having Cardiac disease subendocardial Infarct. A Circumferential Lesion is noted on left ventricle was noted the mechanism is:

- A- Cardiac tamponade
- B- Hypovolumic Shock
- C- **Thrombotic occlusion of LCX**
- D- Pulmonary Embolism
- E- Thrombotic occlusion of RCA

Ans: C

- 114) Patent ductus arteriosus is related to which of following?

- A- Late birth
- B- **Prematurity**
- C- Genetical disease
- D- Obstetrics complications
- E- Chemical

Ans: B

- 115) Female came with schizophrenia Bp 110/70 using drug (phenothiazine) for this now presented with milky discharge from nipples what's the cause?

- A- Microprolactinoma
- B- Macroprolactinoma
- C- **Drug induced**
- D- Pheochromocytoma

Ans: C

- 116) A pregnant lady presented with obstructive Jaundice features which of the following investigation will confirm the diagnosis?

- A- **GGT**
- B- Bilirubin
- C- ALP
- D- AST
- E- ALT

Ans: A

Explanation:

- Viral: ALT > AST
- Drug: ALT
- Alcoholic: AST > ALT
- Non Alcoholic: ALT > AST
- Non Alcoholic (Cirrhosis or Fibrosis): AST > ALT
- Cholestasis Plus bone disease: ALP Raised
- Hepatobiliary: Both ALP and GGT Raised
- Liver disease plus pregnancy: Check GGT always

Conjugated Hyper bilirubinemia

- Biliary disease (Stones)
- Dubin jonsen

- Rotor syndrome

Un conjugated Hyper bilirubinemia

- Hemolysis
- Newborn

- 117) Stage 4 CA cervix drains which lymph node?

- A- Inguinal
- B- **Internal iliac**
- C- External iliac
- D- Common iliac
- E- Pudendal

Ans: B

- 118) A pregnant women hb 9.8 MCV MCHC low TIBC increase how to diagnose Type of anemia:

- A- Hb electrophoresis
- B- TIBC
- C- **Serum ferritin/serum iron**
- D- Protein electrophoresis

Ans: C

- 119) Which of the following will the best parameter to have estimation of fetal assessment?

- A- **CRL at 8 weeks**
- B- Femur length at 28 weeks
- C- Abdominal circumference at 18 weeks
- D- Head circumference at 32 week
- E- Biparietal diameter at 16 week

Ans: A

- 120) A 60 yrs male weighing 70kg has total body water of 42litres (60% of body weight). How much of this will be present in interstitial fluid?

- A- 42L
- B- 3L
- C- 28L
- D- 32L
- E- **11L**

Ans: E (Prefer 10.5)

Explanation:

- Total body fluid - 42L
- ICF - 28L
- ECF - 14L (Interstitial 10.5L and Plasma 3.5L)

- 121) Most immediate regenerate of Which organ in human?

- A- **Liver**
- B- Kidney
- C- Heart
- D- RBC

E- Spleen

Ans: A

(122) Healing of wound is done by:

A- Microtubules

B- Microfilament

C- Cytokeratin

D- Desmin

E- Vimentin

Ans: B

(123) Histology of Macula densa is:

A- Flat cells

B- Columnar cells of afferent tubules

C- Dense Cuboidal Cells in PCT

D- Cuboidal cells in efferent tubules

E- Squamous cells in Periphery

Ans: C

(124) What is first component in cancer which when break?

A- Cell invade ECM

B- Cell invade ECM components

C- Cytoskeleton to ECM invasion

D- Erosion of basement membrane

Ans: D

(125) 2nd heart sound is due to which of following?

A- Rapid ejection

B- Rapid filling

C- Isovolumetric relaxation

D- Isovolumetric contraction

E- Atrial systole

Ans: C

Explanation:

- First heart sound - Isovolumetric contraction (Closure of mitral and tricuspid valve).
 - Second heart sound - Isovolumetric relaxation (Closure of aortic and pulmonary valve)
 - Third heart sound - Rapid ventricular filling (Normal in children, pregnancy and athletes)
 - Fourth heart sound - Atrial Systole
- (126) Qualitative change in gene expression is:

A- Point mutation

B- Gene amplification

C- Chromosomal change

D- DNA Damage

Ans: A

Explanation:

- Qualitative change in gene expression - Point mutation

• Qualitative increase in gene expression - Gene Amplification

(127) Patient P0+3 presented with gestational amenorrhea of 12 wks. doctor advised aspirin. the action of aspirin in this case is through:

A- Inhibit Thromboxane

B- Inhibit prostaglandin

C- Inhibit phospholipase

D- Inhibition of cyclooxygenase

Ans: A

(128) Most important function of progesterone?

A- Breast alveolar development

B- Decrease uterine contraction in pregnancy

C- Endometrium proliferation

D- Fat deposition

E- Decidua growth

Ans: A

Explanation:

- Estrogen Function - Breast Duct Development + Endometrial Proliferation
- Progesterone Function - Maintain Endometrial Thickness (Proliferation) > Secretory phase > Alveoli and lobule development.

Note: Word maintenance of endometrial proliferation for progesterone and only proliferation by estrogen.

(29) Regarding spinal cord lesion at C7 following will happen:

A- UMN type paralysis at level of lesion

B- LMN type of paralysis below level of lesion

C- Contralateral Loss of pain and temperature below level of lesion

D- Ipsilateral loss of pain and temperature at site

E- Ipsilateral hyperreflexia

Ans: C

(130) 85 year male Patient complain of lower backache doctor during examination noticed a outgrown with tuft of hairs at L5 what is your Diagnosis?

A- Spina bifida occulta

B- Anencephalay

C- Meningiomyocle

D- Meningiccle

Ans: A

131) A Fatty woman with Skin pigmentation moon facies buffalo hump diagnosed as cushing syndrome want will be corrected before surgery

- A- Hypertension
- B- **Hyperglycemia**
- C- Hypocalcemia
- D- Hypophosphatemia
- E- Hyperkalemia

Ans: B

132) Local anesthetic when injected in nerve fiber?

- A- **Block sodium channel in ionized form**
- B- Increase k
- C- Works in unionized form
- D- Block Calcium channel

Ans: A

133) A 29-year-old woman is admitted to a hospital because the birth of her child is several days overdue. Tearing of the pelvic diaphragm during childbirth leads to paralysis of which of the following muscles?

- A- Piriformis
- B- Sphincter urethrae
- C- Obturator internus
- D- **Levator ani**
- E- Sphincter ani externus

Ans: D

134) A 14 year boy gets his finger cut by a knife. Which one of the following is primary/early mediator of acute inflammatory response in this?

- A- **Histamine**
- B- Macrophages
- C- Lymphocytes
- D- Plasma cells
- E- Monocytes

Ans: A

Explanation:

- Pain - Bradykinin > Prostaglandins E2
- IL-1 and TNF - Fever mediator
- Prostaglandins F2, E2 and D2 - Vasodilation
- Late mediator of inflammation - PG & leukotriene

- Initial mediator of inflammation - Histamine

135) Which one is directly related to coronary artery disease?

- A- Plasma cholesterol
- B- **LDL-C**
- C- HDL-C
- D- Trans fatty acid

Ans: B

136) Erectile tissue of penis comprises on:

- A- Alpha adrenergic
- B- **Muscarinic cholinergic**
- C- Nicotinic cholinergic
- D- Sympathetic muscarinic

Ans: B

137) Goblet cells replaced by clara cells at which level?

- A- Primary bronchi
- B- Secondary bronchi
- C- Respiratory bronchi
- D- **Terminal bronchioles**

Ans: D

Explanation:

- Clara cells present in - Terminal bronchioles
- Goblet cells present in - Bronchi or tertiary bronchus

138) Which one present in saliva that break glycosidic bond?

- A- Lactoperoxidase
- B- Lactoferrin
- C- Mucin
- D- Lysozyme
- E- IgA

Ans: A

139) A patient with Sarcoma of thigh receives radiotherapy for after 6 months he develops scarring & fibrosis of the skin it is due to which of following?

- A- **Endarteritis Obliterans**
- B- Desquamation
- C- Venous thrombosis
- D- Infection
- E- Inflammation

Ans: A

Explanation:

- Acute effect of radiotherapy - Desquamation

- Chronic effect of radiotherapy - Endarteritis obliterans
- Late effect of radiotherapy - Lymph proliferative disorder

140) Which vitamin associated with high output cardiac failure?

Thiamine

- A- Niacin
- B- Biotin
- C- Pantothenic acid
- D- Cobalamine

Ans: A

141) Side effects of anti hyperlipidemic:

Nausea

Rash

GI disturbance

Sedation

Ans: C

142) Rigor mortis is due to:

Increased ATP

Decreased ATP

Increase Cal-Calmodulin levels

Decrease Ca

Increase phosphate

Ans: B

Explanation:

- For Separation of Actin-Myosine cross bridges ATP is needed to cause muscle relaxation.
- When death occurs No aerobic respiration no ATP Will be produced so no Separation of actin-myosin bridges

143) Major part of breast to be drained into lymph nodes. Which will be involved in sentinel biopsy?

Anterior axillary

Posterior axillary

Infracavicular

Supracavicular

Ans: A

144) Stab injury 3cm lateral from umbilicus near linea alba Initially patient was well then suddenly went into hemorrhagic shock which structure was damaged?

Aorta

TVC

Superior vena cava

Right hepatic artery

SMA

Ans: B

145) What is the nerve supply of internal urethral sphincter?

A- Parasympathetic Splanchnic nerves

B- Obturator nerve

C- Pudendal nerve

D- Sacral nerve

Ans: A

Explanation:

- ✓ Internal anal sphincter - Sympathetic (L1-2) and Parasympathetic (S2-4) through hypogastric plexus

- ✓ Extern anal sphincter - Inferior rectal branch of pudendal nerve (S2-4) and perineal branch of S4

- ✓ Internal urethral sphincter- Parasympathetic pelvic splanchnic nerve (S2-4)

- ✓ External urethral sphincter (sphincter urethra) - Pudendal nerve (S2-4) cause voluntary control over micturition.

146) A lady was using tampons, she had TSST syndrome, what's the most important feature in toxic shock syndrome?

A- Skin desquamation,

B- Bacteraemia

C- Cellulitis

D- Anemia

E- Thrombosis

Ans: A

147) Woman after RTA rushed to ER, she has warm extremities what is the type of shock?

A- Neurogenic

B- Septic

C- Hypovolemic

D- Cardiogenic

E- Anaphylactic

Ans: B

148) Criteria for diagnosis of sepsis:

A- HR is greater than 100

B- HR is greater than 120

C- Positive blood culture

D- WBC 15000

Ans: C

149) Anterior to left suprarenal gland is:

A- Liver

B- Lesser sac

C- Aorta

D- IVC

E- SVC

Ans: B

Explanation:

Left supra renal gland

Anterior: Pancreas, lesser sac and stomach

Posterior: Diaphragm

Right Supra renal gland

Anterior: Right lobe of liver and IVC

Posterior: Diaphragm

150) Potency of volatile anesthetic depends on:

A- Mac

B- Lipid solubility

C- Albumin

D- Water solubility

Ans: B

151) Right ventricular pressure at which pulmonary valve open is?

A- 0.5mmHg

B- 30mmHg

C- 8mmHg

D- 100mmHg

E- 40mmHg

Ans: C

Explanation:

- R ventricle Pressure during Systole - 25
- R ventricle Pressure during Diastole - 0 - 8
- R ventricle Pressure at which
- Pulmonary Valve Open - 8mmHg
- L ventricle Pressure at which Aortic Valve Open - 80mmHg

152) Neurosecretory hormone Oxytocin released from.

A- Anterior pituitary

B- Posterior pituitary

C- Hypothalamus

D- Thalamus

E- Cortex

Ans: B

153) A patient contacted with hepatitis D virus on viral serology which of the following hepatitis would it require to have because it's weak in its own:

A- Hep. A

B- Hep. B

C- Hep. C

D- Hep. E

E- Hep. G

Ans: B

154) Fenestrated capillaries mostly found in:

A- Skin

B- Liver

C- Kidney

D- Spleen

Ans: C

155) A cell was on microscopic examination large mitochondrial densities are found indicating:

A- Reversible cell injury

B- Irreversible cell injury

C- Apoptosis

D- Necrosis

E- Inflammation

Ans: B

156) Maximum germ cells present in ridges at:

A- 3rd week

B- 6th week

C- 18th week

D- 20th week

Ans: D

157) 40y old lady presents with hepatosplenomegaly, pruritis, xanthlesma and jaundice for last 3 months most appropriate investigation:

A- Hepatitis seromarker

B- ALP

C- Ultrasound

D- Anti mitochondrial antibody

E- GGT

Ans: D

158) Which of following drug has high bioavailability?

A- Largely hydrophobic yet soluble in water

B- Drug that is Lipophobic

C- Chemically Unstable Drugs

D- Drug with First pass metabolism

E- Drug that bind P Glycoprotein Substrates

Ans: A

159) A man has his finger what organism is responsible for infection?

A- E. coli

B- Staph aureus

C- Streptococcus

D- Bacteroids

Ans: B
160) Post-partum a woman has uterine pain and fever and odorless lochia. What is the organism responsible for infection?

- A- Staph aureus
- B- Group B-streptococcus
- C- Bacterioids
- D- Shigella

Ans: B
161) Colleagues complain about a 30 year old woman who forges signs on imp documents and search for belongings of others in their absence. Has joined another company and started smoking. He has history of taking some drugs what test would you do for psychiatric evaluation?

- A- Urine Screening for Toxicology
- B- B HCG
- C- Thyroid
- D- Cortisol
- E- GH

Ans: A
162) Aspirin and other NSAIDS work by acting on:

- A- Lipoxigenase
- B- Cyclooxygenase
- C- HMG Co A reductase inhibitor
- D- Leukotrene inhibitor

Ans: B
163) Cysticercosis caused by which of these?

- A- Ingestion of ova of tenia saginata.
- B- Ingestion of ova of tenia solium
- C- Uncooked mutton
- D- Uncooked beef
- E- Uncooked fish

Ans: B
164) Reversible Change in size, shape and polarity of cell is:

- A- Hyperplasia
- B- Atrophy
- C- Dysplasia
- D- Metaplasia
- E- Hypertrophy

Ans: C
165) Female after drowning developed ards what will be the cause?

- A- Interstitial Edema
- B- Hypoglycemia

- C- Atelactasis
- D- Hperoxia

Ans: A
166) A TB patient present with TB symptoms on biopsy TB classical feature seen is:

- A- Epitheloid cells
- B- Caseating granuloma
- C- Plasma cells
- D- Macrophages
- E- Neutrophil

Ans: B
167) Doctor is specialist and has written two journals and always busy on phone what is Best mean of communication between doctor and patient?

- A- Active listening
- B- Having sound medical knowledge
- C- Punctuality
- D- Having Bad Manners

Ans: A
168) Which structure is found 2 feet proximal of appendix at the antimesenteric border of intestine is?

- A- Volvulus
- B- Gastroschisis
- C- Omphalocele
- D- Meckel Diverticulum
- E- Ilium

Ans: D

Explanation:

Rule of 2

- Seen commonly in under 2 year
- 2% Population
- 2Feet proximal to ileocecal valve
- 2 inches long
- 2 types of mucosa (Ectopic gastric mucosa which usually bleed and Pancreatic mucosa
- 2:1 Male predominance

169) The Homeostasis between calcium and phosphate maintain by:

- A- PTH
- B- GH
- C- Insulin
- D- Cortisol

Ans: A

170) In nephrogenic diabetes, what will occur?

- A- Urine osmolarity increase
- B- ECF osmolarity increase
- C- ECF volume increase
- D- ECF osmolarity decrease

Ans: B

Explanation:

In Nephrogenic DI ADH can't work on renal tubules no Water reabsorption occur all water filtered to Urine and Salt increase in ECF so osmolarity increase in ECF and in urine water becomes more and salt become less so urine osmolarity decrease.

171) Patient complained of abdominal pain and persistent vomiting cause is:

- A- Exotoxin
- B- Endotoxin
- C- Enterotoxin
- D- Erythrogenic toxin
- E- Phagotoxin

Ans: C

172) Which of the following associated with EBV?

- A- Produce toxin to DNA
- B- Interfere with DNA repair
- C- Common in African population
- D- Common in Asia

Ans: C

173) Nor epinephrine released by:

- A- Post ganglionic Sympathetic
- B- Preganglionic Sympathetic
- C- Preganglionic Parasympathetic
- D- Postganglionic Parasympathetic

Ans: A

174) Climber at high altitude Experience Hypothermia on returning to base camp adapts to cold weather by heat generation due to which of Following

- A- Anterior hypothalamus
- B- Posterior hypothalamus
- C- Lateral hypothalamus
- D- Medial hypothalamus
- E- Thalamus

Ans: B

Explanation:

- Posterior Hypothalamus activated Via Cold temp and activate Sympathetic which will increase Heating.

- Anterior Hypothalamus activated via hot temp and activates parasympathetic and will increase Cooling.

- Overall Temperature regulation - Preoptic Nucleus > Anterior Hypothalamus

175) Area in Liver containing hepatic artery bile duct portal vein with central venules at different angles is:

- A- Hepatic acinus
- B- Co aplex acinus
- C- Hepatic Vein
- D- Portal acinus
- E- Classical Hepatic lobule

Ans: E

176) Baroreceptors maintain:

- A- Mean arterial pressure
- B- Decrease TPR
- C- Venous compliance
- D- Cardiac output
- E- Oxygen

Ans: A

177) A patient with wheezing nasal congestion runny nose and fever biopsy of nasal mucosa show degranulation of?

- A- Mast cells
- B- Basophils
- C- Lymphocyte
- D- Monocyte
- E- Neutrophil

Ans: A

178) A women deliver a baby with cleft palate and congenital birth defects she give history of taking drug for acne the likely risk factor is:

- A- Retinoic acid
- B- Ascorbic acid
- C- Iron deficiency
- D- Cobalamine
- E- Calcium

Ans: A

179) Basal ganglia, substantia & substantia nigra release what to stop seziure?

- A- Serotonin
- B- Glycine
- C- GABA
- D- Epinephrine

Ans: C

180) Sertoli cells produce what to inhibit FSH?

- A- Mullerian inhibitory factor
- B- **Inhibin**
- C- Progesterone
- D- Estrogen

Ans: B

181) In hereditary spherocytosis defective protein is which of following?

- A- Fibrillin
- B- Titin
- C- Dystrophin
- D- **Spectrin**
- E- Ankyrin

Ans: D

182) Patient had internal jugular lymph node biopsy in neck region after that he developed numbness of ear lobe which of the following nerve got injured?

- A- **Greater auricular nerve**
- B- Auriculotemporal nerve
- C- Recurrent laryngeal nerve
- D- Vagus nerve
- E- Lesser auricular nerve

Ans: A

183) Child presented with decreased breath sounds and chest movement on left side which improved on holding him up CXR revealed coils of intestine on left side of chest this is due to:

- A- **Incomplete pleuroperitoneal membrane**
- B- Hiatal hernia
- C- Diaphragmatic hernia
- D- Absent septum transversum

Ans: A

184) Ability of test which rule out disease is called as?

- A- **Sensitivity**
- B- Specificity
- C- Prevalence
- D- Incidence
- E- Accuracy

Ans: A

Explanation:

Sensitivity (true positive)

- Detect disease and rule out disease (FA)

- Associated with true positive and false negative

Specificity (true negative)

- Detect non disease and rule in disease (FA)
- Associated with true negative and false positive

185) Production of which of following hormone is most important function sertoli cells?

- A- **Inhibin**
- B- Androgen
- C- Estrogen
- D- Testosterone
- E- Mullian Inhibiting Hormone

Ans: A

Explanation:

- Androgen produce by Lydig cell
- Sertoli cell produce Androgen binding protein and Inhibin

186) About autosomal dominant true is:

- A- 1 in 4 affected
- B- **Variable expressivity**
- C- Early onset of disease
- D- Affect Homozygous
- E- Mostly Enzyme defects

Ans: B

186) Statistical analysis of studies done now days:

- A- To accept the Placebo
- B- Accuracy
- C- Mean and S.D
- D- Errors
- E- **Eliminate observer bias**

Ans: E

187) Woman with blood group RH -ve and give birth to o -ve baby to prevent hemolytic disease of new born in next baby what should be given to mother?

- A- **Anti D Immunoglobulin**
- B- No Reaction in next Pregnancy
- C- No Need to give Anti D Antibodies
- D- Tetanus prophylaxis

Ans: A

188) During inspiration which prevent overstretching of lung?

- A- Dorsal
- B- Ventral
- C- Apneustic centre

D- Pneumotaxic centre

E- Chemoreceptor

Ans: D (BRS)

189) In caucasians the percentage of blood group o in a population is:

A- 30%

B- 47%

C- 41%

D- 54%

Ans: B

190) Decrease lymphatic flow due to increase of:

A- Increase Plasma Oncotic Pressure

B- Decrease Plasma Oncotic Pressure

C- Increase Hydrostatic Pressure

D- Increase Permeability

Ans: A

Explanation:

Increase Lymphatic Flow

- Increase hydrostatic pressure
- Decrease oncotic pressure

Decrease Lymphatic Flow

- Decrease hydrostatic pressure
- Increase oncotic pressure
- Hemorrhage

191) A child has history of pica now having pallor, fatigue and low HB what is suitable diagnose?

A- B12 deficiency

B- Thalassemia

C- Iron deficiency anemia

D- Folate deficiency

E- Sideroblastic anemia

Ans: C

192) A diabetic patient presented in OPD with oozing greenish discharge from wound. Which of following is causative agent?

A- Bacterioids

B- E.coli

C- Listeria

D- Pseudomonas

E- Klebsiella

Ans: D

193) Most imp feature of platelet is:

A- Plug formation

B- Granules

C- No nuclues

D- Derived from bone marrow

Ans: A

194) First line of defense in bleeding is:

A- Blood vessels constriction

B- Coagulation system

C- Platelets

D- WBCs

Ans: A

=====

GYNAE & OBSAugust 16th, 2022 - Afternoon

- 1) Transmigration of neutrophils along the smooth epithelium of blood vessels is:

A- Rolling
B- Transmigration
C- **Diapedesis**
D- Chemotaxis
E- Margination

Ans: C

- 2) If temperature of set point increase then there will be decreased in:

A- Shivering
B- **Sweating**
C- BP
D- Vasoconstriction
E- Permeability

Ans: B

Explanation:

If temperature of set point increase (Hypothermic state) then dec. in sweating and inc. in shivering. If temperature of body increase (Hyperthermic state) above set point decrease in shivering and increase in sweating.

- 3) Patient on total parenteral nutrition develops alopecia and scaly dermatitis likely due to deficiency of:

A- Vitamin A
B- **Zinc**
C- Vitamin C
D- Potassium
E- Vitamin D

Ans: B

- 4) Which is not oncogen and Cause gene amplification?

A- RET
B- HER 2
C- **APC**
D- Myc

Ans: C (FA)

- 5) Which following has most prominent prepotential?

A- **SA node**
B- Atrial muscle cells
C- Bundle of His
D- Purkinje fibers
E- Ventricular muscle cells

Ans: A

- 6) Which of the following occurs due to sympathetic stimulation?

A- Ciliary muscle contraction
B- Bronchoconstriction
C- Bradycardia
D- **Bronchodilation**
E- Miosis

Ans: D

- 7) Pregnant lady with labor pain for 2h and develop dyspnea and Died within 15 min most likely cause is:

A- Pulmonary Embolism
B- **Amniotic fluid embolism**
C- Fat embolism
D- MI
E- Air Embolism

Ans: B

Explanation:

- Air Embolism - History of Passing CVP then SOB
- Pregnant lady + Long bone fracture + Died on way to hospital within 24h orduring labour - Amniotic fluid embolism
- Sudden death + Sudden SOB - Pulmonary Embolism
- Long bone fracture - Death after 3-5 days - Fat embolism

- 8) Most appropriate route for antidote:

A- IM
B- **IV**
C- S/C
D- Oral
E- Rectal

Ans: B

- 9) Benzodiazepines, barbiturates and other anti convulsants work by acting on which neurotransmitter?

A- **GABA**
B- Glutamate
C- Acetylcholine
D- Glycine
E- Epinephrine

Ans: A

- 10) A patient presented with Hepatitis viral markers negative, ALT slightly raised, on examination there were KF ring seen. What is the suitable diagnostic test?

- A- Serum ceruloplasmin
 B- HbcAb
 C- HbsAg
 D- Anti mitochondrial ab

Ans: A

Explanation:

- Diagnostic - 24h urinary copper > Serum Ceruloplasmin
- Best or Gold standard - Liver Biopsy

11) Which adhesion belongs to CAM family responsible for adhesion during embryonic development?

- A- Nerve cell adhesion
 B- Cadherin
 C- Integrin
 D- Selectin
 E- Adhesion cell of subclass of IgG family

Ans: B

Explanation:

The cell adhesion molecule E-cadherin is ultimately necessary for the transition from compacted morula to the formation of the blastocyst to ensure correct establishment of adhesion junctions in the trophectoderm.

12) Bone marrow biopsy is done at which of following site?

- A- Ventral iliac crest
 B- Pubis
 C- Ischio pubis
 D- Ischial Tuberosities

Ans: A

13) In alcoholic patient steatohepatitis develop due to which of these:

- A- Acetate
 B- Acetoacetate
 C- H_2O_2
 D- Acetaldehyde

Ans: D

14) In third trimester of pregnancy what will be decreased?

- A- IC
 B- RR
 C- Vital Capacity
 D- TLC
 E- Tidal Volume

Ans: D

Explanation:

Respiratory Changes

Remain Same:

- Respiratory rate

- Vital Capacity

Increase:

- Tidal volume
- Minute ventilation
- Inspiratory Capacity

Decrease:

- TLC & FRC
- Residual Volume

15) In fetal circulation, highest oxygen saturation in:

- A- Umbilical artery
 B- SVC
 C- IVC
 D- Umbilical vein
 E- Aorta

Ans: D

16) Which one has high saturation of oxygen?

- A- Aorta
 B- IVC
 C- Umbilical artery
 D- Pulmonary vein
 E- Umbilical Vein

Ans: E

17) Highest oxygen saturation in fetal circulation is seen in:

- A- Umbilical artery
 B- Umbilical vein
 C- Aorta
 D- IVC
 E- SVC

Ans: B

Explanation:

- Max O₂ - Pulmonary Capillaries
- Low O₂ - Pulmonary Artery > SVC > Umbilical artery
- Highest O₂ Saturation - Umbilical Vein

Note: These 3 question were in same paper

18) Granulomatous lesion in bladder, after few years progressed to carcinoma this is caused by:

- A- Tuberculosis
 B- Schistosomiasis
 C- Acute Cystitis
 D- Syphilis

Ans: B (Robins)

Explanation:

Though both TB and schistosomiasis can cause granulomatous lesion schistosomiasis notorious for SCC of bladder.

- 19) A 53 year old lady is concerned about her strong family history of Breast Cancer and IHD. Her sister died of MI. She is also concerned about osteoporosis, which prophylaxis drug will you give for post-menopausal related osteoporosis:

A- Bisphosphonates
B- Tamoxifen
C- **Raloxifen**
D- HRT
E- Calcium and Vitamin D

Ans: C

- 20) Which of following is most aggressive carcinoma?

A- BCC
B- SCC
C- **Melanoma**
D- Leukoplakia
E- Lichen planus

Ans: C

Explanation:

- Most common Pre-malignant lesion - Leukoplakia
- Most lethal Pre-malignant lesion - Erythroplakia
- Most common Pre-malignant condition - Sub mucosal Fibrosis
- Most lethal Pre-malignant condition - Lichen planus
- Most aggressive CA- Melanoma

- 21) Lowest maternal mortality in which age group?

A- 10-20
B- **20-30**
C- 30-40
D- 40-50

Ans: B

- 22) Type of necrosis in pancreatitis:

A- **Fat necrosis**
B- Coagulative necrosis
C- Caseous necrosis
D- Liquifactive necrosis
E- Fibrinoid necrosis

Ans: A

- 23) Primigravida visit to remote area, AST, ALT raised Jaundice, Diagnose is:

A- **Hep. A**
B- **Hep. E**

C- Hep. B
D- Hep. D
E- Hep. C

Ans: B

Explanation:

- Orofecal Route - Hep A > Hep E
- Most lethal Hepatitis - Hep D
- Most common in pregnancy - Hep A
- Most lethal/Remote Area in pregnancy - Hep. E
- Most Common virus after blood transfusion - CMV > Hep B > Hep C
- Most common sexual spread - Hep. B
- HCC - Hep. B > Hep C
- Cirrhosis - Hep. C > Hep B
- Needle Stick injury Risk - Hep B (30%) > C (3%) > HIV (0.3%)
- Hep. A & E - Naked Viruses

- 24) Which drug is used in headache and contraindicated in peripheral vascular disease?

A- Aspirin
B- **Ergometrine**
C- Celecoxib
D- Sumatriptan

Ans: B

- 25) Patient presented with painful leg ulcer and having howell jolly bodies on smear what is likely diagnose:

A- Hemolytic anemia
B- **Sickle cell anemia**
C- Pernicious anemia
D- Hereditary spherocytosis

Ans: B (FA + Robins)

- 26) A patient with H/O of 3rd degree burn stratum corneum, spinosum and lucidum acute loss will lead to:

A- **Acute water loss**
B- Pressure sensation effect
C- Sebum
D- Hair follicle rupture
E- Temperature loss

Ans: A

- 27) Female urethra in female:

A- Lies below diaphragm
B- Lies below urogenital diaphragm
C- Lies below urogenital triangle

D- Lies above urogenital triangle

E- **More prone to infection**

Ans: E

Explanation:

- Neck of female urethra lies above urogenital diaphragm.
- Female urethra more prone to infection.

28) Largest cell in blood is which of among following?

- A- Basophil
- B- Megakaryocyte
- C- Neutrophil
- D- Lymphocyte
- E- **Monocyte**

Ans: E

Explanation:

- Largest cell in Blood - Monocyte
- Largest cell in bone marrow - Megakaryocyte
- Overall - Megakaryocyte > Monocyte

29) A pregnant lady of 3rd trimester having unchanged:

- A- LH
- B- Cortisol
- C- PTH
- D- Estrogen
- E- **Growth hormone**

Ans: E

30) A patient with delayed puberty having small testis with large legs and gynecomastia and karyotype is 47 xxy most suitable diagnosis is:

- A- True Hermaphrodite
- B- Down Syndrome
- C- Marfan Syndrome
- D- **Klinefelter Syndrome**
- E- Edward Syndrome

Ans: D

31) The highest content of triglyceride presents in:

- A- **Chylomicron**
- B- HDL
- C- IDL
- D- LDL
- E- VLDL

Ans: A

Explanation:

Lipoprotein with highest triglyceride:

- Chylomicron > VLDL > Chylomicron remnants > LDL

Lipoprotein with Highest Cholesterol:

- LDL > VLDL > HDL > Chylomicron

Lipoprotein with Highest Protein:

- HDL > LDL > VLDL > Chylomicron

32) In cystic fibrosis which test is diagnostic?

- A- CBC
- B- Hb Electrophoresis
- C- Coomb test
- D- **Sweat chloride test**
- E- FISH test

Ans: D

33) Chi square use to measure:

- A- **Statistical Analysis**
- B- Specificity
- C- Standard deviation
- D- Sensitivity
- E- Dispersion

Ans: A (No option of categorical data)

Explanation:

- T Test - Mean of 2 groups Anova Test - Mean of 3 or more groups
- Chi Square - 2 by 2 Table and Categorical Data
- Pie Chart - Related to Percentages

34) Most common cause of worldwide blindness is:

- A- EBV
- B- HSV
- C- **Chlamydia**
- D- HPV
- E- Mycoplasma

Ans: C

Explanation:

- Global Blindness - Cataract > Chlamydia > Glaucoma
- If Asked infectious Cause then Chlamydia

35) Homeostatic internal environment is maintained by:

- A- **Negative feedback**
- B- Positive feedback
- C- Release enzyme
- D- Feed forward mechanism

Ans: A

36) Which structure forms pelvic diaphragm?

- A- Puborectalis muscle
 B- **Pubococcygeus muscle**
 C- Rectococcygeus muscle
 D- Anococcygeus muscle
 E- Rectopuboralis

Ans: B > A

37) Which of the following is Diagnostic criteria for sarcoma?

- A- Pleomorphism
 B- **Increased vascularity**
 C- Local invasion
 D- Metastasis

Ans: B

38) Which of the following causes increase in renin level?

- A- Increase plasma osmolality
 B- Increase sodium delivery to macula densa
 C- **Decrease stretch on cardiac receptor**
 D- Exercise

Ans: C

39) Tumor suppressor gene is:

- A- RAS
 B- **P53**
 C- ABL
 D- AFP

Ans: B

40) Hexoaminase A deficiency occurs in:

- A- **Tay sachs disease**
 B- Neurofibromatosis 1
 C- Neurofibromatosis 2
 D- Von Gierke disease

Ans: A

41) Which Carcinoma is related to Blood group A?

- A- Colon CA
 B- H Pylori
 C- Ovarian CA
 D- **Gastric CA**
 E- Liver CA.

Ans: D

Explanation:

- Blood Group A - Gastric CA
 - Blood group O - Duodenal Ulcer
- 42) Gold standard investigation for placenta previa?
- A- Pelvic USG
 B- Pelvic MRI
 C- **Transvaginal USG**
 D- Doppler USG
 E- Examination under GA

Ans: C

43) Regarding prevalence what is true?

- A- New cases
 B- Old cases
 C- **Old + New cases**
 D- Epidemic

Ans: C

44) A 16-year-old female presents with hypertension and increasing weight. Which of the following features would be most suggestive of Cushing's syndrome rather than simple obesity?

- A- **Abdominal striae**
 B- Acanthosis nigricans
 C- Buffalo hump (interscapular fat pad)
 D- Pot belly
 E- Amenorrhea

Ans: A (Prefer Proximal myopathy)

45) Most prominent early feature of reversible cell injury:

- A- Myline figure
 B- **Cellular swelling**
 C- Mitochondrial dysfunction
 D- Atrophy

Ans: B

46) Broca's area of speech is located in which of following?

- A- Superior temporal gyrus
 B- Parietal lobe
 C- **Inferior gyrus of frontal lobe**
 D- Superior gyrus of frontal lobe
 E- Inferior occipital lobe

Ans: C

47) Which muscle result in vocal cord abducted position?

- A- Vocalis
 B- Thyroarytenoid
 C- **Posterior cricoarytenoid**
 D- Oblique arytenoid

Ans: C

Explanation:

Actions		Muscle Involved
Abductor of Vocal cord or open Glottis		Posterior Cricothyroid

Adductor of Vocal cord or Close Glottis	Lateral Cricoarytenoids(main) Transverse Arytenoids(main) Thyroarytenoids Cricothyroid
Tense Vocal Cord	Cricothyroid
Relax Vocal Cord	Thyroarytenoid Vocalis
Open Larynx Inlet	Thyroepiglotticus
Close Larynx Inlet	Aryepiglotticus Oblique Arytenoid

48) Which of the following tract carries sensation of Pain and temperature?

- A- DCML
- B- Anterior Spinothalamic Tract
- C- **Lateral spinothalamic Tract**
- D- Corticospinal Tract
- E- Rubrospinal Tract

Ans: C (Kaplan + FA)

Explanation:

- The posterior or dorsal column medial lemniscal pathway carries proprioception, vibration sense and fine touch and Two point Discrimination Anterior Spinothalamic Carries Crude Touch
- Lateral Spinothalamic carries pain & temperature sense

49) Organ lined by stratified squamous epithelium with increase vascularity, elasticity, tubular glands in lamina propria?

- A- **Vagina**
- B- Uterus
- C- Fallopian tube
- D- Cervix
- E- Ureter

Ans: A

50) A patient swelling in neck, bilateral exophthalmos and antithyroid antibodies and raised T3 and T4 likely due to:

- A- **Graves disease**

- B- Hashimoto's
- C- Goiter
- D- Thyrotoxicosis

Ans: A

51) A Postpartum lady wants to feed her baby. Which hormone helps her?

- A- GnRH
- B- Cortisol
- C- Estrogen + Progesterone
- D- **Prolactin**
- E- ACTH

Ans: D

52) Daily requirement of protein according to FDA is:

- A- 3gm/kg
- B- **1gm/kg**
- C- 5gm
- D- 15gm
- E- 20gm

Ans: B

53) Pathological deficit in malignant hyperthermia is:

- A- Sarcoplasmic Ca tubules
- B- **Ryanodine receptors**
- C- Cell receptors
- D- Cell membrane
- E- Nuclear receptor

Ans: B

54) Common Cyanotic heart disease is:

- A- ASD
- B- VSD
- C- **TOF**
- D- PDA
- E- Eisenmenger

Ans: C

Explanation:

- Most Common Congenital / Acyanotic Disorder Child - VSD
- Most Common Acyanotic Disorder in Adults - ASD
- **Most common Congenital Cyanotic Disorder - TOF**
- Most Congenital Cyanotic anomaly at birth - TGA
- Female living at Hill or if baby is premature - PDA
- Cyanotic Heart Disease in Which Shunt is Necessary for Survival - TGA

- 55) A patient blindfolded ask to identify the structure in hand which are assessment is being done?

A- Primary somesthetic area.
 B- Secondary somesthetic area
 C- Somesthetic association area.
 D- DCLM association area
 E- Primary motor area

Ans: C (C > A)

- 56) A patient unable to recognize faces (prospagnosia) area injured is:

A- Parietal
 B- Parieto Temporal Lobe
 C- Somesthetic area
 D- Frontal lobe
 E- Occipital lobe

Ans: B

Explanation:

Asterognosis result from lesion in:

- Parietal Lobe
- Somesthetic association area > primary somatosensory

Propagnosia result from lesion in

- Inferior Temporal Lobe

- 57) Anti-tumor cells is which of following?

A- Neutrophils
 B- NK cells
 C- Macrophages
 D- Basophil
 E- Eosinophil

Ans: B

- 58) Ejaculation occurs due to which of following?

A- Pudendal nerve
 B- Sympathetic
 C- Parasympathetic
 D- Obturator nerve

Ans: A

Explanation:

- Over all Ejaculation- Pudendal nerve > Sympathetic
 - Ejaculation two parts
 - Emission - Sympathetic
 - Ejection - Pudendal
 - Erection - Parasympathetic
- 59) Iron requirement in pregnant female:
 A- 500 mg

B- 1500 mg
 C- 1000 mg
 D- 2000mg
 E- 1200 mg

Ans: C

- 60) A patient presented after RTA, you are advised to make histology slide containing muscle fasciculus surrounded by connective tissue and the layer is termed as:

A- Perimysium
 B- Epimysium
 C- Endomysium
 D- Myofibril
 E- Myocyte

Ans: A

Explanation:

- Epimysium - Enclose Entire muscle
- Endomysium - Enclose Single muscle fiber
- Perimysium - Enclose Bundle of muscle fiber (Fasciculus)
- Endoneurium - Individual nerve fiber
- Perineurium - Bundle of nerve fibers
- Epineurium - Entire nerve

- 61) Acrosome reaction occurs when sperm binds with?

A- Corona Radiata of egg
 B- Zona pellucida of egg
 C- Corpus oophurium
 D- None

Ans: B

- 62) During menstruation and parturition which layer shed?

A- Functionalis
 B- Basalis
 C- Functionalis and basalis
 D- Basalis and endometrium
 E- Endometrium + superficial myometrium

Ans: A

- 63) Beta HCG most important function is:

A- Maintains corpus luteum
 B- Formation of male sex hormone
 C- Descend of testes
 D- Maintain female androgenic hormone
 E- Maintain Placenta

Ans: A

64) Most important test to differentiate Beta thalassemia from iron deficiency anemia is:

- A- Serum ferritin
- B- TIBC
- C- HbF
- D- **HbA2**

Ans: D

65) Which one is directly involved in opsonization?

- A- **C3b**
- B- C6a
- C- C4a
- D- C2

Ans: A

Explanation:

- Opsonization - C3b & IgG
- Phagocytosis - Neutrophil
- Chemotactic factor for Phagocytosis - C5a

66) In which phenomena increase CO₂, decrease tpr and increase vasodilation in skeletal muscle is:

- A- CO poisoning
- B- Cyanide Poisoning
- C- Hypoxia
- D- **Exercise**

Ans: D

67) Pregnancy stuck at which phase of menses?

- A- Pro gestational
- B- Ovulation
- C- Pre menses
- D- **Follicular Phase**

Ans: D

68) Which of the following is causative agent of CA Cervix?

- A- **HPV 16**
- B- CMV
- C- EBV
- D- HHV 8
- E- HSV

Ans: A

69) What's the most common cause of cervical dysplasia, causing cervical carcinoma?

- A- CMV
- B- Multiparity
- C- HSV
- D- **EBvMV**

E- **HPV**

Ans: E

Note: Both questions were in exam

70) Rigor mortis is due to:

- A- Increased ATP
- B- **Decreased ATP**
- C- Increase Cal-Calmodulin levels
- D- Decrease Ca
- E- Increase phosphate

Ans: B

71) A dead body after 8h in rigor mortis is due to:

- A- Increase phosphate
- B- Separation of actin-myosin bridges
- C- **Unbroken actin-myosin crosses bridges**
- D- Failure to contract troponin

Ans: C

Explanation:

- For Separation of Actin-Myosine cross bridges ATP is needed to cause muscle relaxation.
- When death occur no aerobic respiration no ATP will be produced so no separation of actin-myosine bridges.

72) During anaphylactic shock histamine release from:

- A- Plasma cells
- B- **Mast cells**
- C- Basophils
- D- Neutrophils
- E- Macrophages

Ans: B

73) Gestational Sac is also called:

- A- Embryo
- B- Fetus
- C- **Amniotic Sac**
- D- Development Sac

Ans: C

74) A patient was given Atracurium it leads to hypotension by:

- A- Increase CO
- B- Decrease Venous return
- C- Hypoxia
- D- **Histamine release**

Ans: D

75) A young boy having mass in neck biopsy of lymph node shows effaces architecture atypical mononucleosis cell with bilobed

nucleus and eosinophilia and CD 15 and CD 30 positive diagnose is:
Non Hodgkin lymphoma

Hodgkin lymphoma

T cell leukemia

Infectious mononucleosis

Burkit lymphoma

Ans: B

Explanation:

and Sternberg cell is variety of Hodgkin lymphoma having Bilobe cell and CD 15 and 30 positive:

Inferior rectal artery is branch of:
SMA

Celiac artery

Inferior mesenteric

Internal pudendal

Internal iliac

Ans: D

Explanation:

- Superior rectal branch of - Inferior mesenteric artery
- Middle rectal branch of - Internal iliac artery which is branch of common iliac artery
- Inferior rectal artery branch of - Internal pudendal artery

After an automobile accident splenectomy done. After two months patient presents to emergency with septic shock and fever. Causative organism for this overwhelming infection is:

Klebsiella

Mycoplasma

Pseudomonas

Staph Aureus

Streptococcus

Ans: E

8) Most common cause of sub-acute bacterial endocarditis is?

S. Aureus

S. Viridians

Fecalis

Pseudomonas

Streptococcus

Ans: B (Davidson)

Explanation:

- Most common cause of Acute Endocarditis (No Heart Disease) - Staph Aureus

- Most common cause of Sub Acute Endocarditis (with Heart Disease) - Strep. Viridian

79) Low testosterone level is present in:

A- Infant

B- Old age

C- **Preschool**

D- Neonate

Ans: C

80) Non-insulin dependent diabetic and hypertensive female patient had Cholecystectomy. On the 3rd post-operative day, she complained of sudden onset of dyspnea, chest pain and hemoptysis the most likely cause of her symptoms would be:

A- Myocardial infarction

B- Pneumonia

C- **Pulmonary embolism**

D- Septicemia

E- Spontaneous pneumothorax

Ans: C

82) A baby has some cardiac abnormality, she has machinery murmur on auscultation what is the abnormality:

A- **PDA**

B- TOF

C- VSD

D- ASD

E- TGA

Ans: A

83) A patient Para 8 with UV prolapse and cervix at introitus ligament damage is:

A- **Uterosacral ligament**

B- Transverse cervical ligament

C- Broad ligament

D- Round ligament

E- Perineal body

Ans: A

Explanation:

- 1st Degree - Decent of Cervix within Vagina
- 2nd Degree - Decent of Cervix to Introitus
- 3rd Degree - Decent of Cervix Outside Introitus

- 4th Degree (Procidentia) - Whole Uterus outside Introitus
- In 1st and 2nd Degree - Uterosacral Ligament Damage
- 3rd Degree - Uterosacral > Cardinal Ligament Damage
- 4th Degree - Cardinal ligament damage

84) Decrease in Size of uterus after 10 days of delivery is 5-10g what it would be after 6-8 weeks?

- A- 100g
- B- 500g
- C- 60g
- D- 200g

Ans: C

Explanation:

Uterus weight vary after delivery as follows

- After delivery uterus weight - 1000g
- After 1 week uterus weight - 500g
- After 2nd week uterus weight - 300-350g
- After 4th week uterus weight - 100g
- After 6-8 week (Involution complete) Uterus weight - 40-60g

85) For increasing iron absorption what should he added in diet?

- A- Vegetable
- B- Pulses
- C- Citrus fruit
- D- Meat
- E- Egg

Ans: C

86) A Surgeon while doing oophorectomy has to ligate ureter which artery is prone to damage with ureter?

- A- Common iliac
- B- External iliac
- C- Pudendal
- D- Internal iliac

Ans: D

87) A day following hysterectomy, patient complains of severe pain in the right upper lumbar region of the back. Which of the following structures was most likely damaged during the surgery?

- A- Inferior mesenteric artery

- B- Internal iliac artery
- C- Psoas major muscle
- D- Pudendal nerve
- E- Ureter

Ans: E

88) Patient underwent Hystrectomy, damage can occur to ureter at which location?

- A- Pelvic brim
- B- 2cm from ischial spine
- C- Behind Broad ligament
- D- When crosses common iliac artery
- E- At bifurcation of iliac vessels

Ans: C

Explanation:

- During hystrectomy ureter damage at A>B>C
- A-cardinal ligament (uterine vessel)
- B-Behind broad ligament
- C-At pelvic brim (ovarian artery)
- Ureter damage at pelvic brim - While crossing common iliac vessel
- While removing ovary damage to - Internal iliac artery

89) At examination of Cervix which ligament can be touched?

- A- Pubosacral
- B- Pubovesical
- C- Uterosacral
- D- Broad ligament

Ans: C

90) Star shaped lumen is related to which of following?

- A- Ureter
- B- Esophagus
- C- Fallopian tube
- D- Arteries
- E- Esophagous

Ans: A

91) A patient smokes daily presented with chronic cough, sputum and diagnosed as chronic bronchitis which will be seen in chronic bronchitis?

- A- Hyperplasia of mucus secreting cells
- B- Squamous metaplasia
- C- Atrophy of mucus secreting cells
- D- Hyperplasia of serous cells

Ans: A

92) 7month pregnant lady with chronic ITP having ecchymosis

and epistaxis. Her platelets count 5×10^9 and on full steroid dose what will be next suitable step?

- A- IV immunoglobulin
- B- Immunosuppressants
- C- Splenectomy
- D- Plasmapheresis

Ans: A

93) A Patient having scaly dermatitis, chelosis and gingivitis likely deficiency of:

- A- Vitamin K
- B- Vitamin A
- C- Vitamin B₉
- D- Vitamin C

Ans: D

94) Differentiate b/w rickettsia and mycoplasma by which of following?

- A- Zeihl Nelsen stain
- B- Gram stain
- C- Sudan black
- D- Geimsa stain

Ans: D

95) Female with hard cystic swelling between labia majora and labia minora due to which gland involvement?

- A- Greater Vestibular gland
- B- Bulbospongious muscle
- C- Bulbourethral gland
- D- Bartholin cyst
- E- Cervical gland

Ans: A

96) MOA of theophylline is:

- A- Bronchial constriction
- B- Alpha agonist
- C- ACE inhibitor
- D- Venodilator
- E- Phosphodiesterase inhibition

Ans: E

97) Cabergoline MOA is:

- A- B1 agonist
- B- B2 agonist
- C- Di-agonist
- D- D2 agonist

Ans: D

98) A young male had an RTA which resulted in a femur fracture. He died 5 days later autopsy showed cerebral petechiae. Diagnosis is

A-

- B- Fat embolism
- C- Pulmonary embolism
- D- Myocardial dysfunction

Ans: B

99) A newborn is brought with lumbosacral swelling containing meninges without neural tissue. What is most likely diagnosis of this swelling?

- A- Spina bifida with Meningocele
- B- Meningomyelocele
- C- Encephalocele
- D- Meningomyeloencephalocele
- E- Anencephaly

Ans: A

100) A woman having urinary tract infection came with fever, pneumonia and BP 80/60mmHg she goes into shock what is the mechanism of her shock?

- A- Neurogenic
- B- Septic shock
- C- Anaphylactic
- D- Hypotensive shock

Ans: B

101) Insulin injection given in DKA, most immediate response is:

- A- Increased blood potassium
- B- Increased urinary ketones
- C- Hyperglycemia
- D- Increase CO_2
- E- Increase PH

Ans: E

102) Mechanism of cancer formation:

- A- Initiator and promotor
- B- Only Initiator cause carcinoma
- C- Initiator followed by promotor causing carcinoma
- D- Multiple initiator
- E- Promotor followed by Initiator causing carcinoma

Ans: C (Robins)

103) A Patient having Fatigue, Weight loss and lethargy. Upon detail investigations diagnosed as case of Cancer. Mechanism of Cancer formation is:

- A- Initiator and promotor
- B- Only Initiator cause carcinoma
- C- Initiator followed by promotor causing carcinoma
- D- Multiple initiator

E- Promotor followed by Initiator
Causing carcinoma

Ans: C (Robins)

Note: Both questions were in exam

104) A girl has repeated admission for joint pain and abdomen pain her mother is pathan has beta thalassemia trait her father is balochi. Hb 10 MCV 70 MCHC decreased diagnosis is:

- A- Thalassemia major
- B- Sickle thalassemia syndrome
- C- Thalassemia intermedia
- D- G6pd deficiency
- E- Thalassemia trait

Ans: B

105) Nature of Ergometrine is:

- A- Steroid
- B- Alkaloid
- C- Peptiglycan
- D- Glucosidic

Ans: B

106) Patient in OT, surgery is undergoing. Patient needs bladder emptying, surgeon passed needle to upper surface of bladder vessel at risk of damage is:

- A- Deep Circumflex artery
- B- Superficial Circumflex artery
- C- Inferior epigastric
- D- Superior epigastric
- E- Iliohypogastric

Ans: C

107) Which drug must be stopped otherwise it will lead to lactic acidosis?

- A- Metformin
- B- Insulin
- C- Sulfonyluria
- D- Glimperide

Ans: A

108) Factor 8 is not available which of the following can be given as alternative therapy?

- A- FFP
- B- Cryoprecipitate
- C- Whole blood
- D- Plasma
- E- N/S

Ans: B

Explanation:

- Cryoprecipitate has - Factor 8+13

- FFP has - Factor 9

109) Negative charge of basement membrane is due to:

- A- Elastin
- B- Laminin
- C- Cadherin
- D- Heparan sulphate

Ans: D (BRS) D > B

110) Second degree heart block would most likely result in:

- A- Atrial rate more than ventricular rate
- B- Ventricular tachycardia
- C- Atrial contraction less than ventricle
- D- Bizarre ventricular complexes on ECG

ECG

- E- Both independent

Ans: A

111) Main support of uterus is:

- A- Transverse cervical ligament
- B- Uterosacral Ligament
- C- Pelvic diaphragm
- D- Urogenital diaphragm
- E- Round ligament

Ans: A

Explanation:

- Major support of uterus - Cardinal (transverse cervical) ligament
- Dynamic support - Pelvic diaphragm

112) Which part contain enzymes to digest zona pellucida?

- A- Fertillin
- B- Acrosome
- C- Lysosome
- D- Corona radiata

Ans: B

113) A lady presented with tremors while writing and has rapid pulse. She has no other symptoms but complain of similar symptoms in family members which drug should be given?

- A- Amitryptaline
- B- Ropinirol
- C- Adrenaline
- D- Amantidine
- E- Propranolol

Ans: E

114) A lady visited Thailand and now came back to Pakistan presented with fever, chills; body aches confusion and postural

hypotension. What is most probable diagnosis?

Malaria

- A- Dengue
- B- Chagas disease
- C- Dengue
- D- A

Ans: A
115) A girl with polycystic ovarian syndrome will have increased?

Insulin and LH

- A- LH
- B- ACTH
- C- Growth hormones
- D- TSH

Ans: A

Explanation:

LH and insulin mainly cause increase androgen in PCOS.

116) A 33 years young gentleman presented in orthopedic OPD with injury to shoulder region in a fall from 4 feet height, on x ray the joint is perfectly fine but on examination the patient cannot abduct his arm initially till 30 degree and after 30 degree passive movement by the surgeon the patient is able to move his arm over the head the likely muscle damaged is:

- A- Deltoid
- B- Serratus anterior
- C- Trapezius
- D- Supraspinatus
- E- **Teres major**

Ans: D

117) Longest pro erythrocytic stage is of:

- A- P. Falciparum
- B- **P. malariae**
- C- P. ovale
- D- P. vivax
- E- Sporozoite

Ans: B

Explanation:

- Longest - Malariae
 - Shortest - Falciparum
- 118) A woman undergoes abdominal surgery 10 years ago now she is diagnosed with HCC thought to cause by Hep B. It is said that DNA and RNA viruses are

oncogens which one of the following is caused by RNA virus:

- A- EBV
- B- HPV
- C- HSV
- D- **T cell leukemia causing virus**
- E- Hep. E

Ans: D

119) A man after RTA with excessive blood loss hypotensive kept in ventilatory support PEEP given with 100% FIO2 5 days later patient died on examination of lungs there was hyaline streaks with increase number of macrophage and few neutrophils likely cause:

- A- **Diffuse alveolar damage**
- B- Patchy atelectasis
- C- Fibrosis
- D- Tension Pneumothorax

Ans: A

120) A boy after injury to head present with the complain of weight gain increase appetite and thirst lesion on which nucleus of hypothalamus?

- A- **Medial**
- B- Lateral
- C- Ventral
- D- Posterior
- E- Inferior

Ans: A

Explanation:

- Lateral Nucleus is Feeding Centre its Damage result in Stop Feeding and make you Lean
- Medial Nucleus is Satiety Centre and its Damage result in Over eating and make you Massive

121) Uterine artery pulsatility can be detected through doppler US at:

- A- 14 week
- B- **8 week**
- C- 9 week
- D- 10 week
- E- 12 week

Ans: B

122) A non-diabetic female having chronic rhino sinusitis develop fungal infection that shows septate hyphae at acute angle and

producing respiratory symptoms most likely fungus is:

- A- Candida
- B- Histoplasmosis
- C- **Aspergillus**
- D- Mucor
- E- Rhizopus

Ans: C (FA)

Explanation:

Mucor and rhizopus

- Diabetic (DKA) and Neutropenic (Leukemia)
- Rhinosinusitis
- Non septate hyphae branch at wide angle
- Invade blood vessel

Aspergillus

- Non diabetic
- Immuno compromised and Neutrophilic Dysfunction (CGD)
- Rhinosinusitis
- Septate hyphae branch at acute angle

Candida

- Diamorphic
- Pseudohyphae
- Oral thrush

Cryptococcus

- Not diamorphic
- 5-10 um narrow budding
- Brain meningitis and encephalitis (Soap bubble lesion) in immunocompromised.

Histoplasmosis

- Reticuloendothelial system involve

123) Young medical student holding three books want to hold 4th book from library upon holding the 4th book she drop all the books this is most likely due to:

- A- Stretch reflex
- B- Withdrawal reflex
- C- **Inverse stretch reflex**
- D- Myotonic reflex
- E- Myostatic reflex

Ans: C

Explanation:

- Stretch reflex (Myotatic) - Monosynaptic
- Inverse stretch reflex (Golgi tendon) - Disynaptic

- Flexor withdrawal reflex - Multisynaptic.

124) In Hookworm infection, the microscopic feature present on peripheral blood slides will be?

- A- Eosinophilic chemotactic factor
- B- **Spectacle shaped bilobed nuclei**
- C- LTB chemoreceptors factor IgE in membrane
- D- Pink cytoplasmic granules
- E- Basophilia

Ans: B

125) A man Crossing road he look right then left side this movement caused by vertebrae having which type joint?

- A- **Pivot joint**
- B- Condylod joint
- C- Synovial joints
- D- Biaxial ellipsoid
- E- Uniaxial ellipsoid

Ans: A

Explanation:

- Atlanto axial joint: Right and left movement and No pattern movement (As we say No by shaking Head). It is pivot joint.
- Atlanto occipital Joint: Up and down movement and Yes pattern movement. It is Biaxial Synovial Ellipsoid joint.

126) During prolong surgery of 8 hours the temperature of patient is monitored by:

- A- Probe in Axilla
- B- Probe in Rectum
- C- **Probe in Esophagus**
- D- Probe in Tympanic membrane
- E- By Hamstring muscle

Ans: C

Explanation:

- Probe in Distal Esophagus is easy and Reliable method specially in children
- Probe in tympanic membrane also good method but it is invasive can perforate tympanic membrane and May give initial false reading
- Pulmonary artery Catheter with distal tip thermistore is Invasive and Gold

standard method for measuring core body temperature

127) On initial patient interview, least likely thing to be done is:

Project an image of authority

- A- Duplication of questions
- B- Open ended questions
- C- State what you already know about presenting complaint
- D- Ask him reason for coming

Ans: A
128) Endometrium thickness is maintained by which hormone?

- A- Estrogen
- B- Prolactin
- C- GH
- D- Cortisol
- E- Progesterone

Ans: E

Explanation:

- Estrogen Function - Breast Duct Development + Endometrial Proliferation
- Progesterone Function - Maintain Endometrial Thickness (Proliferation) > Secretory phase > Alveoli and lobule development.

Note: Word maintenance of endometrial proliferation for progesterone and only proliferation by estrogen.

129) A patient sustained RTA having Blood loss for 6h anemia most likely develop is:

- A- Normocytic normochromic
- B- Micro with hypo
- C- Normocytic
- D- Macrocytic
- E- Pernicious anemia

Ans: A

130) A lady with CRF patient, sample taken which was placed in refrigerator overnight, next day, normal sodium, raised K (6.3) raised PO_4 and LDH (600) what is the cause?

- A- Endstage renal failure
- B- Hemolysis of Blood sample
- C- Hemolysis of Tissue
- D- Renal CA
- E- Drug Intoxication

Ans: B

131) A patient with uroporphyrin 1 in urine diagnosed with congenital erythropoietic porphyria enzyme deficient is:

- A- ALA Dehydratase
- B- Uroporphyrinogen III Synthase
- C- Ferrochelatase
- D- Uroporphyrinogen II Synthase
- E- Uroporphyrin

Ans: B (FA)

132) Which of the following tumor follows Knudson Two hit hypothesis?

- A- Retinoblastoma
- B- Neuroblastoma
- C- Burkitt Lymphoma
- D- Pheochromocytoma
- E- Wilms Tumor

Ans: A (FA)

133) G6 p5 develop rigors chills sudden lower abdominal pain, white watery vaginal discharge most suitable Diagnose is:

- A- Chorioamnionitis
- B- UTI
- C- Toxoplasmosis
- D- Pyelonephritis
- E- Appendicitis

Ans: A

134) Axillary lymphatics of breast divided into:

- A- Medial and Lateral
- B- Superior and Anterior
- C- Posterior and Lateral
- D- Anterior and Inferior

Ans: A

135) Goblet cells replaced by clara cells at which level?

- A- Primary bronchi
- B- Secondary bronchi
- C- Respiratory bronchi
- D- Terminal bronchioles

Ans: D

136) A female had aortic root dilation upto 4cm, ocular examination showed lens dislocation. mitral valve leaflet defect with a systolic click defect in which of the following?

- A- Spectrin
- B- Dystrophin
- C- Laminin

D- Fibrillin

E- Elastin

Ans: D (Marfan syndrome)

137) 8 Year old girl with breast development and early pubic hair precocious puberty) Parents should be counselled that:

A- No treatment

B- Tell Parents detail and its consequences

C- It will heal

D- No risk

Ans: C

138) A mentally retarded 14-year-old boy has a microcephalic and low ear epicanthal fold and protuberance of tongue Chromosome analysis is likely to demonstrate which of the following?

A- Trisomy 21

B- Trisomy 18

C- Trisomy 13

D- Fragile X syndrome

E- Trisomy 23

Ans: A (Down syndrome)

139) Which of the following structures connects Liver to the lesser curvature of the stomach?

A- Lesser omentum

B- Peritoneal ligament

C- Hepatogastric ligament

D- Falciform ligament

E- Ligament teres

Ans: C

140) 41% hematocrit means:

A- 41% formed element in blood is RBCs

B- 41% formed element in blood is WBC

C- 41% formed element in blood is WBC and RBC

D- 41% formed element in blood is WBC, RBC and Platelets.

Ans: A (Ganong)

141) Most specific first line defense mechanism is:

A- Macrophage

B- Plasma Cells

C- Skin and its mucous membrane

D- Neutrophil

E- T cell

Ans: C

142) A 45 year old man with a long history of alcoholism presents with severe epigastric pain nausea vomiting fever and increase in serum amylase diagnosis of acute pancreatitis superimposed on chronic pancreatitis was made in this condition which of the following types of necrosis is most characteristic:

A- Coagulative necrosis

B- Fat necrosis

C- Fibrinoid

D- Caseous

E- Liquefactive necrosis

Ans: B

143) Toxoplasmosis is:

A- Degenerative disease

B- Parasitic disease

C- Fungal disease

D- Inflammatory disease

E- Bacterial disease

Ans: B

144) Component of innate immunity active against viruses:

A- NK cells

B- T cells

C- B cells

D- Memory B cells

E- Monocyte

Ans: A

145) NK cells function is:

A- Kill virus affected cells

B- Kill cancerous cells

C- Activate T cells

D- Kill natural body cells

E- Activate B cell

Ans: B

Explanation:

- NK cell is anti-tumor cell
- NK cell kill virus infected cell
- CD56 is marker of NK cell

146) A 34 year old patient came in OPD e jaundice and yellowish sclera of eye and raised bilirubin is diagnosed with Hep B which marker used to monitor Hep B

A- GGT

B- PT

C- Serum bilirubin

D- Alkaline phosphatase

SGPT

E- B
Ans: 147) Infundibulum of pituitary gland is related to which of following?

- A- Pars distalis
B- Pars nervosa
C- Pars tuberalis
D- Pars Triangularis
E- Pars intermedia

Ans: C
148) Which one of the following has white muscle property?

- A- Orbicularis
B- Soleus
C- Gastrocnemius
D- Masseter
E- Adductor longus

Ans: C
149) Which hormone cause softening of Cervix?

- A- Estrogen
B- Progesterone
C- Prostaglandin
D- Testosterone
E- Oxytocin

Ans: C
150) We can save population from tetanus by giving vaccination in form of:

- A- Toxin
B- Tetanus Toxoid
C- Artificial toxin
D- Active toxin

Ans: B
151) In the aortic opening if diaphragm is constricted which of the following structure will be compressed along with aorta?

- A- Azygous veins and both phrenic nerve
B- Thoracic duct and vagus nerve
C- Azygous vein and vagus nerve
D- Inferior vena cava
E- Thoracic duct and azygous vein

Ans: E (Snell + KLM)

Explanation:

- Aortic opening (T12) - Aorta, thoracic duct and azygous vein
- Esophageal opening (T10) - Esophagus, Right and left vagus, lymphatics

* Caval opening (T8) - IVC and Right phrenic
152) Which one has largest cross section area?

- A- Venules
B- Arteries
C- Arterioles
D- Capillaries
E- Veins

Ans: D
153) A patient after RTA having 8% blood loss in 30min with no change in atrial pressure which of the following has maximum loss of blood:

- A- Aorta
B- Arteries
C- Arteriole
D- Capillary
E- Veins

Ans: E
154) Anesthetic that causes Bronchodilation is:

- A- Pethidine
B- Ketamine
C- Propofol
D- Halothane

Ans: B
155) Sweat gland and pilorector muscle are supplied by:

- A- Postganglionic sympathetic cholinergic
B- Preganglionic sympathetic cholinergic
C- Adrenal medulla
D- Preganglionic adrenergic

Ans: A
156) Sympathetic cholinergic post ganglionic supply is to which of following?

- A- Detrusor muscle
B- Sweat gland
C- Adrenal medulla
D- Adrenal cortex

Ans: B
157) Which muscles are involved in forceful inspiration?

- A- Diaphragm + SCM + External oblique + Serratus anterior
B- Diaphragm + Internal intercostal
C- Diaphragm + External intercostal + SCM + Serratus anterior + Scalene muscle

D- Diaphragm + External Oblique

Ans: C (Only Suitable)

Explanation:

- Muscle of Quiet Inspiration - Diaphragm and External Intercostal
- Muscle of Forced Inspiration - SCM & Serratus Anterior, Scalene anterior & Medius and Pect minor
- Quiet Expiration - Passive and by Elastic Recoil of Lung
- Muscle of Forced Expiration - Internal Intercostal
- Accessory Muscle of Expiration - Abdominal muscles (External Oblique, Rectus abdominis)
- External intercostal can be used in Quiet inspiration as well as forceful inspiration.
- After RTA injury to Cervical Region Difficulty in breathing due to damage of - Diaphragm
- After RTA patient is having forceful expiration and Abdomen is moving with respiration due to - External oblique
- Vertical diameter increase by - Diaphragm
- AP diameter increase by - External intercostal assisted by internal and innermost intercostal.

158) A patient had injury in the hand and opposition of thumb is lost, which nerve is involved?

- A- Ulnar
- B- Radial
- C- Median
- D- Axillary
- E- Deep radial

Ans: C

159) Right border of heart is formed by:

- A- Left atrium
- B- Right atrium + SVC
- C- SVC
- D- Right atrium

Ans: D

Explanation:

- Right border of Heart formed by - Right Atrium

- Right border of Heart formed on X-ray by - SVC + Right Atrium
- Base of heart is formed by - Left atrium
- Left border of Heart formed by - Left Ventricle (Apex Beat)
- Anterior (Sternocostal) Surface formed by - Right Ventricle
- Inferior (Diaphragmatic) Surface formed by - Left Ventricle.

160) A lady who had colostomy was started on total parenteral nutrition; TPN included which problem will be?

- A- Ketoacidosis
- B- Hyperglycemia
- C- Hypocalcemia
- D- Hypophosphatemia
- E- Hyperkalemia

Ans: B

161) Mechanism of reduction of size of organ in patient undergoing chemotherapy of breast:

- A- Apoptosis
- B- Direct action of Chemotherapy
- C- Necrosis
- D- Cellular damage
- E- Infarction

Ans: A

162) Motor supply of diaphragm is:

- A- Phrenic nerve
- B- Intercostal nerve
- C- Recurrent laryngeal nerve
- D- Vagus
- E- Cardiac plexuses

Ans: A

163) Perianal abscess in female infection spread laterally to:

- A- Ischioanal fossa
- B- Superficial perineal pouch
- C- Deep perineal pouch
- D- Birth canal

Ans: A

164) Upper motor neuron damage, what will happen?

- A- Decrease tendon reflexes
- B- Increase tendon reflexes
- C- Muscle wasting
- D- Fasciculation
- E- Atrophy

Ans: B

- 165) Which one is phagocytic?
A- Juxtaglomerular cell
B- Erythropoietin
C- **Macrophage cell**
D- Peritubular cell
Ans: C
- 166) A blood group has which of following?
A- **Anti B antibodies**
B- Anti A antibodies
C- No antibodies
D- AB antibodies
Ans: A
- 167) Diagnostic criteria for bronchial asthma:
A- FEV1 >65
B- **FEV1/FVC <65%**
C- FEV1 ZERO
D- FEV1/FVC normal
E- FVC normal
Ans: B
- 168) Artery palpated between trachea and infrahyoid is:
A- Internal carotid
B- **Common carotid**
C- Internal jugular vein
D- External Carotid
Ans: B
- 169) A patient after fall on outstretched hand with trauma on wrist develops dislocation of lower portion of joint posteriorly and medially, most probably he has?
A- Fracture of neck of scaphoid bone.
B- Fracture of lunate.
C- **Colle's Fracture**
D- Fracture of ulna.
E- Fracture of metacarpal bone
Ans: C
- 170) Patient brought to ER unconscious there is breathing problem empty bottle of aspirin found which one eliminate aspirin from body?
A- **Bicarbonate administration**
B- NH₄Cl administration
C- IV hydration
D- Diuretic administration
E- Gastric lavage
Ans: A
- 171) Cheliosis and corneal vascularization is due to

deficiency of which of the following vitamin?

- A- Thiamine
B- Biotin
C- **Riboflavin**
D- Folate
E- Vitamin C
Ans: C (FA)

Explanation:

- B1 Deficiency - Dry Beri ber, Wet Beri ber, Wernicke korsakoff measured by transketolase activity.
- **B2 deficiency - Corneal vascularization**
- B3 deficiency - Pellagra (Diarrhea, dementia, dermatitis)
- B5 required - Co-factor for Co enzyme A
- B5 deficiency - Adrenal insufficiency.
- B7(Biotin) - Bind Avidin in egg and carrier of one carbon
- B7 - Role in liver metabolism
- B9 (Folic acid) - One carbon transfer
- B9 deficiency - NTD
- B12 deficiency - Megaloblastic anemia

172) Left circumflex artery supply which area?

- A- Right Ventricle
B- Right atrium
C- Left ventricular
D- **Left atrium and left ventricle**
E- Inferior wall

Ans: D

173) A child previously having TB comes to you with the complain of fever and cough along with noisy breathing and difficulty in swallowing, now diagnosed as retropharyngeal Abscess, which structure it will invade first?

- A- Pre cervical fascia
B- **Prevertebral fascia**
C- Carotid sheath
D- Buccopharyngeal fascia

Ans: B

174) Moderate hemorrhage can be diagnosed clinically as:

- A- Supine Tachycardia

- B- Postural dizziness
 C- Supine hypotension
 D- Postural hypotension in 35 years old
 E- Postural hypotension in 65 years old

Ans: B

175) Femoral head in child supplied by:

- A- Medial Circumflex
 B- Lateral circumflex
 C- Obturator artery
 D- Nutrient artery
 E- Tibial

Ans: C

Explanation:

In adult:

- Head of femur by - Retinacular > medial circumflex
- Neck of femur by - Medial and lateral circumflex
- In avascular necrosis of head of femur medial circumflex (FA)

In Child:

Head of femur by - Obturator

176) A woman has no difficulty in walking but Can't stand from sitting position due to weakness of which muscle?

- A- Gluteus minimus
 B- Gluteus intermediate
 C- Gluteus maximus
 D- Sartorius
 E- Obturator internus

Ans: C

Explanation:

- Difficulty in standing from sitting - Gluteus maximus damage (Inferior gluteal nerve).
- Waddling Gait - Gluteus medius and minimus damage (Superior gluteal nerve)

177) Enzymes involved in cell remodeling of tissue:

- A- Myeloperoxidase
 B- Collagenase
 C- Lipase
 D- Caspase

Ans: B

Explanation:

Remodeling of tissue by - Metalloproteinase > Collagenase > Elastase

178) A 23 Year primigravida presented to obstetric department in 2nd stage of labour, on examination the sacral promontory was not reachable and the pelvic arch was narrow and prominent ischial spines the most likely pelvis is:

- A- Gynecoid pelvis
 B- Anthropoid pelvis
 C- Platyploid pelvis
 D- Android pelvis

Ans: D

Explanation:

- Fingers not reachable to sacral promontory - Android Pelvis
- Fingers reachable to sacral promontory - Contracted pelvis

179) A 60 years old male presented with history of fever, significant weight loss, painful micturition, hematuria and flank mass, his Hb is 18 what could be the possible pathology associated with his condition:

- A- Renal cell carcinoma
 B- Rhabdomyosarcoma
 C- Angiomyolipoma
 D- Polycystic kidney disease

Ans: A

Explanation:

As the patient presented with history of weight loss and symptoms related to renal system along with increase hemoglobin that's due to increase erythropoietin level secreted in by kidneys and the most suitable among the mentioned options is RCC.

180) If a patient develops fracture of neck of fibula, nerve damaged that will lead to foot drop will be?

- A- Tibial nerve
 B- Sciatic nerve
 C- Common Peroneal nerve
 D- Femoral nerve
 E- Superficial Peroneal nerve

Ans: C

181) A Patient came to Er with blow to antero inferior Part of Temporal region and period of unconscious for 3mins and Vision problem most likely vessel damage is?

- A- ACA
 B- Anterior division of MMA

- C- Posterior division of MMA
 - D- MCA
 - E- Bridging veins remove 62
- Ans: B

=====