

Documentation for HCI Project

March 22, 2015

Nick Lee
Roxana Nadrag
Naomi Pentrel
Vlad Victor Ungureanu
Tom Wiesing

Contents

1	Personas	2
1.1	Persona 1: Alice Larson	2
1.2	The TA: Filip Nikolche	4
2	Scenarios	5
2.1	Scenario 1 - Homework submission	5
2.2	Scenario 2 - TA Grading	11
3	Use cases	12
3.1	File Submission	12
3.2	Excuse Request	12
3.3	Extension Request	14
3.4	Grading	14
4	Design Documentation	16
4.1	Authentication Page (Tom)	16
4.2	Student Landing Page (Naomi)	19
4.3	TA Landing Page (Nick)	20
4.4	Profile Pages (Tom)	21
4.5	Current courses page (Roxana)	22
4.6	Previous courses page (Vlad)	23
4.7	Current Course Page	26
4.8	TA Grading Page (Nick)	27

1 Personas

This section contains our 2 personas.

1.1 Persona 1: Alice Larson

Alice is a first year student, majoring in Applied Computational Mathematics at Jacobs University. She comes from California all the way to Germany for her undergraduate studies because she wants to expand her life experience. She discovered her passion for Mathematics and Computer Science in highschool and is trying to be better in these fields.

Alice is taking both Python Lab and C Lab this semester because she wants to gain as much knowledge about programming as possible . She is also taking Calculus as part of her mandatory courses.

Alice is a very organized student, always doing her assignments on time. She is using jGrader for all of the above courses to submit homework and also check for deadlines and previous assignments.

In her free time, Alice enjoys running and dancing. She is also passionate about painting and design and would like to take a Design class some day.



- **Name:** Alice Larson
- Student, Applied Computational Mathematics
- **Age:** 20
- **Motto:** I'm a visual person

1.2 The TA: Filip Nikolche



- **Name:** Filip Nikolche
- TA, Computer Science
- **Age:** 22
- **Motto:** I'm definitely a tech geek

He studies Computer Science at Jacobs University. He transferred from University of Hamburg after his first year. He is now in his 3rd year and is writing his thesis with the Computer Networks research group. Because he wants to focus on his thesis, he decided not to take any courses this semester. His thesis topic subject is “Large Scale Measurement of Broadband Performance”. However he wants to earn some extra money, so he is TAing 3 courses via jGrader, Python Lab, C Lab and Calculus I.

He was an intern at Microsoft last summer. His hobbies are reading SF books and tech articles.

2 Scenarios

This section contains our 2 scenarios.

2.1 Scenario 1 - Homework submission

Alice wants to submit a homework for her Python course. She has already finished it and written some code in 2 files, named “IO_Input.py” and “IO_Output.py”.

She logs onto jGrader and sees homework 5 on the landing page. She clicks a button and is brought to the submission page. Alice clicks on the slot and selects the file from her computer. A progress bar appears while the file is being uploaded.

She opens the jGrader homepage and sees that it is due very soon, this week

On the same page a “Upload files” field appears.

Alice finds the file on her computer and drags it into the field that just appeared. Because the file is very big (it contains a lot of scanned images) jGrader shows a progress bar while the file is uploaded. After a few seconds, the upload finishes and Alice gets a confirmation that the file was indeed uploaded. She then close the page.

Alice is taking Python this year which she uses our grading platform for. When she is is on the student landing page.

 Home



Student Name

Current courses

Upcoming Assignments

Apr.

Python Lab Homework

Apr.

C Lab Homework

Apr.

From there she realizes that the next assignment due is for Python Lab. Alice clicks on the *Current courses* to have an overview of all her courses.

 Home



Student Name

Current courses

Enrolled Courses



Python Lab

Grade so far:

48%



8

C Lab

Grade so far:

Since she still has to do her Python homework assignment she navigates to the Python Lab.

The course page layout is designed to provide an easy to use and comprehensive dashboard for each course. It contains current assignments, previous assignments, tools to view further information, request extensions & excuses, and an overview of the course grading breakdown, instructors, credits, and other important information.

On the top of the page Alice can choose the current homework screen or the previous homework Assignments screen. On the current homework screen the most frequently accessed elements are at the top of the screen to minimize scrolling and allow for easy accessibility. Hence the first information is when the deadline for the current assignment is and right below it is a huge submit button that cannot be missed. Apart from this it also has buttons to view the current assignment, to request an extension, and to request an excuse. The colors for the buttons are green, yellow, and red respectively which underlines how crucial the respective action is. E.g. requesting an excuse is a more crucial action than requesting an extension.

Below the buttons that allow Alice to perform actions, the course page offers information about the course and the grading criteria. Being naturally curious about the grades she received on previous homework assignments, she goes to that section and can see her previous submissions and the grades she received for them in a nicely formatted table.

[Current courses](#)[Current Courses](#) / [Python Lab](#)

Python Lab

[Current Homework](#)[Previous Homework Assignments](#)

*Deadline for this assignment is : **20 April***

[Submit](#)[View assignment](#)[Request Extension](#)**Instructors:**

Dr. Kinga Lipskoch

Going back to the current homework page, Alice wants to now submit her current homework assignment. For that she clicks on the submit button and

The screenshot shows the jGrader submission interface. At the top is a navigation bar with 'Home', 'Student Name', 'About', and 'Help'. Below this are two tabs: 'Current courses' and 'Previous courses'. A breadcrumb trail reads 'Current Courses / Python Lab / Submission'. The main heading is 'Exercise 5 - File I/O'. A light blue instruction box states: 'Drag and drop files into slots to submit them. Alternatively, click on a slot to select a file from your computer. Upon submission, you will see a progress bar. Once a file is submitted, the slot will turn green.' There are two file slots. The first slot, labeled 'File #1: I', is light purple and contains the text 'Drop file here or click to select file'. Below it, in parentheses, is '(no file submitted yet)'. The second slot, labeled 'File #2: IO', is light green and also contains 'Drop file here or click to select file'. At the bottom is a 'Download submission' button.

is redirected to the submission page.

2.2 Scenario 2 - TA Grading

She opens the jGrader homepage and sees that it is due very soon, this week

Our TA, Filip Nikolche, wants to grade assignments for a course he is TAing. He signs into jGrader and selects the course (Python) from the list of courses on the landing page. He then selects assignment 3 because it is not fully graded, and he begins working on it. He downloads the submissions, reads them in the text editor of his choice on his computer, and he enters his grades and comments into the page. At the end of his grading session, he updates all grade slots to ensure that the grades are saved, and he signs out.

3 Use cases

This section contains our 4 use cases.

3.1 File Submission

- **Agents:**
 1. Student
- **Purpose:** Grading platforms should be capable of collecting assignment submissions, timestamped and stored in a central location
- **Procedure:**
 1. Student visits authenticated landing page, which shows outstanding assignments for courses
 2. Clicking on the assignment goes to the assignment page, containing the project spec, an accessor for the most recent previously submitted file (if applicable), and a submission interface
 3. If a small number of files is to be submitted, simply dragging and dropping/upload dialog for each slot will work
 4. If a larger/unknown number of files is to be submitted, uploading a zip file will happen instead. If enabled, jGrader will unzip it and attempt to match the contents to any file-specific slots that may exist.
 5. After uploading, the file submission slot will turn grey and show a confirmation message until the page is refreshed. (After refreshing, the previously submitted accessor will be shown)

3.2 Excuse Request¹

- **Agents:**
 1. Students
 2. Professor

¹This use case is only partially implemented in the prototype.

3. Registrar (not directly)

- **Purpose:** Request being officially excused for a task

- **Procedure:**

1. Student visits authenticated landing page, which shows outstanding assignments for courses.
2. Clicking on an assignment navigates the student to the assignment page which (among other things) has a button to request an excuse for the specific assignment.
3. The student clicks a button to request an excuse for this task from the professor.
4. The task is marked as “EXCUSE PENDING” on the course page.²
5. The professor is notified of the request via an email that is sent to them. This email includes a link to a page on Grader where he/she can confirm the extension request.
6. (not directly in the system) the student sends a medical excuse to the registrar and waits for them to confirm it (to the professor).
7. The professor clicks on the link in the mail that was sent to him/her earlier
8. The professor lands on an (authenticated) page on jGrader where he/she can either confirm or deny the requests.
 - If the excuse was accepted by the registrar, the professor clicks the “Grant Excuse” button
 - If not, he/she clicks the “Deny Excuse” button
9. The student is notified via email if the excuse has been granted or denied.
10. At the same time the excuse is marked appropriately on the landing page.

²This and the following steps are not available in the prototype.

3.3 Extension Request³

- **Agents:**

1. Students
2. Professor
3. Registrar (optional, indirectly)

- **Purpose:** Student has an emergency and is not able to complete the assignment at time.

- **Procedure:**

1. He logs in to jGrader and sees the current timeline of tasks.
2. He clicks on the assignment link which has a button to request an extension for the current assignment.
3. He selects from a calendar view the available date when he can submit the solution and complete a message to motivate the extension.
4. The website shows him a confirmation that an email has been sent to the professor regarding the extension.
5. The professor receives an email where he has 2 options either to approve/deny the extension request.
6. The professor decides on approving/not approving and the student receives an email regarding the new time.
Confirmation of an illness from the registrar might be required
7. The timeline of the student is changed accordingly.

3.4 Grading

- **Agents:**

1. Student(s)
2. Teaching Assistant/Instructor

³This use case is not implemented in the prototype.

- **Purpose:** A student has submitted assignments, and the grades for the work must be entered into the gradebook.
- **Procedure:**
 1. Teaching Assistant logs into jGrader and selects the course they are grading for from a list
 2. The TA selects the assignment/task submission to be graded
 3. After loading the page, the TA either downloads all submissions, or they download an individual's submission by clicking the down arrow next to the person's name
 4. The TA opens each submission and grades it accordingly on their local system outside of jGrader
 5. The TA enters their feedback into the feedback field, and the grade into the grade field, and clicks update.

Alternately, they can skip the updating and just update all at once by clicking "Update All"
 6. The grading dashboard now shows the current grading status for the assignment, which is hopefully 100% graded.


4 Design Documentation

In this section you can find design documentation about individual pages of the system. The title of each section reflects only who wrote the respective section, not who designed and implemented the page in the prototype.

4.1 Authentication Page (Tom)

The authentication page is the entry point to the system and as such we designed it very carefully. It exists in 3 versions:

1. A default view:



The default login view for jGrader. It features a light gray background with a dark blue 'Sign in' button. Above the button are two input fields: 'CampusNet Username' and 'Password'. The title 'Sign into jGrader' is centered above the inputs. A decorative footer with a green and orange geometric pattern is at the bottom.


Sign into jGrader

CampusNet Username

Password

Sign in

2. A view that appears if the user enters an incorrect password:



The login view after an incorrect password attempt. A red error message box is displayed above the input fields. The message reads: 'Wrong Username / Password. If you have forgotten your password, click here.' The 'Sign in' button remains dark blue. The footer pattern is consistent with the previous view.

Sign into jGrader


Wrong Username / Password.
If you have forgotten your password,
[click here.](#)

CampusNet Username

Password

Sign in

3. A view that appears if the user just logged out:



The login view after a user has logged out. A green message box is displayed above the input fields, stating: 'You have been logged out.' The 'Sign in' button is dark blue. The footer pattern is consistent with the previous views.

Sign into jGrader

You have been logged out.

CampusNet Username

Password

Sign in

Each of the versions has the same basic layout. The only real content of the page is centered. It contains a heading, input elements for username and password as well as a submit button. We designed it this way because we want to draw the users attention to its use, being as minimalistic as possible. However because it is the first contact any user has with the system we wanted to leave an impression and added a colorful background image.


When the user accesses the sign in page for the first time, the keyboard automatically focuses the username field. This makes it easy for the user to sign into the system. When the user enters a wrong password they end up the second version of the page, which in addition has an error message and a forgot password link. The keyboard is automatically focused on the password field so the user can quickly re-enter the password since it is more likely that the password, and not the username, is incorrect. To further speed up login in, the username field keeps the value entered in the first sign in attempt.

During (paper) prototype testing a tester mentioned that it would be convenient to have reset password functionality, so we added a link for it. On the linked page the user can enter their username and then gets an email with a link to reset the password⁴. This page does not have the username pre-entered or an auto-focus functionality because we want to prevent abuse of the system.

The third version of the authentication is shown after the user signs out of the system. It contains a small message to ensure that the user knows they have been signed out. Furthermore it auto-focuses the username field to enable the user to quickly sign in again. An earlier version did not contain a sign in form but only a message that the user had been logged out, however this was criticized during paper prototype testing.


⁴Because this is simply a prototype only the form is implemented, not the actual mail being sent. We also do not have a layout for the reset password page. If this system were to be used at Jacobs, the reset link might be removed because CampusNet accounts are used and we are not capable of resetting CampusNet accounts without Campus IT.

4.2 Student Landing Page (Naomi)



- Students are provided with an overview of upcoming deadlines and how much of the tasks are done (e.g. if the student finished 4 out of 5 tasks it will visually show 80%). This will help students remember all their deadlines.
- Links on the visual representation of the percentages will allow students to quickly navigate to the assignments that are due.
- To limit the information that is on the screen previous courses are only shown when the student clicks on the rider for previous courses. This ensures that the page provides an easily processable overview without clutter.
- In the Enrolled Courses section, the student can access all courses he is currently enrolled in.

4.3 TA Landing Page (Nick)




The TA landing page is mostly the same as the student menu, and contains no major differentiation in the prototype beyond easy links to the grading pages for current courses. In a production environment, the current and previous courses would show any courses for which they have TA permissions.

When the TA enters the grading overview page, they see a list of assignments for that course, along with the current status of the grading for the assignment. Colour coding helps the user to quickly navigate an information-dense page. Aqua indicates that grading is complete and there is no further action required. Yellow indicates that grading is partly finished, and orange indicates that grading has not started. Grey is used to indicate a non-actionable assignment that has received no submissions yet.

4.4 Profile Pages (Tom)

[Home](#) [Student Name](#) [About](#) [Help](#) [Sign out](#)



The Student - t.student@jacobs-university.de
A nice Major - Class of this year

Student in:

- Python Lab
- C Lab
- Calculus I

TA in: (this student is not TAing any courses)

About me

More lovely text here ...
More lovely text here ...
More lovely text here ...
More lovely text here ...
More lovely text here ...


The profile pages are mostly informational, and could be useful for a course instructor to get an overview of who is taking a class and what other courses they are enrolled in.

4.5 Current courses page (Roxana)

[Home](#) [Student Name](#) [About](#) [Help](#) [Sign out](#)

[Current courses](#) [Previous courses](#)


Enrolled Courses



Python Lab

Grade so far:


48%



C Lab

Grade so far:

57%



Calculus I

Grade so far:

39%

The previous courses page is very similar in design to the current courses page, with addition of simple marks to indicate whether the student passed or failed the completed course, and a tab bar to navigate through previous semesters.

Orienting the list of semesters horizontally versus the vertical orientation of the courses helps reinforce that the user is navigating through a different set of information than when they simply scroll through courses.

The semester list grows horizontally because it can be compacted better than the list of courses, is less likely to be used, and because it is more

difficult to scroll horizontally than vertically on most computers. A less-used feature should use the more difficult action, leaving more natural actions for commonly used features.

¹ »»»> Stashed changes

EdN:1

4.6 Previous courses page (Vlad)

This page offers an overview for the courses the student took combined by semester. The semester can be changed via a navbar on top and the list of courses changes.

All the courses are presented in a table each row being separated by a new line for better understanding of the page. Each course has a default picture so the user can easily find the desired course in the list.

Each course has as information the final grade which was obtained by the student and a check mark if it was a passing grade. If the grade is below 45% the sign changes to a red cross. This can be seen for GenCS where the grade is 35%.

¹EdNOTE: Write this

[Current courses](#) [Previous courses](#)

Fall 2014 [Spring 2014](#)



[Robotics](#)

Final grade:

88% ✓



[Statistics](#)

Final grade:

97% ✓



[General Computer Science](#)

Final grade:

35% ✗

After the student clicks on a course (either picture or link this page is presented).

[Home](#) [Student Name](#) [About](#) [Help](#) [Sign out](#)

Current courses

Previous courses

[Previous Courses](#) / Robotics Fall 2014

Robotics

Instructors:
Prof. Dr. Andreas Birk

Credits:
5.00 ECTS

Grading scheme:

Final Exam (40%, Mandatory)
Midterm Exam (30%)
Weekly Homework (30%)

Description:

Robotics is a field that spans the entire range from low-level mechatronics and signal processing to high-level cooperation protocols of intelligent agents, and thus touches large portions of both CS and EE. Correspondingly, the course aims at an integrative, practically oriented education that enables students to practically combine methods he/she has encountered in various more specialized courses before. The course is offered biannually (alternating with "Autonomous Systems").

Grade Details:
88%



Final Exam	Midterm Exam	Weekly Homework	Final Grade	Course Status
80%	60%	89%	88%	Pass ✓



The student can see the instructor, how many credits he got for the course, grading scheme and the description. We show in a table the grade components and the score he got for each of them. We use green as background for passes course and red for a course which has been failed.



[Home](#) [Student Name](#) [About](#) [Help](#) [Sign out](#)

[Current courses](#) [Previous courses](#)

Fall 2014 [Spring 2014](#)


Robotics
Final grade:
88% 


Statistics
Final grade:
97% 


General Computer Science
Final grade:
35% 

The current courses page features a sparse, left-justified layout in order to simplify the task of getting to the course page the user needs—minimal information beyond a grade overview, large & attention-catching course icons, and the page navigation buttons is included. Following the rule-of-thirds by left-justifying the content helps the user process the information quicker.

4.7 Current Course Page


The course page layout is designed to provide an easy to use and comprehensive dashboard for each course. It contains current assignments, previous assignments, tools to view further information, request extensions & excuses, and an overview of the course grading breakdown, instructors, credits, and other important information.


More frequently accessed elements, such as the assignment page, are located at the top of the screen to minimise scrolling. Small amounts of color are used to highlight actionable items in order to help the user quickly find what they need. In some situations, the student may only have minutes or even seconds to submit a file, and navigational aids help. A large and wide submit button means that the user only has to search vertically through the page.

4.8 TA Grading Page (Nick)

[Home](#) [TA Name](#) [About](#) [Help](#) [Sign out](#)

Python Lab - Assignment 3 overview

Download all submissions 


Vlad Ungureanu 

Feedback:

Grade

69%

Update


Nick Lee 

Feedback:

Grade

100%

Update


Naomi Pentrel 

Feedback:

Grade

78%

Update

Roxana Nadrag 

Feedback:

Grade

Update

27

Each assignment grading page follows the same layout, with the page content being centred to help the user focus. A simple heading communicates what assignment is being graded, two batch jobs can be run from a well-known location (always the top of the page), and the remainder of the page is simply a list of submissions in need of grading.

No default field is initially focused; this is because the TA must first download the submissions. Tabbing through the page with the keyboard will always follow the order "Feedback, Grade, Submit" in order to minimise the amount of steps involved with grade entry, which is important for grading large numbers of small assignments. We placed the comment box before the grade box in order to encourage TAs to provide comments for grades; when tabbing through the page, the comment field will be selected first, which makes it tougher to skip.

All submission boxes are colour-coded, such that a graded assignment is aqua, an ungraded assignment is orange, and an empty submission is grey. Ungraded submissions are not omitted because it is sometimes necessary for assignments to be submitted via alternate methods such as paper or email. While the purpose of a grey field is slightly different from what it was on the overview page (non-actionable), most blank submissions will never receive a grade other than zero, and so they can be considered non-actionable for the most part.

Ample space is provided between assignment entries in order to reduce the chance of visual confusion. In a complete implementation, JavaScript would also be used to turn the currently selected region's background to a light grey in order to further differentiate what's being edited. Avoiding a pure grid layout also helps in creating a more comfortable view for the user.

Different sizes between the comment and grade fields provide further visual differentiation, and the larger size of the feedback box implies its significance. In many programming labs, the feedback is more important than the grade.