


| | | | |
|--------------------------|-------------|-------------------|-------------|
| Test Procedure Reference | Calibration | Job No. | Calibration |
| Unique No. | Calibration | Test Description | Calibration |
| R&D Reference | Calibration | Test Date | 01/10/2025 |
| Valve Description | Calibration | Valve Drawing No. | Calibration |



Calibration Ambient Temperature



| | | | | | |
|---------------------------|--------|--------|--------|--------|---------|
| Applied (mV) | -5.89 | 9.28 | 24.46 | 39.64 | 54.81 |
| Counts (avg) | -1968 | 1937.0 | 5861.0 | 9787.0 | 13713.0 |
| Converted (mV) | -5.766 | 9.331 | 24.501 | 39.679 | 54.86 |
| Abs Error (mV) - ±0.12 mV | 0.12 | 0.05 | 0.04 | 0.04 | 0.05 |

Data Recording Equipment Used

Data Logger Twinsafe Temperature Cal
Serial No. 508f483ba16a4fc4
Transducers

Gauges

Torque Transducer N/A

Cycle Count 1

Test Pressure 0 psi

Breakout Torque N/A

Running Torque N/A

| Coefficient | Value |
|-------------|-------------|
| S3 | 2.5108e-11 |
| S2 | -6.5351e-07 |
| S1 | 1.0048 |
| S0 | -19.788 |

3rd Party Stamp and Date

Operative: Jason Bradley