



RASPBERRIES

Raspberries are divided into 2 classes by fruit bearing habit:

JUNE-BEARING: *Bears fruit in early summer on 2 year old canes.*

EVERBEARING: *Bears fruit on ends of canes late in first season; and laterally on same canes early in second season.*

Planting: Set out plants 1" deeper than originally grown, spreading the roots 2 1/2 - 3 feet apart. Prune back heavily at planting. Plants will produce 3 - 5 canes the first year. The roots will produce fruit for ten years.

Culture: Best in full sun. Well-drained soil is essential. Plants need regular watering: a minimum of one inch of water per week, especially during flowering and fruiting. Feed with complete fertilizer at blossoming time. Keep the area well weeded.

Staking and Pruning: Raspberries perform best when trained on supports. String wires at 2 1/2 foot intervals on 2 stout posts spaced 5 feet apart. Tie canes to wire. On **June-bearing** varieties, prune out entire cane after fruiting. On **Everbearing** types, prune upper portion of cane after fall fruiting and then remaining cane after spring crop. For more specific instructions, please ask for a handout at the Information Desk.

JUNE-BEARING

Boyne
Latham
Meeker
Munger
Newburgh
Royalty
Tulameen
Willamette

EVERBEARING

Amity
Anne
Autumn Bliss
Caroline
Fall Gold
Heritage
Indian Summer