





CORA TEXAS PROPOSED PIPELINE  
 LEVEE CROSSING  
 IBERVILLE PARISH  
 SECTION: 15, T-10-S, R-13-E  
 DATE: 10/8/2010 SHEET: 1 OF 6






PROFILE VIEW






**EXISTING PROFILE VIEW**  
**PROFILE SCALE: VERTICAL = 1" = 40'**  
**HORIZONTAL = 1" = 40'**




# PROPOSED PROFILE VIEW PROFILE SCALE: VERTICAL = 1" = 40' HORIZONTAL = 1" = 40'



**SECTION "A-A"**


SCALE: 1" = 15'



**SECTION "B-B"**


SCALE: 1" = 15'

PROP. LIMESTONE CROWN SURFACING  
SHALL BE 24" THICK AT CROWN COMPACTED TO  
LA DOTD SPECIFICATION FOR HS-20 LOAD




**SECTION "C-C"**

SCALE: 1" = 15'



**SECTION "D-D"**

SCALE: 1" = 15'



**SECTION "E-E"**

SCALE: 1" = 15'

CORA TEXAS PROPOSED PIPELINE  
LEVEE CROSSING  
IBERVILLE PARISH  
SECTION: 15, T-10-S, R-13-E  
DATE: 10/8/2010 SHEET: 6 OF 6