

Property is located in Section 30, T-6-S, R-5-E

Reference

Base map comprised of U.S.G.S. 7.5 minute topographic maps "Holden, LA", "Frost, LA", "Satsuma, LA" and "Walker, LA".

Town of Livingston

Texas Street Drainage Improvements Disaster **Recovery CDBG Project**

Vicinity Map

Livingston Parish, Louisiana




D & S ENVIRONMENTAL SERVICES, INC.




Project. No.:

06-2012-DOA

Date: 02-29-2012





- 1. The proposed layout is subject to change.
- 2. Jurisdictional Wetlands and Other Waters of the US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN 2011-01826-SZ.
- 3. According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- 4. All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Legend

Property Boundary (3.64 Acres)

Non-Wetlands (2.42 Acres)

Jurisdictional Wetlands To Be Filled (0.01 Acres)

Jurisdictional Wetlands / Other Waters Of The US To Be Filled / Impacted (1.18 Acres)

Other Waters Of The US To Be Impacted (0.03 Acres)

CMP Corrugated Metal Pipe

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Proposed Plan View

Livingston Parish, Louisiana



D & S ENVIRONMENTAL SERVICES, INC





Figure No.:

Project. No.:

06-2012-DOA

Date: 02-29-2012





- 1. The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, I.I.C.
- 5. Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section A-A' Horizontal Scale: 1" = 10'

Vertical Scale: 1" = 2'

10'



Legend



Earthen Material

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View A-A'

Livingston Parish, Louisiana



D & S ENVIRONMENTAL SERVICES, INC




Project. No.:

06-2012-DOA

Date: 02-29-2012

Figure No.:

.



- 1. The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, LLC.
- Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section B-B'

Horizontal Scale: 1" = 10' Vertical Scale: 1" = 10'

10' 0 10 Horizontal Scale: 1" = 10'

Leaend



Earthen Material



Concrete



Granular Foundation With Geotextile Fabric

MHW

Mean High Water

MLW

Mean Low Water

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View B-B'

Livingston Parish, Louisiana



D & S ENVIRONMENTAL SERVICES, INC.




Project. No.:

06-2012-DOA

Date: 02-29-2012

Figure No.:


No.:



- 1. The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, LLC.
- Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- 6. All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section C-C'

Horizontal Scale: 1" = 10' Vertical Scale: 1" = 10'



Horizontal Scale: 1" = 10'

Legend

Concrete

Granular Foundation With

Geotextile Fabric

мнw Mean High Water

MLW Mean Low Water

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View C-C'

Livingston Parish, Louisiana




D & S ENVIRONMENTAL SERVICES, INC.



Project. No.

06-2012-DOA


Date: 02-29-2012



- The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- 3. According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, LLC.
- Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- 6. All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section D-D'

Horizontal Scale: 1" = 10' Vertical Scale: 1" = 10'



Legend



Earthen Material



Concrete



Granular Foundation With Geotextile Fabric

MHW

Mean High Water

MLW

Mean Low Water

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View D-D'

Livingston Parish, Louisiana




D & S ENVIRONMENTAL SERVICES, INC.



06-2012-DOA

Date: 02-29-2012



- The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- 3. According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, LLC.
- Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section E-E'

Horizontal Scale: 1" = 10' Vertical Scale: 1" = 10'



Horizontal Scale: 1" = 10'

Legend

Earthen Material



Granular Foundation With Geotextile Fabric

Mean High Water MHW

MLW Mean Low Water

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View E-E'

Livingston Parish, Louisiana




D & S ENVIRONMENTAL SERVICES, INC



Project. No.:

06-2012-DOA


Date: 02-29-2012



- The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- 3. According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, LLC.
- Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section F-F'

Horizontal Scale: 1" = 10' Vertical Scale: 1" = 2'



Legend



Earthen Material

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View F-F'

Livingston Parish, Louisiana




D & S ENVIRONMENTAL SERVICES, INC.



Project. No.:

06-2012-DOA

Date: 02-29-2012



- The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- 3. According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates,
- Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- 6. All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.


Section G-G' Horizontal Scale: 1" = 10' Vertical Scale: 1" = 10' 10' Horizontal Scale: 1" = 10' Legend Earthen Material Concrete Granular Foundation With Geotextile Fabric MHW Mean High Water MLW Mean Low Water

Town of Livingston Texas Street Drainage Improvements Disaster Recovery CDBG Project Section View G-G' Livingston Parish, Louisiana D & S

06-2012-DOA

Date: 02-29-2012

ENVIRONMENTAL SERVICES, INC.



- The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- 3. According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- 4. Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, LLC.
- Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- 6. All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section H-H'

Horizontal Scale: 1" = 10' Vertical Scale: 1" = 2'

10' Horizontal Scale: 1" = 10'

Legend



Earthen Material

MHW

Mean High Water

MLW

Mean Low Water

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View H-H'

Livingston Parish, Louisiana



H'

42

40

36

Elevation, N.G.V.D


D & S ENVIRONMENTAL SERVICES, INC.



Project. No.:

06-2012-DOA

Date: 02-29-2012



- 1. The proposed layout is subject to change.
- Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- 3. According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, LLC.
- Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- 6. All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section I-I' Horizontal Scale: 1" = 10' Vertical Scale: 1" = 10' 10' 10' Horizontal Scale: 1" = 10'

Legend Concrete Granular Foundation With Geotextile Fabric Mean High Water MHW Mean Low Water

MLW

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View I-I'

Livingston Parish, Louisiana




D & S ENVIRONMENTAL SERVICES, INC.



Project. No.:

06-2012-DOA

Date: 02-29-2012



- The proposed layout is subject to change.
- 2. Jurisdictional Wetlands and Other Waters Of The US obtained from U.S.A.C.E Jurisdictional Determination Account Number MVN-2011-01826-SZ.
- 3. According to F.E.M.A. F.I.R.M. Community Panel No. 22063C0255-E, Dated 1-31-08, this property falls in Flood Zones A (No Base Flood Elevations Determined) and Flood Zone X.
- 4. Non-wetland natural ground elevations averages 40'-0" N.G.V.D. Elevation data was obtained from Alvin Fairburn And Associates, LLC.
- 5. Natural ground in existing jurisdictional wetlands are approximately 6" lower than non-wetland natural ground elevations.
- 6. All areas on-site that expose mineral soil will be a permenant surface shall be overseaded with the appropriate fertilizer/perennial mixture, including maintenance servitudes, which will contain the sediment load and prevent excess erosion runoff or non-point source pollution.

Section J-J' Horizontal Scale: 1" = 10' Vertical Scale: 1" = 10' 10' Horizontal Scale: 1" = 10'

Legend Concrete

Granular Foundation With Geotextile Fabric

MHW

Mean High Water

MLW

Mean Low Water

Town of Livingston

Texas Street Drainage Improvements Disaster Recovery CDBG Project

Section View J-J'

Livingston Parish, Louisiana



D & S ENVIRONMENTAL SERVICES, INC



06-2012-DOA

Date: 02-29-2012

