

PLOT DATE: November 3, 2011

FILE: Z:\2006\206766\00RPS PERMITS\RUCK CORMLES\CORMLES.dwg SHEET NO. JOB NO: 206766

DATE: 1007/2011


DRAWN BY: RACK

SCALE: [" = 20"

COMPUTER FILE: REVISION NO: 2.92 ACRES IN SECT. 54, T7S, R11E, ST. TAMMANY PARISH, LOUISIANA RICK CORALES 1) CROSS SECTION WIRTO, Z'AO" ASIS. 絽 COLLAR BEARS ENGINEERING, INC. 2866) Krentel Road, Lacombe, Louisuan 70445–3367
Ph.: (985) 882-6363-Pax (985) 882-6322
Email. david@northlake-eng.net 00 =тин− д KHX= +15 MLW--15

PLOT DATE: November 15, 2011


FILE: Z:\2006\206766\00RPS PERMITS\RUCK CORALES\CORALES.dwg



GENERAL NOTES:

- 1. ALL PILING TO BE CLASS 4 TRID. AND DRIVEN TO 3 TON BEARING RESISTANCE.
- 2. ALL SILLS TO BE DOUBLE 2"x12"s NOTCHED AND BOLTED TO PILING WITH "%" DIAMETER HOT DIPPED GALVANIZED BOLTS.
- 3. ALL COLLARS FOR DECKS TO BE DOUBLE 2" \times 8"s TREATED 0.40 ACQ.
- 4. ALL JOISTS FOR DECKS TO BE 2"x6" NOMINAL 24" ON CENTER TREATED 0.40 ACQ.
- 5. ALL DECKING SHALL BE 2"x6" TREATED 0.40 ACQ.
- 6. RAFTERS TO BE 2"x6" © 16" O.C. #2 SYP AS REQUIRED BY LOCAL CODES.
- 7. ROOF SHEATHING TO BE ½" OSB MINIMUM NAILING PATTERN 4" ON EDGE AND 4" IN THE FIELD.

 8. ROOFING SHALL BE 30 YEAR ARCHITECTUAL SHINGLES w/6 NAILS PER SHINGLE OVER 151b ROOFING FELT.
- 9. 2" X 4" RAFTER COLLAR TIES IN THE UPPER 15 OF RAFTER SPACE. ATTACH EACH END WITH A MINIMUM OF 5, 16d NAILS





28661 Krentel Rosd, Lacombe, Louisiana 70445—3367 Ph.: (985) 882-5363-Fax (985) 882-6322 Email: david@northiske-eng.net

Calfano ENGINEERING, INC. SHEET NO.

DATE: 10/07/20
DRAWN BY: RMIX

Plats

(Rick Corales P20111437)

Notes to be added to permit plats

- As-built drawings and/or plats shall have written on them the date of completion of said activities and shall be submitted to the Louisiana Department of Natural Resources, Office of Coastal Management, P.O. Box 44487, Baton Rouge, LA 70804-4487 within 30 days following project completion.
- 2. All structures, facilities, well and pipelines/flowlines occurring in open water areas or in oilfield canals or slips shall be removed within 120 days of abandonment or the facilities for the herein permitted use unless prior written approval to leave such structures in place is received from the Coastal Management Division. This condition does not preclude the necessity for revising the current permit or obtaining a separate Coastal Use Permit, should one be required.
- 3. Structures must also be marked/lighted in accordance with U. S. Coast Guard regulations.
- 4. In order to ensure the safety of all parties, the permittee shall contact the Louisiana One Call System (1-800-272-3020) a minimum of 48 hours prior to the commencement of any excavation (digging, dredging, jetting, etc.) or demolition activity. Structures must also be marked/lighted in accordance with U. S. Coast Guard regulations.
- 5. The land based pile driver will access the road on the property to reach the rear of the lot. The existing dock will be removed and the new dock put in the location as indicated on these drawings.